

# Package ‘MetaGxOvarian’

June 6, 2024

**Type** Package

**Title** Transcriptomic Ovarian Cancer Datasets

**Version** 1.25.0

**Date** `r Sys.date()`

**Description** A collection of Ovarian Cancer Transcriptomic Datasets that are part of the MetaGxData package compendium.

**License** Artistic-2.0

**Depends** Biobase, AnnotationHub, ExperimentHub, SummarizedExperiment, R  
(>= 3.6.0)

**Imports** stats, lattice, impute

**Suggests** testthat, xtable, rmarkdown, knitr, BiocStyle, markdown

**Encoding** UTF-8

**VignetteBuilder** knitr

**NeedsCompilation** no

**biocViews** ExpressionData, ExperimentHub, CancerData,  
Homo\_sapiens\_Data, ArrayExpress, GEO, NCI, MicroarrayData,  
ExperimentData

**LazyData** yes

**RoxygenNote** 7.1.1

**git\_url** <https://git.bioconductor.org/packages/MetaGxOvarian>

**git\_branch** devel

**git\_last\_commit** 2043cd1

**git\_last\_commit\_date** 2024-04-30

**Repository** Bioconductor 3.20

**Date/Publication** 2024-06-06

**Author** Michael Zon [aut],  
Vandana Sandhu [aut],  
Christopher Eeles [ctb],  
Benjamin Haibe-Kains [aut, cre]

**Maintainer** Benjamin Haibe-Kains <[benjamin.haibe.kains@utoronto.ca](mailto:benjamin.haibe.kains@utoronto.ca)>

## Contents

attention . . . . .	2
duplicates . . . . .	2
E.MTAB.386 . . . . .	2
GSE12418 . . . . .	10
GSE12470 . . . . .	14
GSE13876 . . . . .	20
GSE14764 . . . . .	27
GSE17260 . . . . .	33
GSE18520 . . . . .	42
GSE19829 . . . . .	48
GSE20565 . . . . .	54
GSE2109 . . . . .	65
GSE26193 . . . . .	74
GSE26712 . . . . .	82
GSE30009 . . . . .	91
GSE30161 . . . . .	99
GSE32062 . . . . .	105
GSE32063 . . . . .	113
GSE44104 . . . . .	117
GSE49997 . . . . .	122
GSE51088 . . . . .	130
GSE6008 . . . . .	139
GSE6822 . . . . .	148
GSE8842 . . . . .	154
GSE9891 . . . . .	162
loadOvarianDatasets . . . . .	170
loadOvarianEsets . . . . .	171
PMID15897565 . . . . .	173
PMID17290060 . . . . .	178
PMID19318476 . . . . .	185
TCGA.RNASeqV2 . . . . .	190
TCGAOVARIAN . . . . .	201

---

attention

*days\_to\_death*

---

## Description

This is a note to inform package users that the `days_to_death` variable is also valid for living patients. In this case, the value in `days_to_death` is the number of days since the last follow-up appointment.

## Format

A field included in various data files in the this package.

---

duplicates	<i>a list containing the names of patients that are believed to be duplicated across datasets</i>
------------	---

---

**Description**

The object is a list where each element is a patient ID that is believed to be a duplicate of a patient in another dataset. Patients are designated as duplicated if they have Spearman correlations greater than or equal to 0.98 with other patient expression profiles

**Format**

A list with 130 elements, each of which is a patient ID.

---

E.MTAB.386	<i>Angiogenic mRNA and microRNA gene expression signature predicts a novel subtype of serous ovarian cancer.</i>
------------	--

---

**Description**

Ovarian cancer is the fifth leading cause of cancer death for women in the U.S. and the seventh most fatal worldwide. Although ovarian cancer is notable for its initial sensitivity to platinum-based therapies, the vast majority of patients eventually develop recurrent cancer and succumb to increasingly platinum-resistant disease. Modern, targeted cancer drugs intervene in cell signaling, and identifying key disease mechanisms and pathways would greatly advance our treatment abilities. In order to shed light on the molecular diversity of ovarian cancer, we performed comprehensive transcriptional profiling on 129 advanced stage, high grade serous ovarian cancers. We implemented a, re-sampling based version of the ISIS class discovery algorithm (rISIS: robust ISIS) and applied it to the entire set of ovarian cancer transcriptional profiles. rISIS identified a previously undescribed patient stratification, further supported by micro-RNA expression profiles, and gene set enrichment analysis found strong biological support for the stratification by extracellular matrix, cell adhesion, and angiogenesis genes. The corresponding "angiogenesis signature" was validated in ten published independent ovarian cancer gene expression datasets and is significantly associated with overall survival. The subtypes we have defined are of potential translational interest as they may be relevant for identifying patients who may benefit from the addition of anti-angiogenic therapies that are now being tested in clinical trials.

**Format**

```
experimentData(eset) :  
Experiment data  
  Experimenter name: Bentink S, Haibe-Kains B, Risch T, Fan J-B, Hirsch MS, Holton  
  Laboratory: Bentink, Matulonis 2012  
  Contact information:  
  Title: Angiogenic mRNA and microRNA gene expression signature predicts a novel su
```

```

URL:
PMIDs: 22348002

Abstract: A 212 word abstract is available. Use 'abstract' method.
Information is available on: preprocessing
notes:
  platform_title:
    Illumina humanRef-8 v2.0 expression beadchip
  platform_shorttitle:
    Illumina humanRef-8 v2.0
  platform_summary:
    illuminaHumanv2
  platform_manufacturer:
    Illumina
  platform_distribution:
    commercial
  platform_accession:
    GPL6104
  version:
    2015-09-22 19:06:44

featureData(eset):
An object of class 'AnnotatedDataFrame'
  featureNames: ILMN_1343291 ILMN_1651228 ... ILMN_1815951 (12449
    total)
  varLabels: probeset gene EntrezGene.ID best_probe
  varMetadata: labelDescription

```

## Details

```

assayData: 12449 features, 129 samples
Platform type:
Overall survival time-to-event summary (in years):
Call: survfit(formula = Surv(time, cens) ~ -1)

```

	n	events	median	0.95LCL	0.95UCL
	129.00	73.00	3.51	2.68	4.13

```

-----
Available sample meta-data:
-----

```

```

unique_patient_ID:
  DFCI.1  DFCI.10 DFCI.100 DFCI.101 DFCI.102 DFCI.103 DFCI.104 DFCI.105
    1      1      1      1      1      1      1      1
DFCI.106 DFCI.107 DFCI.108 DFCI.109 DFCI.11 DFCI.110 DFCI.111 DFCI.112
    1      1      1      1      1      1      1      1
DFCI.113 DFCI.114 DFCI.115 DFCI.116 DFCI.117 DFCI.118 DFCI.119 DFCI.12

```

1	1	1	1	1	1	1	1
DFCI.120	DFCI.121	DFCI.122	DFCI.123	DFCI.124	DFCI.125	DFCI.126	DFCI.127
1	1	1	1	1	1	1	1
DFCI.128	DFCI.129	DFCI.13	DFCI.130	DFCI.131	DFCI.132	DFCI.14	DFCI.15
1	1	1	1	1	1	1	1
DFCI.16	DFCI.17	DFCI.18	DFCI.19	DFCI.2	DFCI.20	DFCI.21	DFCI.22
1	1	1	1	1	1	1	1
DFCI.23	DFCI.24	DFCI.25	DFCI.26	DFCI.27	DFCI.28	DFCI.29	DFCI.3
1	1	1	1	1	1	1	1
DFCI.30	DFCI.31	DFCI.32	DFCI.33	DFCI.34	DFCI.35	DFCI.36	DFCI.37
1	1	1	1	1	1	1	1
DFCI.38	DFCI.39	DFCI.4	DFCI.40	DFCI.41	DFCI.42	DFCI.44	DFCI.45
1	1	1	1	1	1	1	1
DFCI.46	DFCI.47	DFCI.48	DFCI.49	DFCI.50	DFCI.51	DFCI.52	DFCI.53
1	1	1	1	1	1	1	1
DFCI.54	DFCI.55	DFCI.56	DFCI.57	DFCI.58	DFCI.59	DFCI.6	DFCI.60
1	1	1	1	1	1	1	1
DFCI.61	DFCI.62	DFCI.63	DFCI.64	DFCI.65	DFCI.66	DFCI.67	DFCI.68
1	1	1	1	1	1	1	1
DFCI.69	DFCI.7	DFCI.70	(Other)				
1	1	1	30				

sample\_type:

tumor

129

histological\_type:

ser

129

primarysite:

ov

129

summarygrade:

high

129

summarystage:

early late

1 128

tumorstage:

2 3 4

1 109 19

substage:

a b c NA's

5 12 93 19

age\_at\_initial\_pathologic\_diagnosis:

Min.	1st Qu.	Median	Mean	3rd Qu.	Max.
21.00	50.00	66.00	60.71	72.00	95.00

days\_to\_death:

Min.	1st Qu.	Median	Mean	3rd Qu.	Max.
3.9	516.9	917.1	1007.0	1401.0	2724.0

vital\_status:

deceased	living
73	56

debulking:

optimal	suboptimal	NA's
98	28	3

uncurated\_author\_metadata:

Source.Name: DFCI-100///CH

Source.Name: DFCI-

Source.Name: DFCI-1

Source.Name: DFCI-103///

Source.Name: DFCI-104///C

Source.Name: DFCI-105///CH

Source.Name: DFCI-106///C

Source.Name: DFCI-107///C

Source.Name: DFCI-108///

Source.Name: DFCI-109///CH

Source.Name: DFCI-10/

Source.Name: DFCI-110//

Source.Name: DFCI-111///CH

Source.Name: DFCI-112///

Source.Name: DFCI-113///

Source.Name: DFCI-11

Source.Name: DFCI-115///C

Source.Name: DFCI-116///CH

Source.Name: DFCI-117//

Source.Name: DFCI-118///Characteristics.Age.: Age <has\_measurement <Measurement <ha

Source.Name: DFCI-119///

Source.Name: DFCI-11///

Source.Name: DFCI-120///Characteristics.Age.: Age <has\_measurement <Measurement

Source.Name: DFCI-121//

Source.Name: DFCI-12

Source.Name: DFCI-123///C

Source.Name: DFCI-124//

Source.Name: DFCI-125/

Source.Name: DFCI-1

Source.Name: DFCI-127///Characteristics.Age.: Age <has\_measurement <Measuremen

Source.Name: DFCI-128//

Source.Name: DFCI-129///Characteristics.Age.: Age <has\_measurement <Measurement

Source.Name: DFCI-12//

Source.Name: DFCI-130///Characteristics.Age.: Age <has\_measurement <Measurement <ha

Source.Name: DFCI-131///Characteristics.Age.: Age <has\_measurement <Measureme

Source.Name: DFCI-132///Characteristics.Age.: Age <has\_measurement <Measurement <h

Source.Name: DFCI-13//

Source.Name: DFCI-14/

Source.Name: DFCI-

Source.Name: DFCI-16//Characteristics.Age.: Age <has\_measurement <Measurement

Source.Name: DFCI-17//Characteristics.Age.: Age <has\_measurement <Measurement

Source.Name: DFCI-18//Characteristics.Age.: Age <has\_measurement <Measurement

Source.Name: DFCI-19//Characteristics.Age.: Age <has\_measurement <Measurement

Source.Name: DFCI-20//Characteristics.Age.: Age <has\_measurement <Measurement

Source.Name: DFCI-21//Characteristics.Age.: Age <has\_measurement <Measurement

Source.Name: DFCI-22//Characteristics.Age.: Age <has\_measurement <Measurement

Source.Name: DFCI-23//Characteristics.Age.: Age <has\_measurement <Measurement

Source.Name: DFCI-24//Characteristics.Age.: Age <has\_measurement <Measurement

Source.Name: DFCI-25//Characteristics.Age.: Age <has\_measurement <Measurement

Source.Name: DFCI-26//Characteristics.Age.: Age <has\_measurement <Measurement

Source.Name: DFCI-27//Characteristics.Age.: Age <has\_measurement <Measurement

Source.Name: DFCI-28//Characteristics.Age.: Age <has\_measurement <Measurement

Source.Name: DFCI-29//Characteristics.Age.: Age <has\_measurement <Measurement

Source.Name: DFCI-30//Characteristics.Age.: Age <has\_measurement <Measurement

Source.Name: DFCI-31//Characteristics.Age.: Age <has\_measurement <Measurement

Source.Name: DFCI-32//Characteristics.Age.: Age <has\_measurement <Measurement

Source.Name: DFCI-33//Characteristics.Age.: Age <has\_measurement <Measurement

Source.Name: DFCI-34//Characteristics.Age.: Age <has\_measurement <Measurement

Source.Name: DFCI-35//Characteristics.Age.: Age <has\_measurement <Measurement

Source.Name: DFCI-36//Characteristics.Age.: Age <has\_measurement <Measurement

Source.Name: DFCI-37//Characteristics.Age.: Age <has\_measurement <Measurement



Source.Name: DFCI-38//

Source.Name: DFCI-39//

Source.Name: DFCI-

Source.Name: DFCI-40//

Source.Name: DFCI-41/

Source.Name: DFCI-42/

Source.Name: DFCI-44/

Source.Name: DFCI-

Source.Name: DFCI-46//

Source.Name: DFCI-47/

Source.Name: DFCI-

Source.Name: DFCI-49

Source.Name: DFCI-

Source.Name: DFCI-50/

Source.Name: DFCI-51//

Source.Name: DFCI-52//

Source.Name: DFCI-53//

Source.Name: DFCI-54//

Source.Name: DFCI-55/

Source.Name: DFCI-56//

Source.Name: DFCI-57//

Source.Name: DFCI-58/

Source.Name: DFCI-59

Source.Name: DFCI-60

	Source.Name: DFCI-6
Source.Name: DFCI-62///Characteristics.Age.: Age <has_measurement <Measurement	
	Source.Name: DFCI-6
	Source.Name: DFCI-64
	Source.Name: DFCI-65///
	Source.Name: DFCI-6
	Source.Name: DFCI-
	Source.Name: DFCI-68///
	Source.Name: DFCI-69///
	Source.Name: DFC
	Source.Name: DFCI-70/
	Source.Name: DFCI-71

Value

An expression set

---

GSE12418	<i>Expression analysis of stage III serous ovarian adenocarcinoma distinguishes a sub-group of survivors.</i>
----------	---

---

Description

It is difficult to predict the clinical outcome for patients with ovarian cancer. However, the use of biomarkers as additional prognostic factors may improve the outcome for these patients. In order to find novel candidate biomarkers, differences in gene expressions were analysed in 54 stage III serous ovarian adenocarcinomas with oligonucleotide microarrays containing 27,000 unique probes. The microarray data was verified with quantitative real-time polymerase chain reaction for the genes TACC1, MUC5B and PRAME. Using hierarchical cluster analysis we detected a sub-group that included 60% of the survivors. The gene expressions in tumours from patients in this sub-group of survivors were compared with the remaining tumours, and 204 genes were found to

be differently expressed. We conclude that the sub-group of survivors might represent patients with favourable tumour biology and sensitivity to treatment. A selection of the 204 genes might be used as a predictive model to distinguish patients within and outside of this group. Alternative chemotherapy strategies could then be offered as first-line treatment, which may lead to improvements in the clinical outcome for these patients.

## Format

```
experimentData(eset):
Experiment data
  Experimenter name: Partheen K, Levan K, Osterberg L, Horvath G.Expression analysis
  Laboratory: Partheen, Horvath 2006
  Contact information:
  Title: Expression analysis of stage III serous ovarian adenocarcinoma distinguish
  URL:
  PMIDs: 16996261

Abstract: A 177 word abstract is available. Use 'abstract' method.
Information is available on: preprocessing
notes:
  platform_title:
    SWEGENE H_v2.1.1_27k
  platform_shorttitle:
    SWEGENE H_v2.1.1_27k
  platform_summary:
    PartheenMetaData
  platform_manufacturer:
    other
  platform_distribution:
    non-commercial
  platform_accession:
    GPL5886
  version:
    2015-09-22 19:07:14

featureData(eset):
An object of class 'AnnotatedDataFrame'
  featureNames: 28 29 ... 29999 (11304 total)
  varLabels: probeset gene EntrezGene.ID best_probe
  varMetadata: labelDescription
```

## Details

```
assayData: 11304 features, 54 samples
Platform type:
-----
Available sample meta-data:
-----
```

alt\_sample\_name:

1035LA0	1047LB	1059LB0	1177DB	1178LB0	1180DB	1186DB0	123DC	1242LC0	1274LC
1	1	1	1	1	1	1	1	1	1
134LC	1426LB	1487DB	1528DC	1538DC	1567DB	1568DC	1574LC0	164DC	1658DC
1	1	1	1	1	1	1	1	1	1
1760LB	1805DB	193DC	198DC	202DC	211DC	26DC	272DC	405LB	436DC
1	1	1	1	1	1	1	1	1	1
452DC	454LC	45LA0	462DB	46LB0	47DC	480DC0	489DC	505DB	541DC
1	1	1	1	1	1	1	1	1	1
559DC	563LA	626DC	662DC	719DC	742LC0	755LC	759DC	76DC	789DC
1	1	1	1	1	1	1	1	1	1
83LC	918DB0	988LC0	99LC0						
1	1	1	1						

sample\_type:

tumor  
54

histological\_type:

ser  
54

primarysite:

ov  
54

summarystage:

late  
54

tumorstage:

3  
54

substage:

b c  
19 35

age\_at\_initial\_pathologic\_diagnosis:

Min.	1st Qu.	Median	Mean	3rd Qu.	Max.
35.00	51.25	59.50	59.56	69.75	84.00

pltx:

y  
54

os\_binary:

```
long short
20      34
```

```
debulking:
  optimal suboptimal
      13      41
```

```
uncurated_author_metadata:
```

```
title: 1035LA0///geo_accession: GSM311973///status: Public on Aug 12 2008///submitter: NCBI
```

```
title: 1047LB///geo_accession: GSM311974///status: Public on Aug 12 2008///submitter: NCBI
```

```
title: 1059LB0///geo_accession: GSM311975///status: Public on Aug 12 2008///submitter: NCBI
```

```
title: 1177DB///geo_accession: GSM311976///status: Public on Aug 12 2008///submitter: NCBI
```

```
title: 1178LB0///geo_accession: GSM311977///status: Public on Aug 12 2008///submitter: NCBI
```

```
title: 1180DB///geo_accession: GSM311978///status: Public on Aug 12 2008///submitter: NCBI
```

```
title: 1186DB0///geo_accession: GSM311979///status: Public on Aug 12 2008///submitter: NCBI
```

```
title: 123DC///geo_accession: GSM311945///status: Public on Aug 12 2008///submitter: NCBI
```

```
title: 1242LC0///geo_accession: GSM311980///status: Public on Aug 12 2008///submitter: NCBI
```

```
title: 1274LC///geo_accession: GSM311981///status: Public on Aug 12 2008///submitter: NCBI
```

```
title: 134LC///geo_accession: GSM311946///status: Public on Aug 12 2008///submitter: NCBI
```

```
title: 1426LB///geo_accession: GSM311982///status: Public on Aug 12 2008///submitter: NCBI
```

```
title: 1487DB///geo_accession: GSM311983///status: Public on Aug 12 2008///submitter: NCBI
```

```
title: 1528DC///geo_accession: GSM311984///status: Public on Aug 12 2008///submitter: NCBI
```

```
title: 1538DC///geo_accession: GSM311985///status: Public on Aug 12 2008///submitter: NCBI
```

```
title: 1567DB///geo_accession: GSM311986///status: Public on Aug 12 2008///submitter: NCBI
```

```
title: 1568DC///geo_accession: GSM311987///status: Public on Aug 12 2008///submitter: NCBI
```

```
title: 1574LC0///geo_accession: GSM311988///status: Public on Aug 12 2008///submitter: NCBI
```

```
title: 164DC///geo_accession: GSM311947///status: Public on Aug 12 2008///submitter: NCBI
```

```
title: 1658DC///geo_accession: GSM311989///status: Public on Aug 12 2008///submitter: NCBI
```

title: 1760LB///geo\_accession: GSM311990///status: Public on Aug 12 2008///submitter: NCI  
title: 1805DB///geo\_accession: GSM311991///status: Public on Aug 12 2008///submitter: NCI  
title: 193DC///geo\_accession: GSM311948///status: Public on Aug 12 2008///submitter: NCI  
title: 198DC///geo\_accession: GSM311949///status: Public on Aug 12 2008///submitter: NCI  
title: 202DC///geo\_accession: GSM311950///status: Public on Aug 12 2008///submitter: NCI  
title: 211DC///geo\_accession: GSM311951///status: Public on Aug 12 2008///submitter: NCI  
title: 26DC///geo\_accession: GSM311938///status: Public on Aug 12 2008///submitter: NCI  
title: 272DC///geo\_accession: GSM311952///status: Public on Aug 12 2008///submitter: NCI  
title: 405LB///geo\_accession: GSM311953///status: Public on Aug 12 2008///submitter: NCI  
title: 436DC///geo\_accession: GSM311954///status: Public on Aug 12 2008///submitter: NCI  
title: 452DC///geo\_accession: GSM311955///status: Public on Aug 12 2008///submitter: NCI  
title: 454LC///geo\_accession: GSM311956///status: Public on Aug 12 2008///submitter: NCI  
title: 45LA0///geo\_accession: GSM311939///status: Public on Aug 12 2008///submitter: NCI  
title: 462DB///geo\_accession: GSM311957///status: Public on Aug 12 2008///submitter: NCI  
title: 46LB0///geo\_accession: GSM311940///status: Public on Aug 12 2008///submitter: NCI  
title: 47DC///geo\_accession: GSM311941///status: Public on Aug 12 2008///submitter: NCI  
title: 480DC0///geo\_accession: GSM311958///status: Public on Aug 12 2008///submitter: NCI  
title: 489DC///geo\_accession: GSM311959///status: Public on Aug 12 2008///submitter: NCI  
title: 505DB///geo\_accession: GSM311960///status: Public on Aug 12 2008///submitter: NCI  
title: 541DC///geo\_accession: GSM311961///status: Public on Aug 12 2008///submitter: NCI  
title: 559DC///geo\_accession: GSM311962///status: Public on Aug 12 2008///submitter: NCI  
title: 563LA///geo\_accession: GSM311963///status: Public on Aug 12 2008///submitter: NCI  
title: 626DC///geo\_accession: GSM311964///status: Public on Aug 12 2008///submitter: NCI  
title: 662DC///geo\_accession: GSM311965///status: Public on Aug 12 2008///submitter: NCI

title: 719DC///geo\_accession: GSM311966///status: Public on Aug 12 2008///submitter: NCI

title: 742LC0///geo\_accession: GSM311967///status: Public on Aug 12 2008///submitter: NCI

title: 755LC///geo\_accession: GSM311968///status: Public on Aug 12 2008///submitter: NCI

title: 759DC///geo\_accession: GSM311969///status: Public on Aug 12 2008///submitter: NCI

title: 76DC///geo\_accession: GSM311942///status: Public on Aug 12 2008///submitter: NCI

title: 789DC///geo\_accession: GSM311970///status: Public on Aug 12 2008///submitter: NCI

title: 83LC///geo\_accession: GSM311943///status: Public on Aug 12 2008///submitter: NCI

title: 918DB0///geo\_accession: GSM311971///status: Public on Aug 12 2008///submitter: NCI

title: 988LC0///geo\_accession: GSM311972///status: Public on Aug 12 2008///submitter: NCI

title: 99LC0///geo\_accession: GSM311944///status: Public on Aug 12 2008///submitter: NCI

Value

An expression set

GSE12470	<i>Gene expression profiling of advanced-stage serous ovarian cancers distinguishes novel subclasses and implicates ZEB2 in tumor progression and prognosis.</i>
----------	--

Description

To elucidate the mechanisms of rapid progression of serous ovarian cancer, gene expression profiles from 43 ovarian cancer tissues comprising eight early stage and 35 advanced stage tissues were carried out using oligonucleotide microarrays of 18,716 genes. By non-negative matrix factorization analysis using 178 genes, which were extracted as stage-specific genes, 35 advanced stage cases were classified into two subclasses with superior (n = 17) and poor (n = 18) outcome evaluated by progression-free survival (log rank test, P = 0.03). Of the 178 stage-specific genes, 112 genes were identified as showing different expression between the two subclasses. Of the 48 genes selected for biological function by gene ontology analysis or Ingenuity Pathway Analysis, five genes (ZEB2, CDH1, LTBP2, COL16A1, and ACTA2) were extracted as candidates for prognostic factors associated with progression-free survival. The relationship between high ZEB2 or low CDH1 expression and shorter progression-free survival was validated by real-time RT-PCR experiments of 37 independent advanced stage cancer samples. ZEB2 expression was negatively correlated with CDH1 expression in advanced stage samples, whereas ZEB2 knockdown in ovarian adenocarcinoma SKOV3 cells resulted in an increase in CDH1 expression. Multivariate analysis showed that

high ZEB2 expression was independently associated with poor prognosis. Furthermore, the prognostic effect of E-cadherin encoded by CDH1 was verified using immunohistochemical analysis of an independent advanced stage cancer samples set (n = 74). These findings suggest that the expression of epithelial-mesenchymal transition-related genes such as ZEB2 and CDH1 may play important roles in the invasion process of advanced stage serous ovarian cancer.

## Format

```
experimentData(eset):
Experiment data
  Experimenter name: Yoshihara K, Tajima A, Komata D, Yamamoto T, Kodama S, Fujiwara
  Laboratory: Yoshihara, Tanaka 2009
  Contact information:
  Title: Gene expression profiling of advanced-stage serous ovarian cancers distinguishing
  URL:
  PMIDs: 19486012

Abstract: A 253 word abstract is available. Use 'abstract' method.
Information is available on: preprocessing
notes:
  platform_title:
    Agilent-012097 Human 1A Microarray (V2) G4110B (Feature Number version)
  platform_shorttitle:
    Agilent G4110B
  platform_summary:
    hgug4110b
  platform_manufacturer:
    Agilent
  platform_distribution:
    commercial
  platform_accession:
    GPL887
  version:
    2015-09-22 19:08:17

featureData(eset):
An object of class 'AnnotatedDataFrame'
  featureNames: 3 5 ... 22571 (15999 total)
  varLabels: probeset gene EntrezGene.ID best_probe
  varMetadata: labelDescription
```

## Details

```
assayData: 15999 features, 53 samples
Platform type:
-----
Available sample meta-data:
-----
```



```

alt_sample_name:
Advanced serous ovarian cancer 10 Advanced serous ovarian cancer 11
1 1
Advanced serous ovarian cancer 15 Advanced serous ovarian cancer 17
1 1
Advanced serous ovarian cancer 18 Advanced serous ovarian cancer 2
1 1
Advanced serous ovarian cancer 20 Advanced serous ovarian cancer 23
1 1
Advanced serous ovarian cancer 24 Advanced serous ovarian cancer 25
1 1
Advanced serous ovarian cancer 27 Advanced serous ovarian cancer 36
1 1
Advanced serous ovarian cancer 37 Advanced serous ovarian cancer 38
1 1
Advanced serous ovarian cancer 39 Advanced serous ovarian cancer 42
1 1
Advanced serous ovarian cancer 43 Advanced serous ovarian cancer 45
1 1
Advanced serous ovarian cancer 46 Advanced serous ovarian cancer 49
1 1
Advanced serous ovarian cancer 50 Advanced serous ovarian cancer 51
1 1
Advanced serous ovarian cancer 52 Advanced serous ovarian cancer 53
1 1
Advanced serous ovarian cancer 54 Advanced serous ovarian cancer 55
1 1
Advanced serous ovarian cancer 56 Advanced serous ovarian cancer 57
1 1
Advanced serous ovarian cancer 58 Advanced serous ovarian cancer 6
1 1
Advanced serous ovarian cancer 60 Advanced serous ovarian cancer 61
1 1
Advanced serous ovarian cancer 62 Advanced serous ovarian cancer 64
1 1
Advanced serous ovarian cancer 7 Early serous ovarian cancer 28
1 1
Early serous ovarian cancer 32 Early serous ovarian cancer 33
1 1
Early serous ovarian cancer 35 Early serous ovarian cancer 5
1 1
Early serous ovarian cancer 65 Early serous ovarian cancer 8
1 1
Early serous ovarian cancer 9 Peritoneum normal 12
1 1
Peritoneum normal 15 Peritoneum normal 16
1 1

```

Peritoneum normal	18	Peritoneum normal	21
	1		1
Peritoneum normal	23	Peritoneum normal	3
	1		1
Peritoneum normal	30	Peritoneum normal	4
	1		1
Peritoneum normal	7		
	1		

```
sample_type:
healthy      tumor
      10      43
```

```
histological_type:
ser NA's
43      10
```

```
primarysite:
ov
53
```

```
summarystage:
early  late  NA's
      8      35      10
```

```
tumorstage:
1 NA's
8      45
```

```
uncurated_author_metadata:
title: Advanced serous ovarian cancer 10///geo_accession: GSM312155///status: Pub
title: Advanced serous ovarian cancer 11///geo_accession: GSM312141///status: Pub
title: Advanced serous ovarian cancer 15///geo_accession: GSM312156///status: Pub
title: Advanced serous ovarian cancer 17///geo_accession: GSM312142///status: Pub
title: Advanced serous ovarian cancer 18///geo_accession: GSM312143///status: Pub
title: Advanced serous ovarian cancer 20///geo_accession: GSM312144///status: Pub
title: Advanced serous ovarian cancer 23///geo_accession: GSM312157///status: Pub
title: Advanced serous ovarian cancer 24///geo_accession: GSM312145///status: Pub
title: Advanced serous ovarian cancer 25///geo_accession: GSM312146///status: Pub
```

title: Advanced serous ovarian cancer 27///geo\_accession: GSM312158///status: Pub  
title: Advanced serous ovarian cancer 2///geo\_accession: GSM312138///st  
title: Advanced serous ovarian cancer 36///geo\_accession: GSM312147///status: Pub  
title: Advanced serous ovarian cancer 37///geo\_accession: GSM312148///status: Pub  
title: Advanced serous ovarian cancer 38///geo\_accession: GSM312149///status: Pub  
title: Advanced serous ovarian cancer 39///geo\_accession: GSM312159///status: Pub  
title: Advanced serous ovarian cancer 42///geo\_accession: GSM312160///status: Pub  
title: Advanced serous ovarian cancer 43///geo\_accession: GSM312150///status: Pub  
title: Advanced serous ovarian cancer 45///geo\_accession: GSM312161///status: Pub  
title: Advanced serous ovarian cancer 46///geo\_accession: GSM312162///status: Pub  
title: Advanced serous ovarian cancer 49///geo\_accession: GSM312151///status: Pub  
title: Advanced serous ovarian cancer 50///geo\_accession: GSM312163///status: Pub  
title: Advanced serous ovarian cancer 51///geo\_accession: GSM312165///status: Pub  
title: Advanced serous ovarian cancer 52///geo\_accession: GSM312167///status: Pub  
title: Advanced serous ovarian cancer 53///geo\_accession: GSM312168///status: Pub  
title: Advanced serous ovarian cancer 54///geo\_accession: GSM312152///status: Pub  
title: Advanced serous ovarian cancer 55///geo\_accession: GSM312170///status: Publi  
title: Advanced serous ovarian cancer 56///geo\_accession: GSM312171///status: Pub  
title: Advanced serous ovarian cancer 57///geo\_accession: GSM312153///status: Pub  
title: Advanced serous ovarian cancer 58///geo\_accession: GSM312172///status: Pub  
title: Advanced serous ovarian cancer 60///geo\_accession: GSM312173///status: Pub  
title: Advanced serous ovarian cancer 61///geo\_accession: GSM312154///status: Pub  
title: Advanced serous ovarian cancer 62///geo\_accession: GSM312174///status: Pub  
title: Advanced serous ovarian cancer 64///geo\_accession: GSM312175///status: Pub

```

title: Advanced serous ovarian cancer 6///geo_accession: GSM312139///status: E
title: Advanced serous ovarian cancer 7///geo_accession: GSM312140///status: E
    title: Early serous ovarian cancer 28///geo_accession: GSM312180///status:
    title: Early serous ovarian cancer 32///geo_accession: GSM312181///status:
    title: Early serous ovarian cancer 33///geo_accession: GSM312182///status:
    title: Early serous ovarian cancer 35///geo_accession: GSM312183///status:
        title: Early serous ovarian cancer 5///geo_accession: GSM312176///status
title: Early serous ovarian cancer 65///geo_accession: GSM312185///status:
    title: Early serous ovarian cancer 8///geo_accession: GSM312178///status
    title: Early serous ovarian cancer 9///geo_accession: GSM312179///status
        title: Peritoneum normal 12///geo_accession:
        title: Peritoneum normal 15///geo_accession:
        title: Peritoneum normal 16///geo_accession:
        title: Peritoneum normal 18///geo_accession:
        title: Peritoneum normal 21///geo_accession:
title: Peritoneum normal 23///geo_accession:
    title: Peritoneum normal 30///geo_accession:
        title: Peritoneum normal 3///geo_accession:
        title: Peritoneum normal 4///geo_accession:
        title: Peritoneum normal 7///geo_accession:

```

duplicates:

```

GSE12470.GSE12470_GSM312135 GSE12470.GSE12470_GSM312136
                                1                                1
GSE12470.GSE12470_GSM312145 GSE12470.GSE12470_GSM312146
                                1                                1
                                NA's
                                49

```

**Value**

An expression set

---

GSE13876

*Survival-related profile, pathways, and transcription factors in ovarian cancer.*

---

**Description**

Ovarian cancer has a poor prognosis due to advanced stage at presentation and either intrinsic or acquired resistance to classic cytotoxic drugs such as platinum and taxoids. Recent large clinical trials with different combinations and sequences of classic cytotoxic drugs indicate that further significant improvement in prognosis by this type of drugs is not to be expected. Currently a large number of drugs, targeting dysregulated molecular pathways in cancer cells have been developed and are introduced in the clinic. A major challenge is to identify those patients who will benefit from drugs targeting these specific dysregulated pathways. The aims of our study were (1) to develop a gene expression profile associated with overall survival in advanced stage serous ovarian cancer, (2) to assess the association of pathways and transcription factors with overall survival, and (3) to validate our identified profile and pathways/transcription factors in an independent set of ovarian cancers. According to a randomized design, profiling of 157 advanced stage serous ovarian cancers was performed in duplicate using approximately 35,000 70-mer oligonucleotide microarrays. A continuous predictor of overall survival was built taking into account well-known issues in microarray analysis, such as multiple testing and overfitting. A functional class scoring analysis was utilized to assess pathways/transcription factors for their association with overall survival. The prognostic value of genes that constitute our overall survival profile was validated on a fully independent, publicly available dataset of 118 well-defined primary serous ovarian cancers. Furthermore, functional class scoring analysis was also performed on this independent dataset to assess the similarities with results from our own dataset. An 86-gene overall survival profile discriminated between patients with unfavorable and favorable prognosis (median survival, 19 versus 41 mo, respectively; permutation p-value of log-rank statistic = 0.015) and maintained its independent prognostic value in multivariate analysis. Genes that composed the overall survival profile were also able to discriminate between the two risk groups in the independent dataset. In our dataset 17/167 pathways and 13/111 transcription factors were associated with overall survival, of which 16 and 12, respectively, were confirmed in the independent dataset. Our study provides new clues to genes, pathways, and transcription factors that contribute to the clinical outcome of serous ovarian cancer and might be exploited in designing new treatment strategies.

**Format**

```
experimentData(eset) :
```

```
Experiment data
```

```
  Experimenter name: Crijns AP, Fehrmann RS, de Jong S, Gerbens F, Meersma GJ, Klip
```

```
  Laboratory: Crijns, van der Zee 2009
```

```
  Contact information:
```

Title: Survival-related profile, pathways, and transcription factors in ovarian c  
 URL:  
 PMIDs: 19192944

Abstract: A 371 word abstract is available. Use 'abstract' method.  
 Information is available on: preprocessing

notes:

```
platform_title:
  Operon human v3 ~35K 70-mer two-color oligonucleotide microarrays
platform_shorttitle:
  Operon v3 two-color
platform_summary:
  OperonHumanV3
platform_manufacturer:
  other
platform_distribution:
  non-commercial
platform_accession:
  GPL7759
version:
  2015-09-22 19:11:43
```

featureData(eset):

An object of class 'AnnotatedDataFrame'

```
featureNames: 1 2 ... 37629 (20939 total)
varLabels: probeset gene EntrezGene.ID best_probe
varMetadata: labelDescription
```

## Details

assayData: 20939 features, 157 samples

Platform type:

Overall survival time-to-event summary (in years):

Call: survfit(formula = Surv(time, cens) ~ -1)

	n	events	median	0.95LCL	0.95UCL
	157.00	113.00	2.05	1.56	2.71

-----  
 Available sample meta-data:  
 -----

alt\_sample\_name:

```
151 NA's
1 156
```

unique\_patient\_ID:

Min.	1st Qu.	Median	Mean	3rd Qu.	Max.
------	---------	--------	------	---------	------

```

1      40      79      79      118      157

sample_type:
tumor
157

histological_type:
ser
157

primarysite:
ov
157

summarygrade:
high  low NA's
85    59   13

summarystage:
late
157

grade:
1      2      3      4 NA's
14    45    82     3   13

age_at_initial_pathologic_diagnosis:
Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
21.00  50.00   60.00   57.95  67.00   84.00

days_to_death:
Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
30    360     630    1100   1470   7020

vital_status:
deceased  living
113       44

uncurated_author_metadata:
```

title: Ovarian tumor sample 105 / Ovarian tumor sample 106///geo\_accession:

title: Ovarian tumor sample 10 / Ovarian tumor sample 11///geo\_accession:

title: Ovarian tumor sample 111 / Ovarian tumor sample 112///geo\_accession:

title: Ovarian tumor sample 115 / Ovarian tumor sample 117///geo\_accession:

title: Ovarian tumor sample 126 / Ovarian tumor sample 127///geo\_accession:

title: Ovarian tumor sample 13 / Ovarian tumor sample 14///geo\_accession:



title: Ovarian tumor sample 165 / Ovarian tumor sample 166///geo\_accession:

title: Ovarian tumor sample 193 / Ovarian tumor sample 194///geo\_accession:

title: Ovarian tumor sample 230 / Ovarian tumor sample 231///geo\_accession:

title: Ovarian tumor sample 237 / Ovarian tumor sample 238///geo\_accession:

title: Ovarian tumor sample 250 / Ovarian tumor sample 251///geo\_accession: GSM4058

title: Ovarian tumor sample 258 / Ovarian tumor sample 259///geo\_accession:

title: Ovarian tumor sample 273 / Ovarian tumor sample 274///geo\_accession: G

title: Ovarian tumor sample 284 / Ovarian tumor sample 285///geo\_accession: G

title: Ovarian tumor sample 313 / Ovarian tumor sample 314///geo\_accession: G

**Value**

An expression set

---

GSE14764

*A prognostic gene expression index in ovarian cancer - validation across different independent data sets.*

---

**Description**

Ovarian carcinoma has the highest mortality rate among gynaecological malignancies. In this project, we investigated the hypothesis that molecular markers are able to predict outcome of ovarian cancer independently of classical clinical predictors, and that these molecular markers can be validated using independent data sets. We applied a semi-supervised method for prediction of patient survival. Microarrays from a cohort of 80 ovarian carcinomas (TOC cohort) were used for the development of a predictive model, which was then evaluated in an entirely independent cohort of 118 carcinomas (Duke cohort). A 300-gene ovarian prognostic index (OPI) was generated and validated in a leave-one-out approach in the TOC cohort (Kaplan-Meier analysis,  $p = 0.0087$ ). In a second validation step, the prognostic power of the OPI was confirmed in an independent data set (Duke cohort,  $p = 0.0063$ ). In multivariate analysis, the OPI was independent of the post-operative residual tumour, the main clinico-pathological prognostic parameter with an adjusted hazard ratio of 6.4 (TOC cohort, CI 1.8-23.5,  $p = 0.0049$ ) and 1.9 (Duke cohort, CI 1.2-3.0,  $p = 0.0068$ ). We constructed a combined score of molecular data (OPI) and clinical parameters (residual tumour), which was able to define patient groups with highly significant differences in survival. The integrated analysis of gene expression data as well as residual tumour can be used for optimized assessment of the prognosis of platinum-taxol-treated ovarian cancer. As traditional treatment options are limited, this analysis may be able to optimize clinical management and to identify those patients who would be candidates for new therapeutic strategies.

**Format**

```
experimentData(eset):
```

```
Experiment data
```

```
  Experimenter name: Denkert C, Budczies J, Darb-Esfahani S, Gy??rffy B et al. A pr
```

```
  Laboratory: Denkert, Lage 2009
```

```
  Contact information:
```

```
  Title: A prognostic gene expression index in ovarian cancer - validation across c
```

```
  URL:
```

```
  PMIDs: 19294737
```

```
Abstract: A 254 word abstract is available. Use 'abstract' method.
```

```
Information is available on: preprocessing
```

```
notes:
```

```
  platform_title:
```

```
    [HG-U133A] Affymetrix Human Genome U133A Array
```

```
  platform_shorttitle:
```

```
    Affymetrix HG-U133A
```

```

platform_summary:
  hg133a
platform_manufacturer:
  Affymetrix
platform_distribution:
  commercial
platform_accession:
  GPL96
version:
  2015-09-22 19:13:08

featureData(eset):
An object of class 'AnnotatedDataFrame'
  featureNames: 1007_s_at 1053_at ... AFFX-HUMISGF3A/M97935_MB_at
    (20967 total)
  varLabels: probeset gene EntrezGene.ID best_probe
  varMetadata: labelDescription

```

## Details

```

assayData: 20967 features, 80 samples
Platform type:
Overall survival time-to-event summary (in years):
Call: survfit(formula = Surv(time, cens) ~ -1)

```

n	events	median	0.95LCL	0.95UCL
80.00	21.00	4.52	4.19	NA

```

-----
Available sample meta-data:
-----

```

```

alt_sample_name:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
  1.00  20.75   40.50   40.50  60.25   80.00

```

```

sample_type:
tumor
80

```

```

histological_type:
  clearcell      endo      mix      other
           2           6           1           2
  ser undifferentiated
           68           1

```

```

primarysite:
ov

```

80

summarygrade:

high low

54 26

summarystage:

early late

9 71

tumorstage:

1 2 3 4

8 1 69 2

substage:

a b c NA's

4 6 32 38

grade:

1 2 3

3 23 54

recurrence\_status:

norecurrence recurrence NA's

50 26 4

days\_to\_death:

Min. 1st Qu. Median Mean 3rd Qu. Max.

210 660 1050 1011 1328 2190

vital\_status:

deceased living

21 59

batch:

2004-09-29 2004-09-30 2004-10-01 2005-01-21 2005-01-25 2005-01-26 2005-01-28

1 2 6 4 7 8 10

2005-03-02 2006-07-26 2006-07-27 2006-07-28 2006-08-11 2006-08-18 2006-08-19

6 4 6 4 10 3 4

2006-08-21

5

uncurated\_author\_metadata:

title: ovarian cancer: 010///geo\_accession: GSM368670///status: Public

title: ovarian cancer: 011///geo\_accession: GSM368671///status: Public

title: ovarian cancer: 012///geo\_accession: GSM368672///status: Public

title: ovarian cancer: 013///geo\_accession: GSM368673///status: Public  
title: ovarian cancer: 014///geo\_accession: GSM368674///status: Public  
title: ovarian cancer: 015///geo\_accession: GSM368675///status: Public  
title: ovarian cancer: 016///geo\_accession: GSM368676///status: Public  
title: ovarian cancer: 017///geo\_accession: GSM368677///status: Public  
title: ovarian cancer: 018///geo\_accession: GSM368678///status: Public  
title: ovarian cancer: 019///geo\_accession: GSM368679///status: Public  
title: ovarian cancer: 01///geo\_accession: GSM368661///status: Public  
title: ovarian cancer: 020///geo\_accession: GSM368680///status: Public  
title: ovarian cancer: 021///geo\_accession: GSM368681///status: Public  
title: ovarian cancer: 022///geo\_accession: GSM368682///status: Public  
title: ovarian cancer: 023///geo\_accession: GSM368683///status: Public  
title: ovarian cancer: 024///geo\_accession: GSM368684///status: Public  
title: ovarian cancer: 025///geo\_accession: GSM368685///status: Public  
title: ovarian cancer: 026///geo\_accession: GSM368686///status: Public on Feb 09 20  
title: ovarian cancer: 027///geo\_accession: GSM368687///status: Public  
title: ovarian cancer: 028///geo\_accession: GSM368688///status: Public  
title: ovarian cancer: 029///geo\_accession: GSM368689///status: Public  
title: ovarian cancer: 02///geo\_accession: GSM368662///status: Public  
title: ovarian cancer: 030///geo\_accession: GSM368690///status: Public  
title: ovarian cancer: 031///geo\_accession: GSM368691///status: Public  
title: ovarian cancer: 032///geo\_accession: GSM368692///status: Public  
title: ovarian cancer: 033///geo\_accession: GSM368693///status: Public  
title: ovarian cancer: 034///geo\_accession: GSM368694///status: Public

title: ovarian cancer: 035///geo\_accession: GSM368695///status: Public

title: ovarian cancer: 036///geo\_accession: GSM368696///status: Public

title: ovarian cancer: 037///geo\_accession: GSM368697///status: Public

title: ovarian cancer: 038///geo\_accession: GSM368698///status: Public

title: ovarian cancer: 039///geo\_accession: GSM368699///status: Public

title: ovarian cancer: 03///geo\_accession: GSM368663///status: Public on Feb

title: ovarian cancer: 040///geo\_accession: GSM368700///status: Public

title: ovarian cancer: 041///geo\_accession: GSM368701///status: Public

title: ovarian cancer: 042///geo\_accession: GSM368702///status: Public

title: ovarian cancer: 043///geo\_accession: GSM368703///status: Public

title: ovarian cancer: 044///geo\_accession: GSM368704///status: Public

title: ovarian cancer: 045///geo\_accession: GSM368705///status: Public

title: ovarian cancer: 046///geo\_accession: GSM368706///status: Public

title: ovarian cancer: 047///geo\_accession: GSM368707///status: Public

title: ovarian cancer: 048///geo\_accession: GSM368708///status: Public

title: ovarian cancer: 049///geo\_accession: GSM368709///status: Public

title: ovarian cancer: 04///geo\_accession: GSM368664///status: Public

title: ovarian cancer: 050///geo\_accession: GSM368710///status: Public

title: ovarian cancer: 051///geo\_accession: GSM368711///status: Public

title: ovarian cancer: 052///geo\_accession: GSM368712///status: Public

title: ovarian cancer: 053///geo\_accession: GSM368713///status: Public

title: ovarian cancer: 054///geo\_accession: GSM368714///status: Public

title: ovarian cancer: 055///geo\_accession: GSM368715///status: Public

title: ovarian cancer: 056///geo\_accession: GSM368716///status: Public



title: ovarian cancer: 057///geo\_accession: GSM368717///status: Pub  
title: ovarian cancer: 058///geo\_accession: GSM368718///status: Pub  
title: ovarian cancer: 059///geo\_accession: GSM368719///status: Pub  
title: ovarian cancer: 05///geo\_accession: GSM368665///status: Publi  
title: ovarian cancer: 060///geo\_accession: GSM368720///status: Pub  
title: ovarian cancer: 061///geo\_accession: GSM368721///status: Pub  
title: ovarian cancer: 062///geo\_accession: GSM368722///status: Pub  
title: ovarian cancer: 063///geo\_accession: GSM368723///status: Pub  
title: ovarian cancer: 064///geo\_accession: GSM368724///status: Pub  
title: ovarian cancer: 065///geo\_accession: GSM368725///status: Pub  
title: ovarian cancer: 066///geo\_accession: GSM368726///status: Pub  
title: ovarian cancer: 067///geo\_accession: GSM368727///status: Pub  
title: ovarian cancer: 068///geo\_accession: GSM368728///status: Pub  
title: ovarian cancer: 069///geo\_accession: GSM368729///status: Pub  
title: ovarian cancer: 06///geo\_accession: GSM368666///status: Pub  
title: ovarian cancer: 070///geo\_accession: GSM368730///status: Pub  
title: ovarian cancer: 071///geo\_accession: GSM368731///status: Pub  
title: ovarian cancer: 072///geo\_accession: GSM368732///status: Pub  
title: ovarian cancer: 073///geo\_accession: GSM368733///status: Public on Feb  
title: ovarian cancer: 074///geo\_accession: GSM368734///status: Pub  
title: ovarian cancer: 075///geo\_accession: GSM368735///status: Pub  
title: ovarian cancer: 076///geo\_accession: GSM368736///status: Pub  
title: ovarian cancer: 077///geo\_accession: GSM368737///status: Pub  
title: ovarian cancer: 078///geo\_accession: GSM368738///status: Pub

```

title: ovarian cancer: 079///geo_accession: GSM368739///status: Pub
title: ovarian cancer: 07///geo_accession: GSM368667///status: Publi
title: ovarian cancer: 080///geo_accession: GSM368740///status: Pub
title: ovarian cancer: 08///geo_accession: GSM368668///status: Publi
title: ovarian cancer: 09///geo_accession: GSM368669///status: Publi

duplicates:
GSE14764.GSE14764_GSM368667 GSE14764.GSE14764_GSM368668
                                1                                1
                                NA's
                                78
```

**Value**

An expression set	
GSE17260	<i>Gene expression profile for predicting survival in advanced-stage serous ovarian cancer across two independent datasets.</i>

**Description**

Advanced-stage ovarian cancer patients are generally treated with platinum/taxane-based chemotherapy after primary debulking surgery. However, there is a wide range of outcomes for individual patients. Therefore, the clinicopathological factors alone are insufficient for predicting prognosis. Our aim is to identify a progression-free survival (PFS)-related molecular profile for predicting survival of patients with advanced-stage serous ovarian cancer. Advanced-stage serous ovarian cancer tissues from 110 Japanese patients who underwent primary surgery and platinum/taxane-based chemotherapy were profiled using oligonucleotide microarrays. We selected 88 PFS-related genes by a univariate Cox model ( $p < 0.01$ ) and generated the prognostic index based on 88 PFS-related genes after adjustment of regression coefficients of the respective genes by ridge regression Cox model using 10-fold cross-validation. The prognostic index was independently associated with PFS time compared to other clinical factors in multivariate analysis [hazard ratio (HR), 3.72; 95% confidence interval (CI), 2.66-5.43;  $p < 0.0001$ ]. In an external dataset, multivariate analysis revealed that this prognostic index was significantly correlated with PFS time (HR, 1.54; 95% CI, 1.20-1.98;  $p = 0.0008$ ). Furthermore, the correlation between the prognostic index and overall survival time was confirmed in the two independent external datasets (log rank test,  $p = 0.0010$  and  $0.0008$ ). The prognostic ability of our index based on the 88-gene expression profile in ridge regression Cox hazard model was shown to be independent of other clinical factors in predicting cancer prognosis across two distinct datasets. Further study will be necessary to improve predictive accuracy of the

prognostic index toward clinical application for evaluation of the risk of recurrence in patients with advanced-stage serous ovarian cancer.

## Format

```
experimentData(eset):
Experiment data
  Experimenter name: Yoshihara K, Tajima A, Yahata T, Kodama S, Fujiwara H, Suzuki
  Laboratory: Yoshihara, Tanaka 2010
  Contact information:
  Title: Gene expression profile for predicting survival in advanced-stage serous o
  URL:
  PMIDs: 20300634

Abstract: A 257 word abstract is available. Use 'abstract' method.
Information is available on: preprocessing
notes:
  platform_title:
    Agilent-012391 Whole Human Genome Oligo Microarray G4112A
  platform_shorttitle:
    Agilent G4112A
  platform_summary:
    hgug4112a
  platform_manufacturer:
    Agilent
  platform_distribution:
    commercial
  platform_accession:
    GPL6848
  version:
    2015-09-22 19:16:49

featureData(eset):
An object of class 'AnnotatedDataFrame'
  featureNames: A_23_P100001 A_23_P100011 ... A_32_P99902 (30936 total)
  varLabels: probeset gene EntrezGene.ID best_probe
  varMetadata: labelDescription
```

## Details

```
assayData: 30936 features, 110 samples
Platform type:
Overall survival time-to-event summary (in years):
Call: survfit(formula = Surv(time, cens) ~ -1)

      n  events  median 0.95LCL 0.95UCL
110.00   46.00    4.44    4.03      NA
```

-----  
 Available sample meta-data:  
 -----

alt\_sample\_name:

Serous ovarian cancer 10	Serous ovarian cancer 100	Serous ovarian cancer 104
1	1	1
Serous ovarian cancer 106	Serous ovarian cancer 107	Serous ovarian cancer 108
1	1	1
Serous ovarian cancer 109	Serous ovarian cancer 11	Serous ovarian cancer 110
1	1	1
Serous ovarian cancer 111	Serous ovarian cancer 112	Serous ovarian cancer 113
1	1	1
Serous ovarian cancer 114	Serous ovarian cancer 115	Serous ovarian cancer 116
1	1	1
Serous ovarian cancer 117	Serous ovarian cancer 118	Serous ovarian cancer 119
1	1	1
Serous ovarian cancer 12	Serous ovarian cancer 120	Serous ovarian cancer 122
1	1	1
Serous ovarian cancer 123	Serous ovarian cancer 127	Serous ovarian cancer 129
1	1	1
Serous ovarian cancer 130	Serous ovarian cancer 131	Serous ovarian cancer 132
1	1	1
Serous ovarian cancer 134	Serous ovarian cancer 136	Serous ovarian cancer 137
1	1	1
Serous ovarian cancer 139	Serous ovarian cancer 140	Serous ovarian cancer 143
1	1	1
Serous ovarian cancer 144	Serous ovarian cancer 145	Serous ovarian cancer 146
1	1	1
Serous ovarian cancer 148	Serous ovarian cancer 149	Serous ovarian cancer 15
1	1	1
Serous ovarian cancer 150	Serous ovarian cancer 151	Serous ovarian cancer 154
1	1	1
Serous ovarian cancer 156	Serous ovarian cancer 157	Serous ovarian cancer 16
1	1	1
Serous ovarian cancer 160	Serous ovarian cancer 17	Serous ovarian cancer 171
1	1	1
Serous ovarian cancer 172	Serous ovarian cancer 173	Serous ovarian cancer 174
1	1	1
Serous ovarian cancer 176	Serous ovarian cancer 178	Serous ovarian cancer 18
1	1	1
Serous ovarian cancer 182	Serous ovarian cancer 183	Serous ovarian cancer 184
1	1	1
Serous ovarian cancer 185	Serous ovarian cancer 186	Serous ovarian cancer 2
1	1	1
Serous ovarian cancer 20	Serous ovarian cancer 22	Serous ovarian cancer 23
1	1	1
Serous ovarian cancer 25	Serous ovarian cancer 27	Serous ovarian cancer 31

	1		1		1
Serous ovarian cancer	36	Serous ovarian cancer	37	Serous ovarian cancer	38
	1		1		1
Serous ovarian cancer	4	Serous ovarian cancer	41	Serous ovarian cancer	42
	1		1		1
Serous ovarian cancer	43	Serous ovarian cancer	44	Serous ovarian cancer	45
	1		1		1
Serous ovarian cancer	49	Serous ovarian cancer	50	Serous ovarian cancer	51
	1		1		1
Serous ovarian cancer	52	Serous ovarian cancer	53	Serous ovarian cancer	54
	1		1		1
Serous ovarian cancer	55	Serous ovarian cancer	56	Serous ovarian cancer	57
	1		1		1
Serous ovarian cancer	58	Serous ovarian cancer	6	Serous ovarian cancer	60
	1		1		1
Serous ovarian cancer	61	Serous ovarian cancer	62	Serous ovarian cancer	64
	1		1		1
Serous ovarian cancer	66	Serous ovarian cancer	67	Serous ovarian cancer	68
	1		1		1
Serous ovarian cancer	69	Serous ovarian cancer	7	Serous ovarian cancer	72
	1		1		1
Serous ovarian cancer	77	Serous ovarian cancer	79	Serous ovarian cancer	80
	1		1		1
(Other)					
	11				

sample\_type:

tumor

110

histological\_type:

ser

110

primarysite:

ov

110

summarygrade:

high low

43 67

summarystage:

late

110

tumorstage:

3 4

```
93 17

substage:
  a    b    c NA's
  6    18   69   17

grade:
  1    2    3
26 41 43

pltx:
  y
110

tax:
  y
110

days_to_tumor_recurrence:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
  30.0   285.0   510.0   673.9   870.0  2250.0

recurrence_status:
norecurrence  recurrence
           34           76

days_to_death:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
   30    660    915    1086   1530   2430

vital_status:
deceased  living
      46      64

debulking:
  optimal suboptimal
      57      53

uncurated_author_metadata:
  title: Serous ovarian cancer 100///geo_accession: GSM43
  title: Serous ovarian cancer 104///geo_accession: GSM43222
title: Serous ovarian cancer 106///geo_accession: GSM432223///status: Public on Mar
  title: Serous ovarian cancer 107///geo_accession: GSM432224
  title: Serous ovarian cancer 108///geo_accession: GSM432225///status: Public on
```

title: Serous ovarian cancer 109///geo\_accession: GSM432226///status: Public on Mar

title: Serous ovarian cancer 10///geo\_accession: GSM43

title: Serous ovarian cancer 110///geo\_accession: GSM432228///status: Public on Mar

title: Serous ovarian cancer 111///geo\_accession: GSM432229///status: Public on Mar

title: Serous ovarian cancer 112///geo\_accession: GSM43

title: Serous ovarian cancer 113///geo\_accession: GSM432231

title: Serous ovarian cancer 114///geo\_accession: GSM43223

title: Serous ovarian cancer 115///geo\_accession: GSM432233

title: Serous ovarian cancer 116///geo\_accession: GSM432234

title: Serous ovarian cancer 117///geo\_accession: GSM43

title: Serous ovarian cancer 118///geo\_accession: GSM43223

title: Serous ovarian cancer 119///geo\_accession: GSM43

title: Serous ovarian cancer 11///geo\_accession: GSM43

title: Serous ovarian cancer 120///geo\_accession: GSM432

title: Serous ovarian cancer 122///geo\_accession: GSM43224

title: Serous ovarian cancer 123///geo\_accession: GSM432242

title: Serous ovarian cancer 127///geo\_accession: GSM432243

title: Serous ovarian cancer 129///geo\_accession: GSM43

title: Serous ovarian cancer 12///geo\_accession: GSM4

title: Serous ovarian cancer 130///geo\_accession: GSM432245

title: Serous ovarian cancer 131///geo\_accession: GSM43

title: Serous ovarian cancer 132///geo\_accession: GSM43

title: Serous ovarian cancer 134///geo\_accession: GSM43

title: Serous ovarian cancer 136///geo\_accession: GSM43

title: Serous ovarian cancer 137///geo\_accession: GSM432253  
title: Serous ovarian cancer 139///geo\_accession: GSM432254  
title: Serous ovarian cancer 140///geo\_accession: GSM432255  
title: Serous ovarian cancer 143///geo\_accession: GSM432256  
title: Serous ovarian cancer 144///geo\_accession: GSM432257  
title: Serous ovarian cancer 145///geo\_accession: GSM432258  
title: Serous ovarian cancer 146///geo\_accession: GSM432259  
title: Serous ovarian cancer 148///geo\_accession: GSM432260  
title: Serous ovarian cancer 149///geo\_accession: GSM432261  
title: Serous ovarian cancer 150///geo\_accession: GSM432262  
title: Serous ovarian cancer 151///geo\_accession: GSM432263  
title: Serous ovarian cancer 154///geo\_accession: GSM432264  
title: Serous ovarian cancer 156///geo\_accession: GSM432265  
title: Serous ovarian cancer 157///geo\_accession: GSM432266  
title: Serous ovarian cancer 158///geo\_accession: GSM432267  
title: Serous ovarian cancer 160///geo\_accession: GSM432268  
title: Serous ovarian cancer 161///geo\_accession: GSM432269  
title: Serous ovarian cancer 162///geo\_accession: GSM432270  
title: Serous ovarian cancer 163///geo\_accession: GSM432271  
title: Serous ovarian cancer 164///geo\_accession: GSM432272  
title: Serous ovarian cancer 165///geo\_accession: GSM432273  
title: Serous ovarian cancer 166///geo\_accession: GSM432274  
title: Serous ovarian cancer 167///geo\_accession: GSM432275  
title: Serous ovarian cancer 168///geo\_accession: GSM432276  
title: Serous ovarian cancer 169///geo\_accession: GSM432277  
title: Serous ovarian cancer 170///geo\_accession: GSM432278  
title: Serous ovarian cancer 171///geo\_accession: GSM432279  
title: Serous ovarian cancer 172///geo\_accession: GSM432280  
title: Serous ovarian cancer 173///geo\_accession: GSM432281  
title: Serous ovarian cancer 174///geo\_accession: GSM432282  
title: Serous ovarian cancer 176///geo\_accession: GSM432283  
title: Serous ovarian cancer 178///geo\_accession: GSM432284  
title: Serous ovarian cancer 179///geo\_accession: GSM432285





title: Serous ovarian cancer 51///geo\_accession: GSM432298  
title: Serous ovarian cancer 52///geo\_accession: GSM432299  
title: Serous ovarian cancer 53///geo\_accession: GSM432300  
title: Serous ovarian cancer 54///geo\_accession: GSM432301  
title: Serous ovarian cancer 55///geo\_accession: GSM432302  
title: Serous ovarian cancer 56///geo\_accession: GSM432303  
title: Serous ovarian cancer 57///geo\_accession: GSM432304  
title: Serous ovarian cancer 58///geo\_accession: GSM432305  
title: Serous ovarian cancer 60///geo\_accession: GSM432307  
title: Serous ovarian cancer 61///geo\_accession: GSM432308  
title: Serous ovarian cancer 62///geo\_accession: GSM432309  
title: Serous ovarian cancer 64///geo\_accession: GSM432311  
title: Serous ovarian cancer 66///geo\_accession: GSM432313  
title: Serous ovarian cancer 67///geo\_accession: GSM432314  
title: Serous ovarian cancer 68///geo\_accession: GSM432315  
title: Serous ovarian cancer 69///geo\_accession: GSM432316  
title: Serous ovarian cancer 70///geo\_accession: GSM432317  
title: Serous ovarian cancer 72///geo\_accession: GSM432319  
title: Serous ovarian cancer 77///geo\_accession: GSM432324  
title: Serous ovarian cancer 79///geo\_accession: GSM432326  
title: Serous ovarian cancer 7///geo\_accession: GSM432327  
title: Serous ovarian cancer 80///geo\_accession: GSM432319

**Value**

An expression set

GSE18520

*A gene signature predictive for outcome in advanced ovarian cancer identifies a survival factor: microfibril-associated glycoprotein 2.*

**Description**

Advanced stage papillary serous tumors of the ovary are responsible for the majority of ovarian cancer deaths, yet the molecular determinants modulating patient survival are poorly characterized. Here, we identify and validate a prognostic gene expression signature correlating with survival in a series of microdissected serous ovarian tumors. Independent evaluation confirmed the association of a prognostic gene microfibril-associated glycoprotein 2 (MAGP2) with poor prognosis, whereas in vitro mechanistic analyses demonstrated its ability to prolong tumor cell survival and stimulate endothelial cell motility and survival via the alpha(V)beta(3) integrin receptor. Increased MAGP2 expression correlated with microvessel density suggesting a proangiogenic role in vivo. Thus, MAGP2 may serve as a survival-associated target.

**Format**

experimentData(eset):

Experiment data

Experimenter name: Mok SC, Bonome T, Vathipadiekal V, Bell A, Johnson ME, Wong KK

Laboratory: Mok, Birrer 2009

Contact information:

Title: A gene signature predictive for outcome in advanced ovarian cancer identif

URL:

PMIDs: 19962670

Abstract: A 110 word abstract is available. Use 'abstract' method.

Information is available on: preprocessing

notes:

platform\_title:

[HG-U133\_Plus\_2] Affymetrix Human Genome U133 Plus 2.0 Array

platform\_shorttitle:

Affymetrix HG-U133Plus2

platform\_summary:

hgu133plus2

platform\_manufacturer:

Affymetrix|Operon

platform\_distribution:

commercial|non-commercial

platform\_accession:

GPL570|GPL9216

version:

2015-09-22 19:21:25

```
featureData(eset):
An object of class 'AnnotatedDataFrame'
  featureNames: 1007_s_at 1053_at ... AFFX-HUMISGF3A/M97935_MB_at
                (42447 total)
  varLabels: probeset gene EntrezGene.ID best_probe
  varMetadata: labelDescription
```

## Details

```
assayData: 42447 features, 63 samples
Platform type:
Overall survival time-to-event summary (in years):
Call: survfit(formula = Surv(time, cens) ~ -1)
```

```
10 observations deleted due to missingness
  n events median 0.95LCL 0.95UCL
53.00  41.00   2.05   1.48   3.70
```

```
-----
Available sample meta-data:
-----
```

```
alt_sample_name:
  Min. 1st Qu. Median Mean 3rd Qu. Max.
 312.0  395.0  694.0  893.3 1040.0 2237.0
```

```
sample_type:
healthy tumor
    10    53
```

```
histological_type:
ser NA's
  53   10
```

```
primarysite:
ov
63
```

```
summarygrade:
high NA's
  53   10
```

```
summarystage:
late NA's
  53   10
```

```
tumorstage:
  3 NA's
53    10

grade:
  3 NA's
53    10

days_to_death:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.    NA's
  150    450    630    1212   1440   4500     10

vital_status:
deceased  living    NA's
    41      12      10

debulking:
optimal
    63

percent_normal_cells:
  0
63

percent_stromal_cells:
  0
63

percent_tumor_cells:
100
  63

batch:
2004-03-12 2004-04-08 2004-04-09 2004-07-20 2004-08-12 2004-08-13 2004-09-30
          20          6          9          11          10          1          6

uncurated_author_metadata:
title: Normal Ovary, 2008///geo_acc
title: Normal Ovary, 2061///geo_acc
title: Normal Ovary, 2064///geo_acc
title: Normal Ovary, 2085///geo_acc
title: Normal Ovary, 2225///geo_acc
title: Normal Ovary, 2226///geo_acc
```

title: Normal Ovary, 2228///geo\_acc  
title: Normal Ovary, 2230///geo\_acc  
title: Normal Ovary, 2234///geo\_acc  
title: Normal Ovary, 2237///geo\_acc  
title: Ovarian Tumor, 1109///geo\_accession: GSM461390///status: Public on Oct 17 20  
title: Ovarian Tumor, 1214///geo\_accession: GSM461391///status: Public on Oct 1  
title: Ovarian Tumor, 1231///geo\_accession: GSM461367///status: Public on Oct 1  
title: Ovarian Tumor, 1562///geo\_accession: GSM461368///status: Public on Oct 17 20  
title: Ovarian Tumor, 1660///geo\_accession: GSM461369///status: Public on Oct 17 20  
title: Ovarian Tumor, 1993///geo\_accession: GSM461400///status: Public on Oct 17 20  
title: Ovarian Tumor, 312///geo\_accession: GSM461379///status: Public on Oct  
title: Ovarian Tumor, 317///geo\_accession: GSM461348///status: Public on Oct 17 20  
title: Ovarian Tumor, 321///geo\_accession: GSM461380///status: Public on Oct  
title: Ovarian Tumor, 324///geo\_accession: GSM461373///status: Public on Oct  
title: Ovarian Tumor, 332///geo\_accession: GSM461349///status: Public on Oct  
title: Ovarian Tumor, 345///geo\_accession: GSM461392///status: Public on Oct  
title: Ovarian Tumor, 349///geo\_accession: GSM461350///status: Public on Oct 17 20  
title: Ovarian Tumor, 351///geo\_accession: GSM461351///status: Public on Oct 17 20  
title: Ovarian Tumor, 358///geo\_accession: GSM461393///status: Public on Oct  
title: Ovarian Tumor, 367///geo\_accession: GSM461381///status: Public on Oct  
title: Ovarian Tumor, 377///geo\_accession: GSM461374///status: Public on Oct  
title: Ovarian Tumor, 380///geo\_accession: GSM461375///status: Public on Oct  
title: Ovarian Tumor, 386///geo\_accession: GSM461352///status: Public on Oct  
title: Ovarian Tumor, 388///geo\_accession: GSM461353///status: Public on Oct 17 20

title: Ovarian Tumor, 389///geo\_accession: GSM461354///status: Public on Oct 17 2011

title: Ovarian Tumor, 394///geo\_accession: GSM461382///status: Public on Oct 17 2011

title: Ovarian Tumor, 396///geo\_accession: GSM461376///status: Public on Oct 17 2011

title: Ovarian Tumor, 402///geo\_accession: GSM461355///status: Public on Oct 17 2011

title: Ovarian Tumor, 410///geo\_accession: GSM461356///status: Public on Oct 17 2011

title: Ovarian Tumor, 412///geo\_accession: GSM461357///status: Public on Oct 17 2011

title: Ovarian Tumor, 434///geo\_accession: GSM461358///status: Public on Oct 17 2011

title: Ovarian Tumor, 443///geo\_accession: GSM461377///status: Public on Oct 17 2011

title: Ovarian Tumor, 461///geo\_accession: GSM461394///status: Public on Oct 17 2011

title: Ovarian Tumor, 467///geo\_accession: GSM461359///status: Public on Oct 17 2011

title: Ovarian Tumor, 477///geo\_accession: GSM461383///status: Public on Oct 17 2011

title: Ovarian Tumor, 486///geo\_accession: GSM461395///status: Public on Oct 17 2011

title: Ovarian Tumor, 629///geo\_accession: GSM461360///status: Public on Oct 17 2011

title: Ovarian Tumor, 631///geo\_accession: GSM461396///status: Public on Oct 17 2011

title: Ovarian Tumor, 656///geo\_accession: GSM461384///status: Public on Oct 17 2011

title: Ovarian Tumor, 662///geo\_accession: GSM461370///status: Public on Oct 17 2011

title: Ovarian Tumor, 692///geo\_accession: GSM461397///status: Public on Oct 17 2011

title: Ovarian Tumor, 694///geo\_accession: GSM461385///status: Public on Oct 17 2011

title: Ovarian Tumor, 702///geo\_accession: GSM461361///status: Public on Oct 17 2011

title: Ovarian Tumor, 714///geo\_accession: GSM461362///status: Public on Oct 17 2011

title: Ovarian Tumor, 715///geo\_accession: GSM461386///status: Public on Oct 17 2011

title: Ovarian Tumor, 718///geo\_accession: GSM461398///status: Public on Oct 17 2011

title: Ovarian Tumor, 744///geo\_accession: GSM461378///status: Public on Oct 17 2011

title: Ovarian Tumor, 765///geo\_accession: GSM461363///status: Public on Oct 17 2011

title: Ovarian Tumor, 778///geo\_accession: GSM461399///status: Public on Oct  
title: Ovarian Tumor, 780///geo\_accession: GSM461364///status: Public on Oct  
title: Ovarian Tumor, 786///geo\_accession: GSM461387///status: Public on Oct 17 2  
title: Ovarian Tumor, 794///geo\_accession: GSM461388///status: Public on Oct  
title: Ovarian Tumor, 799///geo\_accession: GSM461365///status: Public on Oct  
title: Ovarian Tumor, 800///geo\_accession: GSM461371///status: Public on Oct  
title: Ovarian Tumor, 872///geo\_accession: GSM461366///status: Public on Oct  
title: Ovarian Tumor, 934///geo\_accession: GSM461372///status: Public on Oct 17 2  
title: Ovarian Tumor, 970///geo\_accession: GSM461389///status: Public on Oct

duplicates:

GSE18520.GSE18520_GSM462649	1
GSE18520.GSE18520_GSM462649///GSE18520.GSE18520_GSM462650	1
GSE18520.GSE18520_GSM462650	1
	NA's
	60

Value

An expression set

---

GSE19829	<i>Gene expression profile of BRCAness that correlates with responsiveness to chemotherapy and with outcome in patients with epithelial ovarian cancer.</i>
----------	---

---

Description

To define a gene expression profile of BRCAness that correlates with chemotherapy response and outcome in epithelial ovarian cancer (EOC).A publicly available microarray data set including 61 patients with EOC with either sporadic disease or BRCA(1/2) germline mutations was used for development of the BRCAness profile. Correlation with platinum responsiveness was assessed in platinum-sensitive and platinum-resistant tumor biopsy specimens from six patients with BRCA



germline mutations. Association with poly-ADP ribose polymerase (PARP) inhibitor responsiveness and with radiation-induced RAD51 foci formation (a surrogate of homologous recombination) was assessed in Capan-1 cell line clones. The BRCAness profile was validated in 70 patients enriched for sporadic disease to assess its association with outcome. The BRCAness profile accurately predicted platinum responsiveness in eight out of 10 patient-derived tumor specimens, and between PARP-inhibitor sensitivity and resistance in four out of four Capan-1 clones. [corrected] When applied to the 70 patients with sporadic disease, patients with the BRCA-like (BL) profile had improved disease-free survival (34 months v 15 months; log-rank  $P = .013$ ) and overall survival (72 months v 41 months; log-rank  $P = .006$ ) compared with patients with a non-BRCA-like (NBL) profile, respectively. The BRCAness profile maintained independent prognostic value in multivariate analysis, which controlled for other known clinical prognostic factors. The BRCAness profile correlates with responsiveness to platinum and PARP inhibitors and identifies a subset of sporadic patients with improved outcome. Additional evaluation of this profile as a predictive tool in patients with sporadic EOC is warranted.

## Format

```
experimentData(eset):
Experiment data
  Experimenter name: Konstantinopoulos PA, Spentzos D, Karlan BY, Taniguchi T et al
  Laboratory: Konstantinopoulos, Cannistra 2010 hgu95
  Contact information:
  Title: Gene expression profile of BRCAness that correlates with responsiveness to
  URL:
  PMIDs: 20547991

Abstract: A 241 word abstract is available. Use 'abstract' method.
Information is available on: preprocessing
notes:
  platform_title:
    [HG_U95Av2] Affymetrix Human Genome U95 Version 2 Array
  platform_shorttitle:
    Affymetrix HG_U95Av2
  platform_summary:
    hgu95av2
  platform_manufacturer:
    Affymetrix
  platform_distribution:
    commercial
  platform_accession:
    GPL570|GPL8300
  version:
    2015-09-22 19:26:29

featureData(eset):
An object of class 'AnnotatedDataFrame'
  featureNames: 1007_s_at 1053_at ... AFFX-MurIL4_at (54253 total)
  varLabels: probeset gene EntrezGene.ID best_probe
  varMetadata: labelDescription
```

**Details**

assayData: 54253 features, 70 samples

Platform type:

Overall survival time-to-event summary (in years):

Call: survfit(formula = Surv(time, cens) ~ -1)

n	events	median	0.95LCL	0.95UCL
70.00	40.00	3.78	2.96	5.92

-----  
Available sample meta-data:  
-----

alt\_sample\_name:

Ovarian cancer_sample 1	Ovarian cancer_sample 10	Ovarian cancer_sample 11
1	1	1
Ovarian cancer_sample 12	Ovarian cancer_sample 13	Ovarian cancer_sample 14
1	1	1
Ovarian cancer_sample 15	Ovarian cancer_sample 16	Ovarian cancer_sample 17
1	1	1
Ovarian cancer_sample 18	Ovarian cancer_sample 19	Ovarian cancer_sample 2
1	1	1
Ovarian cancer_sample 20	Ovarian cancer_sample 21	Ovarian cancer_sample 22
1	1	1
Ovarian cancer_sample 23	Ovarian cancer_sample 24	Ovarian cancer_sample 25
1	1	1
Ovarian cancer_sample 26	Ovarian cancer_sample 27	Ovarian cancer_sample 28
1	1	1
Ovarian cancer_sample 29	Ovarian cancer_sample 3	Ovarian cancer_sample 30
1	1	1
Ovarian cancer_sample 31	Ovarian cancer_sample 32	Ovarian cancer_sample 33
1	1	1
Ovarian cancer_sample 34	Ovarian cancer_sample 35	Ovarian cancer_sample 36
1	1	1
Ovarian cancer_sample 37	Ovarian cancer_sample 38	Ovarian cancer_sample 39
1	1	1
Ovarian cancer_sample 4	Ovarian cancer_sample 40	Ovarian cancer_sample 41
1	1	1
Ovarian cancer_sample 42	Ovarian cancer_sample 43	Ovarian cancer_sample 44
1	1	1
Ovarian cancer_sample 45	Ovarian cancer_sample 46	Ovarian cancer_sample 47
1	1	1
Ovarian cancer_sample 48	Ovarian cancer_sample 49	Ovarian cancer_sample 5
1	1	1
Ovarian cancer_sample 50	Ovarian cancer_sample 51	Ovarian cancer_sample 52
1	1	1

Ovarian cancer_sample 53	Ovarian cancer_sample 54	Ovarian cancer_sample 55
1	1	1
Ovarian cancer_sample 56	Ovarian cancer_sample 57	Ovarian cancer_sample 58
1	1	1
Ovarian cancer_sample 59	Ovarian cancer_sample 6	Ovarian cancer_sample 60
1	1	1
Ovarian cancer_sample 61	Ovarian cancer_sample 62	Ovarian cancer_sample 63
1	1	1
Ovarian cancer_sample 64	Ovarian cancer_sample 65	Ovarian cancer_sample 66
1	1	1
Ovarian cancer_sample 67	Ovarian cancer_sample 68	Ovarian cancer_sample 69
1	1	1
Ovarian cancer_sample 7	Ovarian cancer_sample 70	Ovarian cancer_sample 8
1	1	1
Ovarian cancer_sample 9		
1		

batch:

2001-09-14	2001-12-14	2002-08-20	2003-09-09	2003-09-18	2009-08-14
7	4	14	13	4	28

days\_to\_death:

Min.	1st Qu.	Median	Mean	3rd Qu.	Max.
30.0	667.5	1125.0	1170.0	1522.0	3450.0

primarysite:

ov

70

sample\_type:

tumor

70

uncurated\_author\_metadata:

title: Ovarian cancer\_sample 10///geo\_accession: GSM495148///status: Pu

title: Ovarian cancer\_sample 11///geo\_accession: GSM495149///status: Pu

title: Ovarian cancer\_sample 12///geo\_accession: GSM495150///statu

title: Ovarian cancer\_sample 13///geo\_accession: GSM495151///status: Pu

title: Ovarian cancer\_sample 14///geo\_accession: GSM495152///status: Pu

title: Ovarian cancer\_sample 15///geo\_accession: GSM495153///status: Pu

title: Ovarian cancer\_sample 16///geo\_accession: GSM495154///status: Pu

title: Ovarian cancer\_sample 17///geo\_accession: GSM495155///status: Pu  
title: Ovarian cancer\_sample 18///geo\_accession: GSM495156///status: Pu  
title: Ovarian cancer\_sample 19///geo\_accession: GSM495157///status: Pu  
title: Ovarian cancer\_sample 1///geo\_accession: GSM495139///status: Pu  
title: Ovarian cancer\_sample 20///geo\_accession: GSM495158///status: Pu  
title: Ovarian cancer\_sample 21///geo\_accession: GSM495159///status: Pu  
title: Ovarian cancer\_sample 22///geo\_accession: GSM495160///status: Pu  
title: Ovarian cancer\_sample 23///geo\_accession: GSM495161///status: Pu  
title: Ovarian cancer\_sample 24///geo\_accession: GSM495162///status: Pu  
title: Ovarian cancer\_sample 25///geo\_accession: GSM495163///status: Pu  
title: Ovarian cancer\_sample 26///geo\_accession: GSM495164///status: Pu  
title: Ovarian cancer\_sample 27///geo\_accession: GSM495165///status: Pu  
title: Ovarian cancer\_sample 28///geo\_accession: GSM495166///status: Pu  
title: Ovarian cancer\_sample 29///geo\_accession: GSM495167///status: Public on Jul  
title: Ovarian cancer\_sample 2///geo\_accession: GSM495140///status: Pu  
title: Ovarian cancer\_sample 30///geo\_accession: GSM495168///status: Public o  
title: Ovarian cancer\_sample 31///geo\_accession: GSM495169///status: Public o  
title: Ovarian cancer\_sample 32///geo\_accession: GSM495170///status: Public on Jul  
title: Ovarian cancer\_sample 33///geo\_accession: GSM495171///status: Public on Jul  
title: Ovarian cancer\_sample 34///geo\_accession: GSM495172///status: Public o  
title: Ovarian cancer\_sample 35///geo\_accession: GSM495173///status: Public on Jul  
title: Ovarian cancer\_sample 36///geo\_accession: GSM495174///status: Public on Jul  
title: Ovarian cancer\_sample 37///geo\_accession: GSM495175///status: Public on Jul  
title: Ovarian cancer\_sample 38///geo\_accession: GSM495176///status: Public on Jul

title: Ovarian cancer\_sample 39///geo\_accession: GSM495177///status: Public on Jul

title: Ovarian cancer\_sample 3///geo\_accession: GSM495141///status

title: Ovarian cancer\_sample 40///geo\_accession: GSM495178///status: Public o

title: Ovarian cancer\_sample 41///geo\_accession: GSM495179///status: Public on Jul

title: Ovarian cancer\_sample 42///geo\_accession: GSM495180///status: Public o

title: Ovarian cancer\_sample 43///geo\_accession: GSM495181///status: Public on Jul

title: Ovarian cancer\_sample 44///geo\_accession: GSM495182///status: Public on

title: Ovarian cancer\_sample 45///geo\_accession: GSM495183///status: Public on

title: Ovarian cancer\_sample 46///geo\_accession: GSM495184///status: Public on Jul

title: Ovarian cancer\_sample 47///geo\_accession: GSM495185///status: Public on

title: Ovarian cancer\_sample 48///geo\_accession: GSM495186///status: Public on Jul

title: Ovarian cancer\_sample 49///geo\_accession: GSM495187///status: Public on

title: Ovarian cancer\_sample 4///geo\_accession: GSM495142///status

title: Ovarian cancer\_sample 50///geo\_accession: GSM495188///status: Public on Jul

title: Ovarian cancer\_sample 51///geo\_accession: GSM495189///status: Public on

title: Ovarian cancer\_sample 52///geo\_accession: GSM495190///status: Public on

title: Ovarian cancer\_sample 53///geo\_accession: GSM495191///status: Public on

title: Ovarian cancer\_sample 54///geo\_accession: GSM495192///status: Public on

title: Ovarian cancer\_sample 55///geo\_accession: GSM495193///status: Public on Jul

title: Ovarian cancer\_sample 56///geo\_accession: GSM495194///status: Public on J

title: Ovarian cancer\_sample 57///geo\_accession: GSM495195///status: Public on J

title: Ovarian cancer\_sample 58///geo\_accession: GSM495196///status: Public on Ju

title: Ovarian cancer\_sample 59///geo\_accession: GSM495197///status: Public

title: Ovarian cancer\_sample 5///geo\_accession: GSM495143///status: Pu

title: Ovarian cancer_sample 60///geo_accession: GSM495198///status: Public on Ju	
title: Ovarian cancer_sample 61///geo_accession: GSM495199///status: Public	
title: Ovarian cancer_sample 62///geo_accession: GSM495200///status: Public on Ju	
title: Ovarian cancer_sample 63///geo_accession: GSM495201///status: Public o	
title: Ovarian cancer_sample 64///geo_accession: GSM495202///status: Public on Jul	
title: Ovarian cancer_sample 65///geo_accession: GSM495203///status: Public o	
title: Ovarian cancer_sample 66///geo_accession: GSM495204///status: Public o	
title: Ovarian cancer_sample 67///geo_accession: GSM495205///status: Public on Ju	
title: Ovarian cancer_sample 68///geo_accession: GSM495206///status: Public on Ju	
title: Ovarian cancer_sample 69///geo_accession: GSM495207///status: Public on Ju	
title: Ovarian cancer_sample 6///geo_accession: GSM495144///status: Pu	
title: Ovarian cancer_sample 70///geo_accession: GSM495208///status: Public	
title: Ovarian cancer_sample 7///geo_accession: GSM495145///statu	
title: Ovarian cancer_sample 8///geo_accession: GSM495146///status: Pu	
title: Ovarian cancer_sample 9///geo_accession: GSM495147///status: E	
vital_status:	
deceased	living
40	30

Value

An expression set

---

GSE20565	<i>A genomic and transcriptomic approach for a differential diagnosis between primary and secondary ovarian carcinomas in patients with a previous history of breast cancer.</i>
----------	--

---

## Description

The distinction between primary and secondary ovarian tumors may be challenging for pathologists. The purpose of the present work was to develop genomic and transcriptomic tools to further refine the pathological diagnosis of ovarian tumors after a previous history of breast cancer. Sixteen paired breast-ovary tumors from patients with a former diagnosis of breast cancer were collected. The genomic profiles of paired tumors were analyzed using the Affymetrix GeneChip Mapping 50 K Xba Array or Genome-Wide Human SNP Array 6.0 (for one pair), and the data were normalized with ITALICS (ITerative and Alternative normaLization and Copy number calling for affymetrix Snp arrays) algorithm or Partek Genomic Suite, respectively. The transcriptome of paired samples was analyzed using Affymetrix GeneChip Human Genome U133 Plus 2.0 Arrays, and the data were normalized with gc-Robust Multi-array Average (gcRMA) algorithm. A hierarchical clustering of these samples was performed, combined with a dataset of well-identified primary and secondary ovarian tumors. In 12 of the 16 paired tumors analyzed, the comparison of genomic profiles confirmed the pathological diagnosis of primary ovarian tumor ( $n = 5$ ) or metastasis of breast cancer ( $n = 7$ ). Among four cases with uncertain pathological diagnosis, genomic profiles were clearly distinct between the ovarian and breast tumors in two pairs, thus indicating primary ovarian carcinomas, and showed common patterns in the two others, indicating metastases from breast cancer. In all pairs, the result of the transcriptomic analysis was concordant with that of the genomic analysis. In patients with ovarian carcinoma and a previous history of breast cancer, SNP array analysis can be used to distinguish primary and secondary ovarian tumors. Transcriptomic analysis may be used when primary breast tissue specimen is not available.

## Format

```
experimentData(eset) :
Experiment data
  Experimenter name: Meyniel JP, Cottu PH, Decraene C, Stern MH, Couturier J, Lebig
  Laboratory: Meyniel, Sastre-Garau 2010
  Contact information:
  Title: A genomic and transcriptomic approach for a differential diagnosis between
  URL:
  PMIDs: 20492709

Abstract: A 277 word abstract is available. Use 'abstract' method.
Information is available on: preprocessing
notes:
  platform_title:
    [HG-U133_Plus_2] Affymetrix Human Genome U133 Plus 2.0 Array
  platform_shorttitle:
    Affymetrix HG-U133Plus2
  platform_summary:
    hgu133plus2
  platform_manufacturer:
    Affymetrix
  platform_distribution:
    commercial
  platform_accession:
    GPL570|GPL2005|GPL6801
```

```

version:
  2015-09-22 19:33:01

featureData(eset):
An object of class 'AnnotatedDataFrame'
  featureNames: 1007_s_at 1053_at ... AFFX-HUMISGF3A/M97935_MB_at
                (42447 total)
  varLabels: probeset gene EntrezGene.ID best_probe
  varMetadata: labelDescription

```

## Details

```

assayData: 42447 features, 140 samples
Platform type:
-----

```

```

Available sample meta-data:
-----

```

```

alt_sample_name:
Breast metastasis in the ovary_OC01_ARN0016 [HG-U133_Plus_2]
                                                    1
Breast metastasis in the ovary_OC01_ARN0017 [HG-U133_Plus_2]
                                                    1
Breast metastasis in the ovary_OC01_ARN0020 [HG-U133_Plus_2]
                                                    1
Breast metastasis in the ovary_OC01_ARN0029 [HG-U133_Plus_2]
                                                    1
Breast metastasis in the ovary_OC01_ARN0035 [HG-U133_Plus_2]
                                                    1
Breast metastasis in the ovary_OC01_ARN0046 [HG-U133_Plus_2]
                                                    1
Breast metastasis in the ovary_OC01_ARN0051 [HG-U133_Plus_2]
                                                    1
Breast metastasis in the ovary_OC01_ARN0053 [HG-U133_Plus_2]
                                                    1
Breast metastasis in the ovary_OC01_ARN0055 [HG-U133_Plus_2]
                                                    1
Breast metastasis in the ovary_OC01_ARN0060 [HG-U133_Plus_2]
                                                    1
Breast metastasis in the ovary_OC01_ARN0069 [HG-U133_Plus_2]
                                                    1
Breast metastasis in the ovary_OC01_ARN0073 [HG-U133_Plus_2]
                                                    1
Breast metastasis in the ovary_OC01_ARN0077 [HG-U133_Plus_2]
                                                    1
Breast metastasis in the ovary_OC01_ARN0079 [HG-U133_Plus_2]
                                                    1
Breast metastasis in the ovary_OC01_ARN0081 [HG-U133_Plus_2]

```



Breast metastasis in the ovary_OC01_ARN0083	[HG-U133_Plus_2]	1
Breast metastasis in the ovary_OC01_ARN0092	[HG-U133_Plus_2]	1
Breast metastasis in the ovary_OC01_ARN0097	[HG-U133_Plus_2]	1
Breast metastasis in the ovary_OC01_ARN0098	[HG-U133_Plus_2]	1
Breast metastasis in the ovary_OC01_ARN0099	[HG-U133_Plus_2]	1
Breast metastasis in the ovary_OC01_ARN0102	[HG-U133_Plus_2]	1
Breast metastasis in the ovary_OC01_ARN0104	[HG-U133_Plus_2]	1
Breast metastasis in the ovary_OC01_ARN0112	[HG-U133_Plus_2]	1
Breast metastasis in the ovary_OC01_ARN0120	[HG-U133_Plus_2]	1
Breast metastasis in the ovary_OC01_ARN0121	[HG-U133_Plus_2]	1
Breast metastasis in the ovary_OC01_ARN0123	[HG-U133_Plus_2]	1
Breast metastasis in the ovary_OC01_ARN0126	[HG-U133_Plus_2]	1
Breast metastasis in the ovary_OC01_ARN0141	[HG-U133_Plus_2]	1
Breast metastasis in the ovary_OC01_ARN0142	[HG-U133_Plus_2]	1
Breast metastasis in the ovary_OC01_ARN0143	[HG-U133_Plus_2]	1
Breast metastasis in the ovary_OC01_ARN0145	[HG-U133_Plus_2]	1
Breast metastasis in the ovary_OC01_ARN0146	[HG-U133_Plus_2]	1
Breast metastasis in the ovary_OC01_ARN0153	[HG-U133_Plus_2]	1
Breast metastasis in the ovary_OC01_ARN0162	[HG-U133_Plus_2]	1
Breast metastasis in the ovary_OC01_ARN0201	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0001	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0002	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0004	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0005	[HG-U133_Plus_2]	1

Ovarian carcinoma_OC01_ARN0007	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0008	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0009	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0010	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0011	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0012	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0013	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0015	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0022	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0023	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0025	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0028	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0030	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0032	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0034	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0036	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0037	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0038	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0039	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0041	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0042	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0045	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0049	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0057	[HG-U133_Plus_2]	1

Ovarian carcinoma_OC01_ARN0058	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0061	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0062	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0063	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0064	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0066	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0067	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0070	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0072	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0075	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0076	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0080	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0084	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0085	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0089	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0091	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0093	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0095	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0096	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0100	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0101	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0103	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0105	[HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0106	[HG-U133_Plus_2]	1

	1
Ovarian carcinoma_OC01_ARN0107 [HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0108 [HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0109 [HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0111 [HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0113 [HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0114 [HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0115 [HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0116 [HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0118 [HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0119 [HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0124 [HG-U133_Plus_2]	1
Ovarian carcinoma_OC01_ARN0125 [HG-U133_Plus_2]	1
(Other)	41

```
sample_type:
tumor
  140
```

```
histological_type:
clearcell      endo  mucinous  other      ser      NA's
      6          6          7          6      71      44
```

```
primarysite:
other  ov
  44   96
```

```
summarygrade:
high  low  NA's
  63   33   44
```

```
summarystage:
early  late  NA's
  27    67   46
```

## tumorstage:

1	2	3	4	NA's
18	9	52	15	46

## substage:

a	b	c	NA's
14	10	55	61

## grade:

1	2	3	NA's
6	27	63	44

## batch:

2006-06-01	2006-06-27	2006-06-28	2006-06-29	2006-06-30	2006-07-20	2008-03-06
21	18	37	20	36	7	1

## uncurated\_author\_metadata:

title: Breast metastasis in the ovary\_OC01\_ARN0016 [HG-U133\_Plus\_2]///geo\_accession

title: Breast metastasis in the ovary\_OC01\_ARN0017 [HG-U133\_Plus\_2]///geo\_accession

title: Breast metastasis in the ovary\_OC01\_ARN0020 [HG-U133\_Plus\_2]///geo\_accession

title: Breast metastasis in the ovary\_OC01\_ARN0029 [HG-U133\_Plus\_2]///geo\_accession

title: Breast metastasis in the ovary\_OC01\_ARN0035 [HG-U133\_Plus\_2]///geo\_accession

title: Breast metastasis in the ovary\_OC01\_ARN0046 [HG-U133\_Plus\_2]///geo\_accession

title: Breast metastasis in the ovary\_OC01\_ARN0051 [HG-U133\_Plus\_2]///geo\_accession

title: Breast metastasis in the ovary\_OC01\_ARN0053 [HG-U133\_Plus\_2]///geo\_accession

title: Breast metastasis in the ovary\_OC01\_ARN0055 [HG-U133\_Plus\_2]///geo\_accession

title: Breast metastasis in the ovary\_OC01\_ARN0060 [HG-U133\_Plus\_2]///geo\_accession

title: Breast metastasis in the ovary\_OC01\_ARN0069 [HG-U133\_Plus\_2]///geo\_accession

title: Breast metastasis in the ovary\_OC01\_ARN0073 [HG-U133\_Plus\_2]///geo\_accession

title: Breast metastasis in the ovary\_OC01\_ARN0077 [HG-U133\_Plus\_2]///geo\_accession

title: Breast metastasis in the ovary\_OC01\_ARN0079 [HG-U133\_Plus\_2]///geo\_accession

title: Breast metastasis in the ovary\_OC01\_ARN0081 [HG-U133\_Plus\_2]///geo\_accession

title: Breast metastasis in the ovary\_OC01\_ARN0083 [HG-U133\_Plus\_2]///geo\_accession

title: Breast metastasis in the ovary\_OC01\_ARN0092 [HG-U133\_Plus\_2]///geo\_accession

title: Breast metastasis in the ovary\_OC01\_ARN0097 [HG-U133\_Plus\_2]///geo\_accession

title: Breast metastasis in the ovary\_OC01\_ARN0098 [HG-U133\_Plus\_2]///geo\_accession

title: Breast metastasis in the ovary\_OC01\_ARN0099 [HG-U133\_Plus\_2]///geo\_accession

title: Breast metastasis in the ovary\_OC01\_ARN0102 [HG-U133\_Plus\_2]///geo\_accession

title: Breast metastasis in the ovary\_OC01\_ARN0104 [HG-U133\_Plus\_2]///geo\_accession

title: Breast metastasis in the ovary\_OC01\_ARN0112 [HG-U133\_Plus\_2]///geo\_accession

title: Breast metastasis in the ovary\_OC01\_ARN0120 [HG-U133\_Plus\_2]///geo\_accession

title: Breast metastasis in the ovary\_OC01\_ARN0121 [HG-U133\_Plus\_2]///geo\_accession

title: Breast metastasis in the ovary\_OC01\_ARN0123 [HG-U133\_Plus\_2]///geo\_accession

title: Breast metastasis in the ovary\_OC01\_ARN0126 [HG-U133\_Plus\_2]///geo\_accession

title: Breast metastasis in the ovary\_OC01\_ARN0141 [HG-U133\_Plus\_2]///geo\_accession

title: Breast metastasis in the ovary\_OC01\_ARN0142 [HG-U133\_Plus\_2]///geo\_accession

title: Breast metastasis in the ovary\_OC01\_ARN0143 [HG-U133\_Plus\_2]///geo\_accession

title: Breast metastasis in the ovary\_OC01\_ARN0145 [HG-U133\_Plus\_2]///geo\_accession

title: Breast metastasis in the ovary\_OC01\_ARN0146 [HG-U133\_Plus\_2]///geo\_accession

title: Breast metastasis in the ovary\_OC01\_ARN0153 [HG-U133\_Plus\_2]///geo\_accession

title: Breast metastasis in the ovary\_OC01\_ARN0162 [HG-U133\_Plus\_2]///geo\_accession

title: Breast metastasis in the ovary\_OC01\_ARN0201 [HG-U133\_Plus\_2]///geo\_accession

title: Ovarian carcinoma\_OC01\_A

title: Ovarian carcinoma\_OC01\_ARN0002

title: Ovarian carcinoma\_OC01\_ARN

title: Ovarian carcinoma\_OC01\_A

title: Ovarian carcinoma\_OC01\_ARN

title: Ovarian carcinoma\_OC01\_ARN0001

title: Ovarian carcinoma\_OC01\_ARN0002

title: Ovarian carcinoma\_OC01\_ARN0003

title: Ovarian carcinoma\_OC01\_ARN0004

title: Ovarian carcinoma\_OC01\_ARN0005

title: Ovarian carcinoma\_OC01\_ARN0006

title: Ovarian carcinoma\_OC01\_ARN0007

title: Ovarian carcinoma\_OC01\_ARN0008

title: Ovarian carcinoma\_OC01\_ARN0009

title: Ovarian carcinoma\_OC01\_ARN0010

title: Ovarian carcinoma\_OC01\_ARN0011

title: Ovarian carcinoma\_OC01\_ARN0012

title: Ovarian carcinoma\_OC01\_ARN0013

title: Ovarian carcinoma\_OC01\_ARN0014

title: Ovarian carcinoma\_OC01\_ARN0015

title: Ovarian carcinoma\_OC01\_ARN0016

title: Ovarian carcinoma\_OC01\_ARN0017

title: Ovarian carcinoma\_OC01\_ARN0018

title: Ovarian carcinoma\_OC01\_ARN0019

title: Ovarian carcinoma\_OC01\_ARN0020

title: Ovarian carcinoma\_OC01\_ARN0021

title: Ovarian carcinoma\_OC01\_ARN0022

title: Ovarian carcinoma\_OC01\_ARN0023

title: Ovarian carcinoma\_OC01\_ARN0024

title: Ovarian carcinoma\_OC01\_ARN0025

title: Ovarian carcinoma\_OC01\_ARN0026

title: Ovarian carcinoma\_OC01\_ARN0027

title: Ovarian carcinoma\_OC01\_ARN0028

title: Ovarian carcinoma\_OC01\_ARN0029

title: Ovarian carcinoma\_OC01\_ARN0030

title: Ovarian carcinoma\_OC01\_ARN0031

title: Ovarian carcinoma\_OC01\_ARN0032

title: Ovarian carcinoma\_OC01\_ARN0033

title: Ovarian carcinoma\_OC01\_ARN0034

title: Ovarian carcinoma\_OC01\_ARN0035

title: Ovarian carcinoma\_OC01\_ARN0036

title: Ovarian carcinoma\_OC01\_ARN0037

title: Ovarian carcinoma\_OC01\_ARN0038

title: Ovarian carcinoma\_OC01\_ARN0039

title: Ovarian carcinoma\_OC01\_ARN0040

title: Ovarian carcinoma\_OC01\_ARN0041

title: Ovarian carcinoma\_OC01\_ARN0042

title: Ovarian carcinoma\_OC01\_ARN0043

title: Ovarian carcinoma\_OC01\_ARN0044

title: Ovarian carcinoma\_OC01\_ARN0045

title: Ovarian carcinoma\_OC01\_ARN0046

title: Ovarian carcinoma\_OC01\_ARN0047

title: Ovarian carcinoma\_OC01\_ARN0048

title: Ovarian carcinoma\_OC01\_ARN0049

title: Ovarian carcinoma\_OC01\_ARN0050

title: Ovarian carcinoma\_OC01\_ARN0075 [H  
title: Ovarian carcinoma\_OC01\_ARN0076 [H  
title: Ovarian carcinoma\_OC01\_ARN0077 [H  
title: Ovarian carcinoma\_OC01\_ARN0078 [H  
title: Ovarian carcinoma\_OC01\_ARN0079 [H  
title: Ovarian carcinoma\_OC01\_ARN0080 [H  
title: Ovarian carcinoma\_OC01\_ARN0081 [H  
title: Ovarian carcinoma\_OC01\_ARN0082 [H  
title: Ovarian carcinoma\_OC01\_ARN0083 [H  
title: Ovarian carcinoma\_OC01\_ARN0084 [H  
title: Ovarian carcinoma\_OC01\_ARN0085 [H  
title: Ovarian carcinoma\_OC01\_ARN0086 [H  
title: Ovarian carcinoma\_OC01\_ARN0087 [H  
title: Ovarian carcinoma\_OC01\_ARN0088 [H  
title: Ovarian carcinoma\_OC01\_ARN0089 [H  
title: Ovarian carcinoma\_OC01\_ARN0090 [H  
title: Ovarian carcinoma\_OC01\_ARN0091 [H  
title: Ovarian carcinoma\_OC01\_ARN0092 [H  
title: Ovarian carcinoma\_OC01\_ARN0093 [H  
title: Ovarian carcinoma\_OC01\_ARN0094 [H  
title: Ovarian carcinoma\_OC01\_ARN0095 [H  
title: Ovarian carcinoma\_OC01\_ARN0096 [H  
title: Ovarian carcinoma\_OC01\_ARN0097 [H  
title: Ovarian carcinoma\_OC01\_ARN0098 [H  
title: Ovarian carcinoma\_OC01\_ARN0099 [H  
title: Ovarian carcinoma\_OC01\_ARN0100 [H



title: Ovarian carcinoma\_OC01\_ARN  
title: Ovarian carcinoma\_OC01\_ARN0109  
title: Ovarian carcinoma\_OC01\_ARN  
title: Ovarian carcinoma\_OC01\_ARN0113  
title: Ovarian carcinoma\_OC01\_ARN0114 [HG  
title: Ovarian carcinoma\_OC01\_ARN0115  
title: Ovarian carcinoma\_OC01\_A  
title: Ovarian carcinoma\_OC01\_ARN  
title: Ovarian carcinoma\_OC01\_ARN  
title: Ovarian carcinoma\_OC01\_ARN  
title: Ovarian carcinoma\_OC01\_ARN

duplicates:  
GSE20565.GSE20565\_GSM516722 GSE20565.GSE20565\_GSM516741  
1 1  
NA's  
138

Value

An expression set

---

GSE2109	<i>IGC EXpression Project for Oncology</i>
---------	--

---

Description

EXpression Project for Oncology, International Genomics Consortium, [www.intgen.org](http://www.intgen.org)

**Format**

```

experimentData(eset):
Experiment data
  Experimenter name: EXpression Project for Oncology, International Genomics Consor
  Laboratory: expO, IGC 2005
  Contact information:
  Title: IGC EXpression Project for Oncology
  URL:
  PMIDs: PMID unknown

Abstract: A 8 word abstract is available. Use 'abstract' method.
Information is available on: preprocessing
notes:
  platform_title:
    [HG-U133_Plus_2] Affymetrix Human Genome U133 Plus 2.0 Array
  platform_shorttitle:
    Affymetrix HG-U133Plus2
  platform_summary:
    hgu133plus2
  platform_manufacturer:
    Affymetrix
  platform_distribution:
    commercial
  platform_accession:
    GPL570
  version:
    2015-09-22 19:40:35

featureData(eset):
An object of class 'AnnotatedDataFrame'
  featureNames: 1007_s_at 1053_at ... AFFX-HUMISGF3A/M97935_MB_at
    (42447 total)
  varLabels: probeset gene EntrezGene.ID best_probe
  varMetadata: labelDescription

```

**Details**

```

assayData: 42447 features, 204 samples
Platform type:
-----
Available sample meta-data:
-----

alt_sample_name:
Abdominal wall mass - 8176
                      1
Omentum - 8174
Omentum - 1006
                      1
Omentum - 8186

```

1	1
Omentum - 8240	Ovary - 101094
1	1
Ovary - 101109	Ovary - 101120
1	1
Ovary - 101150	Ovary - 1018
1	1
Ovary - 1040	Ovary - 1057
1	1
Ovary - 112866	Ovary - 112867
1	1
Ovary - 118662	Ovary - 118671
1	1
Ovary - 1241	Ovary - 1270
1	1
Ovary - 129660	Ovary - 129669
1	1
Ovary - 1311	Ovary - 1313
1	1
Ovary - 1323	Ovary - 133643
1	1
Ovary - 133651	Ovary - 1351
1	1
Ovary - 151614	Ovary - 151622
1	1
Ovary - 161465	Ovary - 161524
1	1
Ovary - 161525	Ovary - 161534
1	1
Ovary - 1636	Ovary - 1639
1	1
Ovary - 1643	Ovary - 170809
1	1
Ovary - 174931	Ovary - 174936
1	1
Ovary - 180953	Ovary - 184837
1	1
Ovary - 187243	Ovary - 187246
1	1
Ovary - 187251	Ovary - 187253
1	1
Ovary - 191413	Ovary - 191424
1	1
Ovary - 195198	Ovary - 199399
1	1
Ovary - 199400	Ovary - 202030
1	1
Ovary - 202041	Ovary - 20284

1	1
Ovary - 20285	Ovary - 20296
1	1
Ovary - 20307	Ovary - 20315
1	1
Ovary - 20323	Ovary - 20325
1	1
Ovary - 20326	Ovary - 20329
1	1
Ovary - 207532	Ovary - 209699
1	1
Ovary - 209709	Ovary - 209714
1	1
Ovary - 209718	Ovary - 211371
1	1
Ovary - 211372	Ovary - 211395
1	1
Ovary - 211409	Ovary - 21758
1	1
Ovary - 219571	Ovary - 219581
1	1
Ovary - 219590	Ovary - 219604
1	1
Ovary - 21981	Ovary - 22218
1	1
Ovary - 226414	Ovary - 226423
1	1
Ovary - 228537	Ovary - 228549
1	1
Ovary - 231863	Ovary - 234328
1	1
Ovary - 234329	Ovary - 235691
1	1
Ovary - 235692	Ovary - 235695
1	1
Ovary - 23862	Ovary - 23884
1	1
Ovary - 23904	Ovary - 23930
1	1
Ovary - 23934	Ovary - 23936
1	1
Ovary - 23938	Ovary - 241181
1	1
Ovary - 241187	Ovary - 241196
1	1
Ovary - 241198	Ovary - 241199
1	1
Ovary - 242929	(Other)

1

105

sample\_type:

tumor

204

histological\_type:

clearcell

9

endo

28

mucinous

11

other

59

ser undifferentiated

NA's

85

2

10

primarysite:

other ov NA's

23

178

3

summarygrade:

high low NA's

91

31

82

summarystage:

early late NA's

37

87

80

tumorstage:

1

2

3

4 NA's

20

14

58

18

94

substage:

a

b

c NA's

17

22

79

86

grade:

1

2

3

4 NA's

11

20

83

8

82

age\_at\_initial\_pathologic\_diagnosis:

Min. 1st Qu. Median Mean 3rd Qu. Max.

25.00

45.00

55.00

58.82

65.00

85.00

batch:

2004-12-03 2004-12-04 2004-12-07 2005-02-11 2005-03-03 2005-03-10 2005-03-11

3

3

1

1

1

1

1

2005-03-15 2005-03-16 2005-03-17 2005-03-19 2005-03-22 2005-04-13 2005-04-26

3

1

2

4

2

1

5

2005-04-29 2005-05-10 2005-06-01 2005-06-03 2005-06-08 2005-06-17 2005-08-05

2

2

5

3

3

6

3

2005-08-09 2005-08-11 2005-09-07 2005-09-09 2005-09-13 2005-11-02 2005-11-04

	1	6	1	3	3	6	3
2005-11-15	2005-11-18	2005-12-02	2006-01-24	2006-01-26	2006-02-07	2006-02-28	
	3	1	4	2	1	1	1
2006-03-06	2006-03-14	2006-04-18	2006-04-20	2006-05-16	2006-06-08	2006-07-26	
	2	2	1	2	3	1	2
2006-07-28	2006-09-12	2006-09-14	2006-10-10	2006-10-24	2006-10-31	2006-11-09	
	1	2	1	1	9	5	10
2006-11-21	2006-11-30	2006-12-07	2007-01-12	2007-02-09	2007-03-07	2007-03-09	
	1	6	3	1	1	8	1
2007-03-15	2007-05-01	2007-05-03	2007-05-15	2007-05-18	2007-05-30	2007-06-12	
	4	2	3	4	2	2	1
2007-07-27	2007-09-05	2007-09-07	2007-09-11	2007-09-12	2008-02-15	2008-02-21	
	2	3	1	4	4	1	3
2008-02-27	2008-03-04	2008-05-13	2008-05-16	2008-05-23			
	2	1	4	4	5		

uncurated\_author\_metadata:

title: Omentum -

title: Ovary - 170809///geo\_accession: GSM137917///status: Public on Sep 28 2006///







duplicates:

GSE2109.GSE2109\_GSM76554

GSE2109.GSE2109\_GSM76567

1

1

NA's

202

Value

An expression set

GSE26193	<i>miR-141 and miR-200a act on ovarian tumorigenesis by controlling oxidative stress response.</i>
----------	--

Description

Although there is evidence that redox regulation has an essential role in malignancies, its impact on tumor prognosis remains unclear. Here we show crosstalk between oxidative stress and the miR-200 family of microRNAs that affects tumorigenesis and chemosensitivity. miR-141 and miR-200a target p38?? and modulate the oxidative stress response. Enhanced expression of these microRNAs mimics p38?? deficiency and increases tumor growth in mouse models, but it also improves

the response to chemotherapeutic agents. High-grade human ovarian adenocarcinomas that accumulate miR-200a have low concentrations of p38?? and an associated oxidative stress signature. The miR200a-dependent stress signature correlates with improved survival of patients in response to treatment. Therefore, the role of miR-200a in stress could be a predictive marker for clinical outcome in ovarian cancer. In addition, although oxidative stress promotes tumor growth, it also sensitizes tumors to treatment, which could account for the limited success of antioxidants in clinical trials.

## Format

```
experimentData(eset):
Experiment data
  Experimenter name: Mateescu B, Batista L, Mariani O, Meyniel J, Cottu PH, Sastre-
  Laboratory: Mateescu, Mechta-Grigoriou 2011
  Contact information:
  Title: miR-141 and miR-200a act on ovarian tumorigenesis by controlling oxidative
  URL:
  PMIDs: 22101765

Abstract: A 149 word abstract is available. Use 'abstract' method.
Information is available on: preprocessing
notes:
  platform_title:
    [HG-U133_Plus_2] Affymetrix Human Genome U133 Plus 2.0 Array
  platform_shorttitle:
    Affymetrix HG-U133Plus2
  platform_summary:
    hgu133plus2
  platform_manufacturer:
    Affymetrix
  platform_distribution:
    commercial
  platform_accession:
    GPL570
  platform_technology:
    in situ oligonucleotide
  version:
    2015-09-22 19:44:56

featureData(eset):
An object of class 'AnnotatedDataFrame'
  featureNames: 1007_s_at 1053_at ... AFFX-HUMISGF3A/M97935_MB_at
    (42447 total)
  varLabels: probeset gene EntrezGene.ID best_probe
  varMetadata: labelDescription
```

**Details**

assayData: 42447 features, 107 samples

Platform type:

Overall survival time-to-event summary (in years):

Call: survfit(formula = Surv(time, cens) ~ -1)

n	events	median	0.95LCL	0.95UCL
107.00	76.00	3.05	2.50	4.56

-----  
Available sample meta-data:  
-----

alt\_sample\_name:

Ovarian carcinoma 1	Ovarian carcinoma 10	Ovarian carcinoma 100
1	1	1
Ovarian carcinoma 101	Ovarian carcinoma 102	Ovarian carcinoma 103
1	1	1
Ovarian carcinoma 104	Ovarian carcinoma 105	Ovarian carcinoma 106
1	1	1
Ovarian carcinoma 107	Ovarian carcinoma 11	Ovarian carcinoma 12
1	1	1
Ovarian carcinoma 13	Ovarian carcinoma 14	Ovarian carcinoma 15
1	1	1
Ovarian carcinoma 16	Ovarian carcinoma 17	Ovarian carcinoma 18
1	1	1
Ovarian carcinoma 19	Ovarian carcinoma 2	Ovarian carcinoma 20
1	1	1
Ovarian carcinoma 21	Ovarian carcinoma 22	Ovarian carcinoma 23
1	1	1
Ovarian carcinoma 24	Ovarian carcinoma 25	Ovarian carcinoma 26
1	1	1
Ovarian carcinoma 27	Ovarian carcinoma 28	Ovarian carcinoma 29
1	1	1
Ovarian carcinoma 3	Ovarian carcinoma 30	Ovarian carcinoma 31
1	1	1
Ovarian carcinoma 32	Ovarian carcinoma 33	Ovarian carcinoma 34
1	1	1
Ovarian carcinoma 35	Ovarian carcinoma 36	Ovarian carcinoma 37
1	1	1
Ovarian carcinoma 38	Ovarian carcinoma 39	Ovarian carcinoma 4
1	1	1
Ovarian carcinoma 40	Ovarian carcinoma 41	Ovarian carcinoma 42
1	1	1
Ovarian carcinoma 43	Ovarian carcinoma 44	Ovarian carcinoma 45
1	1	1
Ovarian carcinoma 46	Ovarian carcinoma 47	Ovarian carcinoma 48
1	1	1

Ovarian carcinoma 49	Ovarian carcinoma 5	Ovarian carcinoma 50
1	1	1
Ovarian carcinoma 51	Ovarian carcinoma 52	Ovarian carcinoma 53
1	1	1
Ovarian carcinoma 54	Ovarian carcinoma 55	Ovarian carcinoma 56
1	1	1
Ovarian carcinoma 57	Ovarian carcinoma 58	Ovarian carcinoma 59
1	1	1
Ovarian carcinoma 6	Ovarian carcinoma 60	Ovarian carcinoma 61
1	1	1
Ovarian carcinoma 62	Ovarian carcinoma 63	Ovarian carcinoma 64
1	1	1
Ovarian carcinoma 65	Ovarian carcinoma 66	Ovarian carcinoma 67
1	1	1
Ovarian carcinoma 68	Ovarian carcinoma 69	Ovarian carcinoma 7
1	1	1
Ovarian carcinoma 70	Ovarian carcinoma 71	Ovarian carcinoma 72
1	1	1
Ovarian carcinoma 73	Ovarian carcinoma 74	Ovarian carcinoma 75
1	1	1
Ovarian carcinoma 76	Ovarian carcinoma 77	Ovarian carcinoma 78
1	1	1
Ovarian carcinoma 79	Ovarian carcinoma 8	Ovarian carcinoma 80
1	1	1
Ovarian carcinoma 81	Ovarian carcinoma 82	Ovarian carcinoma 83
1	1	1
Ovarian carcinoma 84	Ovarian carcinoma 85	Ovarian carcinoma 86
1	1	1
Ovarian carcinoma 87	Ovarian carcinoma 88	Ovarian carcinoma 89
1	1	1
Ovarian carcinoma 9	Ovarian carcinoma 90	Ovarian carcinoma 91
1	1	1
(Other)		
8		

sample\_type:

tumor

107

histological\_type:

clearcell	endo	mucinous	other	ser
6	8	8	6	79

summarygrade:

high	low
67	40

summarystage:

```
early  late
    31    76
```

```
tumorstage:
  1  2  3  4
20 11 59 17
```

```
substage:
  a    b    c NA's
 16   12   62   17
```

```
grade:
  1  2  3
 7 33 67
```

```
days_to_tumor_recurrence:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
   3.0   340.5   584.0  1108.0  1525.0   7386.0
```

```
recurrence_status:
norecurrence  recurrence
           27           80
```

```
days_to_death:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
    3    668    1096    1520    2220    7386
```

```
vital_status:
deceased  living
    76      31
```

```
batch:
2006-06-01 2006-06-27 2006-06-28 2006-06-29 2006-06-30 2006-07-20 2008-03-06
          15          14          23          16          21          3          1
2009-03-18 2009-03-19
          4          10
```

```
uncurated_author_metadata:
  title: Ovarian carcinoma 100///geo_accession: GSM643032///status: Public on M
    title: Ovarian carcinoma 101///geo_accession: GSM643033///status: Publi
  title: Ovarian carcinoma 102///geo_accession: GSM643034///status: Public on M
    title: Ovarian carcinoma 103///geo_accession: GSM643035///status: Public
    title: Ovarian carcinoma 104///geo_accession: GSM643036///status: Public
```

title: Ovarian carcinoma 105///geo\_accession: GSM643037///status: Public on Nov 01

title: Ovarian carcinoma 106///geo\_accession: GSM643038///status: Public on Nov 01

title: Ovarian carcinoma 107///geo\_accession: GSM643039///status: Public on Nov 01

title: Ovarian carcinoma 10///geo\_accession: GSM642942///status: Public on Nov 01

title: Ovarian carcinoma 11///geo\_accession: GSM642943///status: Public on Nov 01

title: Ovarian carcinoma 12///geo\_accession: GSM642944///status: Public on Nov 01

title: Ovarian carcinoma 13///geo\_accession: GSM642945///status: Public on Nov 01

title: Ovarian carcinoma 14///geo\_accession: GSM642946///status: Public on Nov 01

title: Ovarian carcinoma 15///geo\_accession: GSM642947///status: Public on Nov 01

title: Ovarian carcinoma 16///geo\_accession: GSM642948///status: Public on Nov 01

title: Ovarian carcinoma 17///geo\_accession: GSM642949///status: Public on Nov 01

title: Ovarian carcinoma 18///geo\_accession: GSM642950///status: Public on Nov 01

title: Ovarian carcinoma 19///geo\_accession: GSM642951///status: Public on Nov 01

title: Ovarian carcinoma 1///geo\_accession: GSM642933///status: Public on Nov 01

title: Ovarian carcinoma 20///geo\_accession: GSM642952///status: Public on Nov 01

title: Ovarian carcinoma 21///geo\_accession: GSM642953///status: Public on Nov 01

title: Ovarian carcinoma 22///geo\_accession: GSM642954///status: Public on Nov 01

title: Ovarian carcinoma 23///geo\_accession: GSM642955///status: Public on Nov 01

title: Ovarian carcinoma 24///geo\_accession: GSM642956///status: Public on Nov 01

title: Ovarian carcinoma 25///geo\_accession: GSM642957///status: Public on Nov 01

title: Ovarian carcinoma 26///geo\_accession: GSM642958///status: Public on Nov 01

title: Ovarian carcinoma 27///geo\_accession: GSM642959///status: Public on Nov 01

title: Ovarian carcinoma 28///geo\_accession: GSM642960///status: Public on Nov 01

title: Ovarian carcinoma 29///geo\_accession: GSM642961///status: Public on Nov 01

title: Ovarian carcinoma 2///geo\_accession: GSM642934///status: Public on Nov 11 2014

title: Ovarian carcinoma 30///geo\_accession: GSM642962///status: Public on Nov 11 2014

title: Ovarian carcinoma 31///geo\_accession: GSM642963///status: Public on Nov 11 2014

title: Ovarian carcinoma 32///geo\_accession: GSM642964///status: Public on Nov 11 2014

title: Ovarian carcinoma 33///geo\_accession: GSM642965///status: Public on Nov 11 2014

title: Ovarian carcinoma 34///geo\_accession: GSM642966///status: Public on Nov 11 2014

title: Ovarian carcinoma 35///geo\_accession: GSM642967///status: Public on Nov 11 2014

title: Ovarian carcinoma 36///geo\_accession: GSM642968///status: Public on Nov 11 2014

title: Ovarian carcinoma 37///geo\_accession: GSM642969///status: Public on Nov 11 2014

title: Ovarian carcinoma 38///geo\_accession: GSM642970///status: Public on Nov 11 2014

title: Ovarian carcinoma 39///geo\_accession: GSM642971///status: Public on Nov 11 2014

title: Ovarian carcinoma 3///geo\_accession: GSM642935///status: Public on Nov 11 2014

title: Ovarian carcinoma 40///geo\_accession: GSM642972///status: Public on Nov 11 2014

title: Ovarian carcinoma 41///geo\_accession: GSM642973///status: Public on Nov 11 2014

title: Ovarian carcinoma 42///geo\_accession: GSM642974///status: Public on Nov 11 2014

title: Ovarian carcinoma 43///geo\_accession: GSM642975///status: Public on Nov 11 2014

title: Ovarian carcinoma 44///geo\_accession: GSM642976///status: Public on Nov 11 2014

title: Ovarian carcinoma 45///geo\_accession: GSM642977///status: Public on Nov 11 2014

title: Ovarian carcinoma 46///geo\_accession: GSM642978///status: Public on Nov 11 2014

title: Ovarian carcinoma 47///geo\_accession: GSM642979///status: Public on Nov 11 2014

title: Ovarian carcinoma 48///geo\_accession: GSM642980///status: Public on Nov 11 2014

title: Ovarian carcinoma 49///geo\_accession: GSM642981///status: Public on Nov 11 2014

title: Ovarian carcinoma 4///geo\_accession: GSM642936///status: Public on Nov 11 2014

title: Ovarian carcinoma 50///geo\_accession: GSM642982///status: Public on Nov 11 2014



title: Ovarian carcinoma 51///geo\_accession: GSM642983///status: Public on Nov 01 2010

title: Ovarian carcinoma 52///geo\_accession: GSM642984///status: Public on Nov 01 2010

title: Ovarian carcinoma 53///geo\_accession: GSM642985///status: Public on Nov 01 2010

title: Ovarian carcinoma 54///geo\_accession: GSM642986///status: Public on Nov 01 2010

title: Ovarian carcinoma 55///geo\_accession: GSM642987///status: Public on Nov 01 2010

title: Ovarian carcinoma 56///geo\_accession: GSM642988///status: Public on Nov 01 2010

title: Ovarian carcinoma 57///geo\_accession: GSM642989///status: Public on Nov 01 2010

title: Ovarian carcinoma 58///geo\_accession: GSM642990///status: Public on Nov 01 2010

title: Ovarian carcinoma 59///geo\_accession: GSM642991///status: Public on Nov 01 2010

title: Ovarian carcinoma 5///geo\_accession: GSM642937///status: Public on Nov 01 2010

title: Ovarian carcinoma 60///geo\_accession: GSM642992///status: Public on Nov 01 2010

title: Ovarian carcinoma 61///geo\_accession: GSM642993///status: Public on Nov 01 2010

title: Ovarian carcinoma 62///geo\_accession: GSM642994///status: Public on Nov 01 2010

title: Ovarian carcinoma 63///geo\_accession: GSM642995///status: Public on Nov 01 2010

title: Ovarian carcinoma 64///geo\_accession: GSM642996///status: Public on Nov 01 2010

title: Ovarian carcinoma 65///geo\_accession: GSM642997///status: Public on Nov 01 2010

title: Ovarian carcinoma 66///geo\_accession: GSM642998///status: Public on Nov 01 2010

title: Ovarian carcinoma 67///geo\_accession: GSM642999///status: Public on Nov 01 2010

title: Ovarian carcinoma 68///geo\_accession: GSM643000///status: Public on Nov 01 2010

title: Ovarian carcinoma 69///geo\_accession: GSM643001///status: Public on Nov 01 2010

title: Ovarian carcinoma 6///geo\_accession: GSM642938///status: Public on Nov 01 2010

title: Ovarian carcinoma 70///geo\_accession: GSM643002///status: Public on Nov 01 2010

title: Ovarian carcinoma 71///geo\_accession: GSM643003///status: Public on Nov 01 2010

title: Ovarian carcinoma 72///geo\_accession: GSM643004///status: Public on Nov 01 2010

title: Ovarian carcinoma 73///geo\_accession: GSM643005///status: Public on Nov  
title: Ovarian carcinoma 74///geo\_accession: GSM643006///status: Public on Nov  
title: Ovarian carcinoma 75///geo\_accession: GSM643007///status: Public on Nov  
title: Ovarian carcinoma 76///geo\_accession: GSM643008///status: Public on Nov  
title: Ovarian carcinoma 77///geo\_accession: GSM643009///status: Public on Nov  
title: Ovarian carcinoma 78///geo\_accession: GSM643010///status: Public on Nov  
title: Ovarian carcinoma 79///geo\_accession: GSM643011///status: Public on Nov  
title: Ovarian carcinoma 7///geo\_accession: GSM642939///status: Public on Nov  
title: Ovarian carcinoma 80///geo\_accession: GSM643012///status: Public on Nov  
title: Ovarian carcinoma 81///geo\_accession: GSM643013///status: Public on Nov  
title: Ovarian carcinoma 82///geo\_accession: GSM643014///status: Public on Nov  
title: Ovarian carcinoma 83///geo\_accession: GSM643015///status: Public on Nov  
title: Ovarian carcinoma 84///geo\_accession: GSM643016///status: Public on Nov  
title: Ovarian carcinoma 85///geo\_accession: GSM643017///status: Public on Nov  
title: Ovarian carcinoma 86///geo\_accession: GSM643018///status: Public on Nov  
title: Ovarian carcinoma 87///geo\_accession: GSM643019///status: Public on Nov  
title: Ovarian carcinoma 88///geo\_accession: GSM643020///status: Public on Nov  
title: Ovarian carcinoma 89///geo\_accession: GSM643021///status: Public on Nov  
title: Ovarian carcinoma 8///geo\_accession: GSM642940///status: Public on Nov  
title: Ovarian carcinoma 90///geo\_accession: GSM643022///status: Public on Nov  
title: Ovarian carcinoma 91///geo\_accession: GSM643023///status: Public on Nov  
title: Ovarian carcinoma 92///geo\_accession: GSM643024///status: Public on Nov

**Value**

An expression set

GSE26712

*A gene signature predicting for survival in suboptimally debulked patients with ovarian cancer.*

**Description**

Despite the existence of morphologically indistinguishable disease, patients with advanced ovarian tumors display a broad range of survival end points. We hypothesize that gene expression profiling can identify a prognostic signature accounting for these distinct clinical outcomes. To resolve survival-associated loci, gene expression profiling was completed for an extensive set of 185 (90 optimal/95 suboptimal) primary ovarian tumors using the Affymetrix human U133A microarray. Cox regression analysis identified probe sets associated with survival in optimally and suboptimally debulked tumor sets at a P value of  $<0.01$ . Leave-one-out cross-validation was applied to each tumor cohort and confirmed by a permutation test. External validation was conducted by applying the gene signature to a publicly available array database of expression profiles of advanced stage suboptimally debulked tumors. The prognostic signature successfully classified the tumors according to survival for suboptimally ( $P = 0.0179$ ) but not optimally debulked ( $P = 0.144$ ) patients. The suboptimal gene signature was validated using the independent set of tumors (odds ratio, 8.75;  $P = 0.0146$ ). To elucidate signaling events amenable to therapeutic intervention in suboptimally debulked patients, pathway analysis was completed for the top 57 survival-associated probe sets. For suboptimally debulked patients, confirmation of the predictive gene signature supports the existence of a clinically relevant predictor, as well as the possibility of novel therapeutic opportunities. Ultimately, the prognostic classifier defined for suboptimally debulked tumors may aid in the classification and enhancement of patient outcome for this high-risk population.

**Format**

```

experimentData(eset):
Experiment data
  Experimenter name: Bonome T, Levine DA, Shih J, Randonovich M, Pise-Masison CA, B
  Laboratory: Bonome, Birrer 2008
  Contact information:
  Title: A gene signature predicting for survival in suboptimally debulked patients
  URL:
  PMIDs: 18593951

Abstract: A 238 word abstract is available. Use 'abstract' method.
Information is available on: preprocessing
notes:
  platform_title:
    [HG-U133A] Affymetrix Human Genome U133A Array
  platform_shorttitle:
    Affymetrix HG-U133A
  platform_summary:

```

```

      hgu133a
platform_manufacturer:
      Affymetrix
platform_distribution:
      commercial
platform_accession:
      GPL96
version:
      2015-09-22 19:46:24

featureData(eset):
An object of class 'AnnotatedDataFrame'
  featureNames: 1007_s_at 1053_at ... AFFX-HUMISGF3A/M97935_MB_at
(20967 total)
  varLabels: probeset gene EntrezGene.ID best_probe
  varMetadata: labelDescription

```

## Details

```

assayData: 20967 features, 195 samples
Platform type:
Overall survival time-to-event summary (in years):
Call: survfit(formula = Surv(time, cens) ~ -1)

```

```

      10 observations deleted due to missingness
      n  events  median 0.95LCL 0.95UCL
185.00  129.00    3.83    3.24    4.83

```

```

-----
Available sample meta-data:
-----

```

```

alt_sample_name:
      Normal HOSE2008      Normal HOSE2061      Normal HOSE2064
              1              1              1
      Normal HOSE2085      Normal HOSE2225      Normal HOSE2226
              1              1              1
      Normal HOSE2228      Normal HOSE2230      Normal HOSE2234
              1              1              1
      Normal HOSE2237  Ovarian Cancer SO10  Ovarian Cancer SO100
              1              1              1
Ovarian Cancer SO103  Ovarian Cancer SO106  Ovarian Cancer SO108
              1              1              1
      Ovarian Cancer SO11  Ovarian Cancer SO113  Ovarian Cancer SO115
              1              1              1
Ovarian Cancer SO116  Ovarian Cancer SO117  Ovarian Cancer SO118
              1              1              1
      Ovarian Cancer SO12  Ovarian Cancer SO121  Ovarian Cancer SO122

```

Ovarian Cancer	1	Ovarian Cancer	1	Ovarian Cancer	1
S0124		S0129		S013	
	1		1		1
Ovarian Cancer	1	Ovarian Cancer	1	Ovarian Cancer	1
S0131		S0134		S0135	
	1		1		1
Ovarian Cancer	1	Ovarian Cancer	1	Ovarian Cancer	1
S0137		S0141		S0143	
	1		1		1
Ovarian Cancer	1	Ovarian Cancer	1	Ovarian Cancer	1
S0148		S0154		S016	
	1		1		1
Ovarian Cancer	1	Ovarian Cancer	1	Ovarian Cancer	1
S0166		S017		S0173	
	1		1		1
Ovarian Cancer	1	Ovarian Cancer	1	Ovarian Cancer	1
S0174		S018		S0181	
	1		1		1
Ovarian Cancer	1	Ovarian Cancer	1	Ovarian Cancer	1
S0184		S0185		S0187	
	1		1		1
Ovarian Cancer	1	Ovarian Cancer	1	Ovarian Cancer	1
S0189		S0190		S0193	
	1		1		1
Ovarian Cancer	1	Ovarian Cancer	1	Ovarian Cancer	1
S0194		S0196		S0197	
	1		1		1
Ovarian Cancer	1	Ovarian Cancer	1	Ovarian Cancer	1
S02		S0200		S0201	
	1		1		1
Ovarian Cancer	1	Ovarian Cancer	1	Ovarian Cancer	1
S0203		S0205		S021	
	1		1		1
Ovarian Cancer	1	Ovarian Cancer	1	Ovarian Cancer	1
S0211		S0214		S0216	
	1		1		1
Ovarian Cancer	1	Ovarian Cancer	1	Ovarian Cancer	1
S0217		S0218		S0224	
	1		1		1
Ovarian Cancer	1	Ovarian Cancer	1	Ovarian Cancer	1
S0225		S0227		S0228	
	1		1		1
Ovarian Cancer	1	Ovarian Cancer	1	Ovarian Cancer	1
S0229		S023		S0230	
	1		1		1
Ovarian Cancer	1	Ovarian Cancer	1	Ovarian Cancer	1
S0231		S0235		S0236	
	1		1		1
Ovarian Cancer	1	Ovarian Cancer	1	Ovarian Cancer	1
S0237		S0241		S0242	
	1		1		1
Ovarian Cancer	1	Ovarian Cancer	1	Ovarian Cancer	1
S0243		S0244		S0246	
	1		1		1
Ovarian Cancer	1	Ovarian Cancer	1	Ovarian Cancer	1
S0247		S0249		S025	
	1		1		1
Ovarian Cancer	1	Ovarian Cancer	1	Ovarian Cancer	1
S0250		S0256		S0257	
	1		1		1
Ovarian Cancer	1	Ovarian Cancer	1	Ovarian Cancer	1
S0258		S0261		S0262	
	1		1		1
Ovarian Cancer	1	Ovarian Cancer	1	Ovarian Cancer	1
S0263		S0265		S0267	
	1		1		1
Ovarian Cancer	1	Ovarian Cancer	1	Ovarian Cancer	1
S0268		S0272		S0273	
	1		1		1
Ovarian Cancer	1	Ovarian Cancer	1	Ovarian Cancer	1
S0278		S0279		S0282	

	1		1		1
Ovarian Cancer	SO283	Ovarian Cancer	SO285	Ovarian Cancer	SO290
	1		1		1
	(Other)				
	96				

```
sample_type:
healthy      tumor
    10      185
```

```
histological_type:
ser NA's
185    10
```

```
primarysite:
ov
195
```

```
summarygrade:
high NA's
185    10
```

```
summarystage:
late NA's
185    10
```

```
tumorstage:
    3    4 NA's
146   36   13
```

```
substage:
    b    c NA's
    9  137   49
```

```
age_at_initial_pathologic_diagnosis:
    Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
  26.00   52.00   63.00   61.54   70.00   84.00    13
```

```
recurrence_status:
norecurrence  recurrence
          42          153
```

```
days_to_death:
    Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
  21.9   660.6  1164.0  1429.0  1880.0  4982.0    10
```

```
vital_status:
deceased  living   NA's
```



title: Ovarian Cancer S0103///geo\_accession: GSM657531///status: Public on Jan 20  
title: Ovarian Cancer S0106///geo\_accession: GSM657532///status: Public on  
title: Ovarian Cancer S0108///geo\_accession: GSM657533///status: Public on Jan  
title: Ovarian Cancer S010///geo\_accession: GSM657529///status: Public on Jan  
title: Ovarian Cancer S0113///geo\_accession: GSM657535///status: Public on Jan 20  
title: Ovarian Cancer S0115///geo\_accession: GSM657536///status: Public on  
title: Ovarian Cancer S0116///geo\_accession: GSM657537///status: Public on Jan  
title: Ovarian Cancer S0117///geo\_accession: GSM657538///status: Public on Jan  
title: Ovarian Cancer S0118///geo\_accession: GSM657539///status: Public on Jan 20  
title: Ovarian Cancer S011///geo\_accession: GSM657534///status: Public on  
title: Ovarian Cancer S0121///geo\_accession: GSM657541///status: Public on Jan 20  
title: Ovarian Cancer S0122///geo\_accession: GSM657542///status: Public on  
title: Ovarian Cancer S0124///geo\_accession: GSM657543///status: Public on Jan 20  
title: Ovarian Cancer S0129///geo\_accession: GSM657544///status: Public on Jan 20  
title: Ovarian Cancer S012///geo\_accession: GSM657540///status: Public on  
title: Ovarian Cancer S0131///geo\_accession: GSM657546///status: Public on Jan 20  
title: Ovarian Cancer S0134///geo\_accession: GSM657547///status: Public on  
title: Ovarian Cancer S0135///geo\_accession: GSM657548///status: Public on  
title: Ovarian Cancer S0137///geo\_accession: GSM657549///status: Public on Jan  
title: Ovarian Cancer S013///geo\_accession: GSM657545///status: Public on Jan 20  
title: Ovarian Cancer S0141///geo\_accession: GSM657550///status: Public on Jan  
title: Ovarian Cancer S0143///geo\_accession: GSM657551///status: Public on Jan  
title: Ovarian Cancer S0148///geo\_accession: GSM657552///status: Public on Jan  
title: Ovarian Cancer S0154///geo\_accession: GSM657553///status: Public on Jan 2



title: Ovarian Cancer S0166///geo\_accession: GSM657555///status: Public on Jan 20  
title: Ovarian Cancer S016///geo\_accession: GSM657554///status: Public on Jan  
title: Ovarian Cancer S0173///geo\_accession: GSM657557///status: Public on Jan  
title: Ovarian Cancer S0174///geo\_accession: GSM657558///status: Public on Jan  
title: Ovarian Cancer S017///geo\_accession: GSM657556///status: Public on Jan  
title: Ovarian Cancer S0181///geo\_accession: GSM657560///status: Public on Jan 20  
title: Ovarian Cancer S0184///geo\_accession: GSM657561///status: Public on Jan 20  
title: Ovarian Cancer S0185///geo\_accession: GSM657562///status: Public on Jan 20  
title: Ovarian Cancer S0187///geo\_accession: GSM657563///status: Public on Jan  
title: Ovarian Cancer S0189///geo\_accession: GSM657564///status: Public on Jan 20  
title: Ovarian Cancer S018///geo\_accession: GSM657559///status: Public on  
title: Ovarian Cancer S0190///geo\_accession: GSM657565///status: Public on  
title: Ovarian Cancer S0193///geo\_accession: GSM657566///status: Public on Jan  
title: Ovarian Cancer S0194///geo\_accession: GSM657567///status: Public on Jan  
title: Ovarian Cancer S0196///geo\_accession: GSM657568///status: Public on  
title: Ovarian Cancer S0197///geo\_accession: GSM657569///status: Public on Jan  
title: Ovarian Cancer S0200///geo\_accession: GSM657571///status: Public on Jan  
title: Ovarian Cancer S0201///geo\_accession: GSM657572///status: Public on Jan  
title: Ovarian Cancer S0203///geo\_accession: GSM657573///status: Public on  
title: Ovarian Cancer S0205///geo\_accession: GSM657574///status: Public on Jan 20  
title: Ovarian Cancer S0211///geo\_accession: GSM657576///status: Public on Jan  
title: Ovarian Cancer S0214///geo\_accession: GSM657577///status: Public on Jan  
title: Ovarian Cancer S0216///geo\_accession: GSM657578///status: Public on Jan  
title: Ovarian Cancer S0217///geo\_accession: GSM657579///status: Public on Jan

title: Ovarian Cancer S0218///geo\_accession: GSM657580///status: Public on

title: Ovarian Cancer S021///geo\_accession: GSM657575///status: Public on

title: Ovarian Cancer S0224///geo\_accession: GSM657581///status: Public on Jan

title: Ovarian Cancer S0225///geo\_accession: GSM657582///status: Public on

title: Ovarian Cancer S0227///geo\_accession: GSM657583///status: Public on Jan

title: Ovarian Cancer S0228///geo\_accession: GSM657584///status: Public on

title: Ovarian Cancer S0229///geo\_accession: GSM657585///status: Public on Jan

title: Ovarian Cancer S0230///geo\_accession: GSM657587///status: Public on

title: Ovarian Cancer S0231///geo\_accession: GSM657588///status: Public on

title: Ovarian Cancer S0235///geo\_accession: GSM657589///status: Public on Jan

title: Ovarian Cancer S0236///geo\_accession: GSM657590///status: Public on Jan 20

title: Ovarian Cancer S0237///geo\_accession: GSM657591///status: Public on Jan

title: Ovarian Cancer S023///geo\_accession: GSM657586///status: Public on Jan 20

title: Ovarian Cancer S0241///geo\_accession: GSM657592///status: Public on Jan

title: Ovarian Cancer S0242///geo\_accession: GSM657593///status: Public on Jan

title: Ovarian Cancer S0243///geo\_accession: GSM657594///status: Public on Jan 20

title: Ovarian Cancer S0244///geo\_accession: GSM657595///status: Public on Jan

title: Ovarian Cancer S0246///geo\_accession: GSM657596///status: Public on

title: Ovarian Cancer S0247///geo\_accession: GSM657597///status: Public on Jan

title: Ovarian Cancer S0249///geo\_accession: GSM657598///status: Public on Jan

title: Ovarian Cancer S0250///geo\_accession: GSM657600///status: Public on Jan

title: Ovarian Cancer S0256///geo\_accession: GSM657601///status: Public on Jan

title: Ovarian Cancer S0257///geo\_accession: GSM657602///status: Public on Ja

title: Ovarian Cancer S0258///geo\_accession: GSM657603///status: Public on Jan

title: Ovarian Cancer S025///geo\_accession: GSM657599///status: Public on Jan  
 title: Ovarian Cancer S0261///geo\_accession: GSM657604///status: Public on Jan  
 title: Ovarian Cancer S0262///geo\_accession: GSM657605///status: Public on Jan  
 title: Ovarian Cancer S0263///geo\_accession: GSM657606///status: Public on Jan  
 title: Ovarian Cancer S0265///geo\_accession: GSM657607///status: Public on Jan  
 title: Ovarian Cancer S0267///geo\_accession: GSM657608///status: Public on Jan  
 title: Ovarian Cancer S0268///geo\_accession: GSM657609///status: Public on Jan  
 title: Ovarian Cancer S0272///geo\_accession: GSM657610///status: Public on Jan  
 title: Ovarian Cancer S0273///geo\_accession: GSM657611///status: Public on Jan  
 title: Ovarian Cancer S0278///geo\_accession: GSM657612///status: Public on Jan  
 title: Ovarian Cancer S0279///geo\_accession: GSM657613///status: Public on Jan  
 title: Ovarian Cancer S0282///geo\_accession: GSM657614///status: Public on Jan  
 title: Ovarian Cancer S0283///geo\_accession: GSM657615///status: Public on Jan  
 title: Ovarian Cancer S0285///geo\_accession: GSM657616///status: Public on Jan  
 title: Ovarian Cancer S0290///geo\_accession: GSM657617///status: Public on Jan  
 title: Ovarian Cancer S0295///geo\_accession: GSM657618///status: Public on Jan

duplicates:

GSE26712.GSE26712_GSM657526	1
GSE26712.GSE26712_GSM657526///GSE26712.GSE26712_GSM657527	1
GSE26712.GSE26712_GSM657527	1
	NA's
	192

**Value**

An expression set

GSE30009

*Multidrug resistance-linked gene signature predicts overall survival of patients with primary ovarian serous carcinoma.*

**Description**

This study assesses the ability of multidrug resistance (MDR)-associated gene expression patterns to predict survival in patients with newly diagnosed carcinoma of the ovary. The scope of this research differs substantially from that of previous reports, as a very large set of genes was evaluated whose expression has been shown to affect response to chemotherapy. We applied a customized TaqMan low density array, a highly sensitive and specific assay, to study the expression profiles of 380 MDR-linked genes in 80 tumor specimens collected at initial surgery to debulk primary serous carcinoma. The RNA expression profiles of these drug resistance genes were correlated with clinical outcomes. Leave-one-out cross-validation was used to estimate the ability of MDR gene expression to predict survival. Although gene expression alone does not predict overall survival (OS;  $P = 0.06$ ), four covariates (age, stage, CA125 level, and surgical debulking) do ( $P = 0.03$ ). When gene expression was added to the covariates, we found an 11-gene signature that provides a major improvement in OS prediction (log-rank statistic  $P < 0.003$ ). The predictive power of this 11-gene signature was confirmed by dividing high- and low-risk patient groups, as defined by their clinical covariates, into four specific risk groups on the basis of expression levels. This study reveals an 11-gene signature that allows a more precise prognosis for patients with serous cancer of the ovary treated with carboplatin- and paclitaxel-based therapy. These 11 new targets offer opportunities for new therapies to improve clinical outcome in ovarian cancer.

**Format**

```
experimentData(eset):
Experiment data
  Experimenter name: Gillet JP, Calcagno AM, Varma S, Davidson B et al. Multidrug r
  Laboratory: Gillet, Gottesman 2012
  Contact information:
  Title: Multidrug resistance-linked gene signature predicts overall survival of pa
  URL:
  PMIDs: 22492981

Abstract: A 244 word abstract is available. Use 'abstract' method.
Information is available on: preprocessing
notes:
  platform_title:
    TaqMan qRT-PCR Homo sapiens Low-Density Array 380
  platform_shorttitle:
    TaqMan qRT-PCR
  platform_summary:
```

```

      NA
platform_manufacturer:
      TaqMan
platform_distribution:
      custom
platform_accession:
      GPL13728
version:
      2015-09-22 19:46:26

featureData(eset):
An object of class 'AnnotatedDataFrame'
  featureNames: 5 6 ... 380 (363 total)
  varLabels: probeset gene EntrezGene.ID best_probe
  varMetadata: labelDescription

```

## Details

```

assayData: 363 features, 103 samples
Platform type:
Overall survival time-to-event summary (in years):
Call: survfit(formula = Surv(time, cens) ~ -1)

```

	n	events	median	0.95LCL	0.95UCL
	103.00	57.00	3.42	2.92	5.34

```

-----
Available sample meta-data:
-----

```

```

alt_sample_name:
  Norwegian patient 1 Norwegian patient 10 Norwegian patient 11
                        1                        1                        1
Norwegian patient 12 Norwegian patient 13 Norwegian patient 14
                        1                        1                        1
Norwegian patient 15 Norwegian patient 16 Norwegian patient 17
                        1                        1                        1
Norwegian patient 18 Norwegian patient 19 Norwegian patient 2
                        1                        1                        1
Norwegian patient 20 Norwegian patient 21 Norwegian patient 22
                        1                        1                        1
Norwegian patient 23 Norwegian patient 3 Norwegian patient 4
                        1                        1                        1
  Norwegian patient 5 Norwegian patient 6 Norwegian patient 7
                        1                        1                        1
  Norwegian patient 8 Norwegian patient 9 US Patient 1
                        1                        1                        1
                US Patient 10 US Patient 11 US Patient 12

```

1	1	1
US Patient 13	US Patient 14	US Patient 15
1	1	1
US Patient 16	US Patient 17	US Patient 18
1	1	1
US Patient 19	US Patient 2	US Patient 20
1	1	1
US Patient 21	US Patient 22	US Patient 23
1	1	1
US Patient 24	US Patient 25	US Patient 26
1	1	1
US Patient 27	US Patient 28	US Patient 29
1	1	1
US Patient 3	US Patient 30	US Patient 31
1	1	1
US Patient 32	US Patient 33	US Patient 34
1	1	1
US Patient 35	US Patient 36	US Patient 37
1	1	1
US Patient 38	US Patient 39	US Patient 4
1	1	1
US Patient 40	US Patient 41	US Patient 42
1	1	1
US Patient 43	US Patient 44	US Patient 45
1	1	1
US Patient 46	US Patient 47	US Patient 48
1	1	1
US Patient 49	US Patient 5	US Patient 50
1	1	1
US Patient 51	US Patient 52	US Patient 53
1	1	1
US Patient 54	US Patient 55	US Patient 56
1	1	1
US Patient 57	US Patient 58	US Patient 59
1	1	1
US Patient 6	US Patient 60	US Patient 61
1	1	1
US Patient 62	US Patient 63	US Patient 64
1	1	1
US Patient 65	US Patient 66	US Patient 67
1	1	1
US Patient 68	US Patient 69	US Patient 7
1	1	1
US Patient 70	US Patient 71	US Patient 72
1	1	1
US Patient 73	US Patient 74	US Patient 75
1	1	1
US Patient 76	US Patient 77	US Patient 78

	1	1	1
(Other)			
4			
sample_type:			
tumor			
103			
histological_type:			
clearcell	ser		
1	102		
summarygrade:			
high	low	NA's	
92	9	2	
summarystage:			
late			
103			
tumorstage:			
3	4		
82	21		
substage:			
b	c	NA's	
2	60	41	
grade:			
1	2	3	NA's
4	5	92	2
age_at_initial_pathologic_diagnosis:			
Min.	1st Qu.	Median	Mean 3rd Qu. Max.
30.00	56.00	61.00	62.45 71.50 87.00
days_to_death:			
Min.	1st Qu.	Median	Mean 3rd Qu. Max.
24	598	1053	1156 1568 4748
vital_status:			
deceased	living		
57	46		
debulking:			
optimal	suboptimal		
81	22		

uncurated\_author\_metadata:





title: US Pati

title: US

title: US Patient 5

title: US Patient 51///geo\_accession: GSM742615///status: Public on Apr 19 2012///s

title: US Patient 54///geo\_accession: GSM7426

tit

title: US Patient 57///geo\_accession: GSM742621///status: Public on Apr 19 2010

title: US Patient 59///geo\_accession: GSM742623///status: Public on Apr 19 2010

title: US Patient 63///geo\_accession: GSM742625///status: Public on Apr 19 2010

title: US Patient 65///geo\_accession: GSM742627///status: Public on Apr 19 2010

title: US Patient 66///geo\_accession: GSM742630///status: Public on Apr 19 2010

ti

title: US Patient 70///geo\_accession: GSM742634///status: Public on Apr 19 2010

t

title: US Patient 74///geo\_accession: GSM742638///status: Public on Apr 19 2010

title: US Patient 75///geo\_accession: GSM742640///status: Public on Apr 19 2010

title: US Patient 76///geo\_accession: GSM742641///status: Public on Apr 19 2010

title: US Patient 77///geo\_ac  
title: US Patient 78///  
title: US Patient 79///g

Value

An expression set

GSE30161	<i>Multi-gene expression predictors of single drug responses to adjuvant chemotherapy in ovarian carcinoma: predicting platinum resistance.</i>
----------	---

Description

Despite advances in radical surgery and chemotherapy delivery, ovarian cancer is the most lethal gynecologic malignancy. Standard therapy includes treatment with platinum-based combination chemotherapies yet there is no biomarker model to predict their responses to these agents. We here have developed and independently tested our multi-gene molecular predictors for forecasting patients' responses to individual drugs on a cohort of 55 ovarian cancer patients. To independently validate these molecular predictors, we performed microarray profiling on FFPE tumor samples of 55 ovarian cancer patients (UVA-55) treated with platinum-based adjuvant chemotherapy. Genome-wide chemosensitivity biomarkers were initially discovered from the in vitro drug activities and genomic expression data for carboplatin and paclitaxel, respectively. Multivariate predictors were trained with the cell line data and then evaluated with a historical patient cohort. For the UVA-55 cohort, the carboplatin, taxol, and combination predictors significantly stratified responder patients and non-responder patients ( $p = 0.019, 0.04, 0.014$ ) with sensitivity = 91%, 96%, 93 and NPV = 57%, 67%, 67% in pathologic clinical response. The combination predictor also demonstrated a significant survival difference between predicted responders and non-responders with a median survival of 55.4 months vs. 32.1 months. Thus, COXEN single- and combination-drug predictors successfully stratified platinum resistance and taxane response in an independent cohort of ovarian cancer patients based on their FFPE tumor samples.

Format

```
experimentData(eset) :  
Experiment data  
  Experimenter name: Ferriss JS, Kim Y, Duska L, Birrer M, Levine DA, Moskaluk C, Thaler  
  Laboratory: Ferriss, Lee 2012  
  Contact information:  
  Title: Multi-gene expression predictors of single drug responses to adjuvant chem
```

```

URL:
PMIDs: 22348014

Abstract: A 215 word abstract is available. Use 'abstract' method.
Information is available on: preprocessing
notes:
  platform_title:
    [HG-U133_Plus_2] Affymetrix Human Genome U133 Plus 2.0 Array
  platform_shorttitle:
    Affymetrix HG-U133Plus2
  platform_summary:
    hgu133plus2
  platform_manufacturer:
    Affymetrix
  platform_distribution:
    commercial
  platform_accession:
    GPL570
  version:
    2015-09-22 19:50:24

featureData(eset):
An object of class 'AnnotatedDataFrame'
  featureNames: 1007_s_at 1053_at ... AFFX-HUMISGF3A/M97935_MB_at
    (42447 total)
  varLabels: probeset gene EntrezGene.ID best_probe
  varMetadata: labelDescription

```

## Details

```

assayData: 42447 features, 58 samples
Platform type:
Overall survival time-to-event summary (in years):
Call: survfit(formula = Surv(time, cens) ~ -1)

```

n	events	median	0.95LCL	0.95UCL
58.00	36.00	4.19	2.70	6.17

```

-----
Available sample meta-data:
-----

```

```

alt_sample_name:
  OV_FFPE_1 OV_FFPE_10 OV_FFPE_11 OV_FFPE_12 OV_FFPE_13 OV_FFPE_14 OV_FFPE_15
    1         1         1         1         1         1         1
OV_FFPE_16 OV_FFPE_17 OV_FFPE_18 OV_FFPE_19 OV_FFPE_20 OV_FFPE_21
    1         1         1         1         1         1         1
OV_FFPE_22 OV_FFPE_23 OV_FFPE_24 OV_FFPE_25 OV_FFPE_26 OV_FFPE_27 OV_FFPE_28

```

1	1	1	1	1	1	1
OV_FFPE_29	OV_FFPE_3	OV_FFPE_30	OV_FFPE_31	OV_FFPE_32	OV_FFPE_33	OV_FFPE_34
1	1	1	1	1	1	1
OV_FFPE_35	OV_FFPE_36	OV_FFPE_37	OV_FFPE_38	OV_FFPE_39	OV_FFPE_4	OV_FFPE_40
1	1	1	1	1	1	1
OV_FFPE_41	OV_FFPE_42	OV_FFPE_43	OV_FFPE_44	OV_FFPE_45	OV_FFPE_46	OV_FFPE_47
1	1	1	1	1	1	1
OV_FFPE_48	OV_FFPE_49	OV_FFPE_5	OV_FFPE_50	OV_FFPE_51	OV_FFPE_52	OV_FFPE_53
1	1	1	1	1	1	1
OV_FFPE_54	OV_FFPE_55	OV_FFPE_56	OV_FFPE_57	OV_FFPE_58	OV_FFPE_6	OV_FFPE_7
1	1	1	1	1	1	1
OV_FFPE_8	OV_FFPE_9					
1	1					

sample\_type:  
tumor  
58

histological\_type:  
clearcell                    endo                    mucinous                    other  
5                    1                    1                    1  
ser undifferentiated                    NA's  
47                    1                    2

summarygrade:  
high  low  NA's  
33    21    4

summarystage:  
late  
58

tumorstage:  
3  4  
53  5

substage:  
a  b  c  
9  11  38

grade:  
1    2    3  NA's  
2    19   33    4

age\_at\_initial\_pathologic\_diagnosis:  
Min.  1st Qu.  Median    Mean  3rd Qu.    Max.  
38.00  53.50   62.00   62.57  72.00   85.00

```

pltx:
  y
58

tax:
  n  y
  4 54

neo:
  n
58

days_to_tumor_recurrence:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
  12.0   255.2   386.0   742.1   768.2   4208.0

recurrence_status:
norecurrence  recurrence      NA's
           6           48           4

days_to_death:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
  49.0   585.2  1010.0  1375.0  2131.0   4208.0

vital_status:
deceased  living
       36       22

debulking:
  optimal suboptimal      NA's
       26          30          2

batch:
2009-10-07 2009-10-08 2009-10-09 2009-10-20
       28          18          8          4

uncurated_author_metadata:
  title: OV_FFPE_10///geo_accession: GSM746870///status: Public on Aug 21 2012///s
  title: OV_FFPE_11///geo_accession: GSM746871///status: Public on Aug 21 2012///su
  title: OV_FFPE_12///geo_accession: GSM746872///status: Public on Aug 21 2012///
  title: OV_FFPE_13///geo_accession: GSM746873///status: Public on Aug 21 2012///
  title: OV_FFPE_14///geo_accession: GSM746874///status: Public on Aug 21 2012///s
  title: OV_FFPE_15///geo_accession: GSM746875///status: Pu
```

title: OV\_FFPE\_16///geo\_accession: GSM746876///status: Public on Aug 21 2012/  
title: OV\_FFPE\_17///geo\_accession: GSM746877///status: Public on Aug 21 2012/  
title: OV\_FFPE\_18///geo\_accession: GSM746878///status: Public on Aug 21 2012/  
title: OV\_FFPE\_19///geo\_accession: GSM746879///status: Public on Aug 21 2012/  
title: OV\_FFPE\_1///geo\_accession: GSM746861///status: Public on Aug 21 2012/  
title: OV\_FFPE\_20///geo\_accession: GSM746880///status: Public on Aug 21 2012///su  
title: OV\_FFPE\_21///geo\_accession: GSM746881///status: Public on Aug 21 2012/  
title: OV\_FFPE\_22///geo\_accession: GSM746882///status: Public on Aug 21 2012/  
title: OV\_FFPE\_23///geo\_accession: GSM746883///status: Public on Aug 21 2012/  
title: OV\_FFPE\_24///geo\_accession: GSM746884///status: Public on Aug 21 2012/  
title: OV\_FFPE\_25///geo\_accession: GSM746885///status: Public on Aug 21 2012/  
title: OV\_FFPE\_26///geo\_accession: GSM746886///status: Public on Aug 21 2012/  
title: OV\_FFPE\_27///geo\_accession: GSM746887///status: Public on Aug 21 2012///s  
title: OV\_FFPE\_28///geo\_accession: GSM746888///status: Public on Aug 21 2012/  
title: OV\_FFPE\_29///geo\_accession: GSM746889///status: Public on Aug 21 2012/  
title: OV\_FFPE\_2///geo\_accession: GSM746862///status: Public on Aug 21 2012/  
title: OV\_FFPE\_30///geo\_accession: GSM746890///status: Public on Aug 21 2012/  
title: OV\_FFPE\_31///geo\_accession: GSM746891///status: Public on Aug 21 2012/  
title: OV\_FFPE\_32///geo\_accession: GSM746892///status: Public on Aug 21 2012///sub  
title: OV\_FFPE\_33///geo\_accession: GSM746893///status: Public on Aug 21 2012///subm  
title: OV\_FFPE\_34///geo\_accession: GSM746894///status: Public on Aug 21 2012/  
title: OV\_FFPE\_35///geo\_accession: GSM746895///status: Public on Aug 21 2012///su  
title: OV\_FFPE\_36///geo\_accession: GSM746896///status: Public on Aug 21 2012/  
title: OV\_FFPE\_37///geo\_accession: GSM746897///status: Public on Aug 21 2012/



title: OV\_FFPE\_38///geo\_accession: GSM746898///status: Public on Aug 21 2012///sub  
title: OV\_FFPE\_39///geo\_accession: GSM746899///status: Public on Aug 21 2012///sub  
title: OV\_FFPE\_3///geo\_accession: GSM746863///status: Public on Aug 21 2012///sub  
title: OV\_FFPE\_40///geo\_accession: GSM746900///status: Public on Aug 21 2012///sub  
title: OV\_FFPE\_41///geo\_accession: GSM746901///status: Public on Aug 21 2012///sub  
title: OV\_FFPE\_42///geo\_accession: GSM746902///status: Public on Aug 21 2012///sub  
title: OV\_FFPE\_43///geo\_accession: GSM746903///status: Public on Aug 21 2012///sub  
title: OV\_FFPE\_44///geo\_accession: GSM746904///status: Public on Aug 21 2012///sub  
title: OV\_FFPE\_45///geo\_accession: GSM746905///status: Public on Aug 21 2012///sub  
title: OV\_FFPE\_46///geo\_accession: GSM746906///status: Public on Aug 21 2012///sub  
title: OV\_FFPE\_47///geo\_accession: GSM746907///status: Public on Aug 21 2012///sub  
title: OV\_FFPE\_48///geo\_accession: GSM746908///status: Public on Aug 21 2012///sub  
title: OV\_FFPE\_49///geo\_accession: GSM746909///status: Public on Aug 21 2012///sub  
title: OV\_FFPE\_4///geo\_accession: GSM746864///status: Public on Aug 21 2012///sub  
title: OV\_FFPE\_50///geo\_accession: GSM746910///status: Public on Aug 21 2012///sub  
title: OV\_FFPE\_51///geo\_accession: GSM746911///status: Public on Aug 21 2012///sub  
title: OV\_FFPE\_52///geo\_accession: GSM746912///status: Public on Aug 21 2012///sub  
title: OV\_FFPE\_53///geo\_accession: GSM746913///status: Public on Aug 21 2012///sub  
title: OV\_FFPE\_54///geo\_accession: GSM746914///status: Public on Aug 21 2012///sub  
title: OV\_FFPE\_55///geo\_accession: GSM746915///status: Public on Aug 21 2012///sub  
title: OV\_FFPE\_56///geo\_accession: GSM746916///status: Public on Aug 21 2012///sub  
title: OV\_FFPE\_57///geo\_accession: GSM746917///status: Public on Aug 21 2012///sub  
title: OV\_FFPE\_58///geo\_accession: GSM746918///status: Public on Aug 21 2012///sub  
title: OV\_FFPE\_5///geo\_accession: GSM746865///status: Public on Aug 21 2012///sub

title: OV\_FFPE\_6///geo\_accession: GSM746866///status: Public on Aug 21 2012/  
title: OV\_FFPE\_7///geo\_accession: GSM746867///status: Public on Aug 21 2012/  
title: OV\_FFPE\_8///geo\_accession: GSM746868///status: Public on Aug 21 2012/  
title: OV\_FFPE\_9///geo\_accession: GSM746869///status: Public on Aug 21 2012/

Value

An expression set

---

GSE32062	<i>High-risk ovarian cancer based on 126-gene expression signature is uniquely characterized by downregulation of antigen presentation pathway.</i>
----------	---

---

Description

High-grade serous ovarian cancers are heterogeneous not only in terms of clinical outcome but also at the molecular level. Our aim was to establish a novel risk classification system based on a gene expression signature for predicting overall survival, leading to suggesting novel therapeutic strategies for high-risk patients. In this large-scale cross-platform study of six microarray data sets consisting of 1,054 ovarian cancer patients, we developed a gene expression signature for predicting overall survival by applying elastic net and 10-fold cross-validation to a Japanese data set A (n = 260) and evaluated the signature in five other data sets. Subsequently, we investigated differences in the biological characteristics between high- and low-risk ovarian cancer groups. An elastic net analysis identified a 126-gene expression signature for predicting overall survival in patients with ovarian cancer using the Japanese data set A (multivariate analysis,  $P = 4 \times 10^{-20}$ ). We validated its predictive ability with five other data sets using multivariate analysis (Tothill's data set,  $P = 1 \times 10^{-5}$ ; Bonome's data set,  $P = 0.0033$ ; Dressman's data set,  $P = 0.0016$ ; TCGA data set,  $P = 0.0027$ ; Japanese data set B,  $P = 0.021$ ). Through gene ontology and pathway analyses, we identified a significant reduction in expression of immune-response-related genes, especially on the antigen presentation pathway, in high-risk ovarian cancer patients. This risk classification based on the 126-gene expression signature is an accurate predictor of clinical outcome in patients with advanced stage high-grade serous ovarian cancer and has the potential to develop new therapeutic strategies for high-grade serous ovarian cancer patients.

Format

experimentData (eset) :  
Experiment data  
  Experimenter name: Yoshihara K, Tsunoda T, Shigemizu D, Fujiwara H et al. High-risk  
  Laboratory: Yoshihara, Tanaka 2012

```

Contact information:
Title: High-risk ovarian cancer based on 126-gene expression signature is unique
URL:
PMIDs: 22241791

Abstract: A 255 word abstract is available. Use 'abstract' method.
Information is available on: preprocessing
notes:
  platform_title:
    Agilent-014850 Whole Human Genome Microarray 4x44K G4112F (Probe Name vers
ion)
  platform_shorttitle:
    Agilent G4112F
  platform_summary:
    hgug4112a
  platform_manufacturer:
    Agilent
  platform_distribution:
    commercial
  platform_accession:
    GPL6480
  version:
    2015-09-22 19:55:29

featureData(eset):
An object of class 'AnnotatedDataFrame'
  featureNames: A_23_P100001 A_23_P100011 ... A_32_P99902 (30936 total)
  varLabels: probeset gene EntrezGene.ID best_probe
  varMetadata: labelDescription

```

## Details

```

assayData: 30936 features, 260 samples
Platform type:
Overall survival time-to-event summary (in years):
Call: survfit(formula = Surv(time, cens) ~ -1)

```

n	events	median	0.95LCL	0.95UCL
260.00	121.00	4.93	4.11	6.58

```

-----
Available sample meta-data:
-----

```

```

alt_sample_name:
  10d    115d    116d    117d    119d    11d    120d    122d    123d    125Rd
    1      1      1      1      1      1      1      1      1      1
 129d    12d    130d    132d    134d    139d    140d    143d    144d    145d

```

1	1	1	1	1	1	1	1	1	1
146d	148d	150d	155d	156d	15d	160d	16d	171d	173d
1	1	1	1	1	1	1	1	1	1
174d	178d	17d	183d	184d	185d	186d	18d	20d	22d
1	1	1	1	1	1	1	1	1	1
23d	249d	257d	25d	260d	262d	264d	266d	267d	268d
1	1	1	1	1	1	1	1	1	1
269d	27d	299d	2d	300d	301d	302d	303d	304d	305d2
1	1	1	1	1	1	1	1	1	1
306d	307d	310d	318d	319d	320d2	323d	327d	330d	331d
1	1	1	1	1	1	1	1	1	1
333d2	335d	337d	340d	342d	346d	347d	348d2	350d	352d
1	1	1	1	1	1	1	1	1	1
353d	355d	356d	357d	358d	360d	362d	363d	365d	366d
1	1	1	1	1	1	1	1	1	1
367d	368d2	36d	38d	41d2R	42d	43d	44d	456d	(Other)
1	1	1	1	1	1	1	1	1	161

sample\_type:  
tumor  
260

histological\_type:  
ser  
260

summarygrade:  
high low  
129 131

summarystage:  
late  
260

tumorstage:  
3 4  
204 56

substage:  
a b c NA's  
4 20 180 56

grade:  
2 3  
131 129

pltx:  
y

260

tax:

y  
260

days\_to\_death:

Min.	1st Qu.	Median	Mean	3rd Qu.	Max.
30	810	1245	1344	1710	3840

vital\_status:

deceased	living
121	139

debulking:

optimal	suboptimal
103	157

uncurated\_author\_metadata:

- title: serous ovarian cancer 10d///geo\_accession: GSM794865///status: Public on Ma
- title: serous ovarian cancer 115d///geo\_accession: GSM794867///status: Public on Ma
- title: serous ovarian cancer 116d///geo\_accession: GSM794868///status: Public on Ma
- title: serous ovarian cancer 117d///geo\_accession: GSM794869///status: Public on Ma
- title: serous ovarian cancer 119d///geo\_accession: GSM794870///status: Public on Ma
- title: serous ovarian cancer 11d///geo\_accession: GSM794866///status: Public on Ma
- title: serous ovarian cancer 120d///geo\_accession: GSM794872///status: Public on Ma
- title: serous ovarian cancer 122d///geo\_accession: GSM794873///status: Public on Ma
- title: serous ovarian cancer 123d///geo\_accession: GSM794874///status: Public on Ma
- title: serous ovarian cancer 125Rd///geo\_accession: GSM794875///status: Public on Ma
- title: serous ovarian cancer 129d///geo\_accession: GSM794876///status: Public on Ma
- title: serous ovarian cancer 12d///geo\_accession: GSM794871///status: Public on Ma
- title: serous ovarian cancer 130d///geo\_accession: GSM794877///status: Public on Ma
- title: serous ovarian cancer 132d///geo\_accession: GSM794878///status: Public on Ma
- title: serous ovarian cancer 134d///geo\_accession: GSM794879///status: Public on Ma

title: serous ovarian cancer 139d///geo\_accession: GSM794880///status: Public on

title: serous ovarian cancer 140d///geo\_accession: GSM794881///status: Public on

title: serous ovarian cancer 143d///geo\_accession: GSM794882///status: Public on M

title: serous ovarian cancer 144d///geo\_accession: GSM794883///status: Public on

title: serous ovarian cancer 145d///geo\_accession: GSM794884///status: Public on Ma

title: serous ovarian cancer 146d///geo\_accession: GSM794885///status: Public on Ma

title: serous ovarian cancer 148d///geo\_accession: GSM794886///status: Public on

title: serous ovarian cancer 150d///geo\_accession: GSM794888///status: Public on Ma

title: serous ovarian cancer 155d///geo\_accession: GSM794889///status: Public on

title: serous ovarian cancer 156d///geo\_accession: GSM794890///status: Public on

title: serous ovarian cancer 15d///geo\_accession: GSM794887///status: Public o

title: serous ovarian cancer 160d///geo\_accession: GSM794892///status: Public on Ma

title: serous ovarian cancer 16d///geo\_accession: GSM794891///status: Public o

title: serous ovarian cancer 171d///geo\_accession: GSM794894///status: Public on M

title: serous ovarian cancer 173d///geo\_accession: GSM794895///status: Public on M

title: serous ovarian cancer 174d///geo\_accession: GSM794896///status: Public

title: serous ovarian cancer 178d///geo\_accession: GSM794897///status: Public

title: serous ovarian cancer 17d///geo\_accession: GSM794893///status: Public o

title: serous ovarian cancer 183d///geo\_accession: GSM794899///status: Public on Ma

title: serous ovarian cancer 184d///geo\_accession: GSM794900///status: Public on

title: serous ovarian cancer 185d///geo\_accession: GSM794901///status: Public on

title: serous ovarian cancer 186d///geo\_accession: GSM794902///status: Public on

title: serous ovarian cancer 18d///geo\_accession: GSM794898///status: Public o

title: serous ovarian cancer 20d///geo\_accession: GSM794904///status: Public on

title: serous ovarian cancer 22d///geo\_accession: GSM794905///status: Public on M

title: serous ovarian cancer 23d///geo\_accession: GSM794906///status: Public on

title: serous ovarian cancer 249d///geo\_accession: GSM794907///status: Public on

title: serous ovarian cancer 257d///geo\_accession: GSM794909///status: Public on Ma

title: serous ovarian cancer 25d///geo\_accession: GSM794908///status: Public o

title: serous ovarian cancer 260d///geo\_accession: GSM794910///status: Public on M

title: serous ovarian cancer 262d///geo\_accession: GSM794911///status: Public on Ma

title: serous ovarian cancer 264d///geo\_accession: GSM794912///status: Public on Ma

title: serous ovarian cancer 266d///geo\_accession: GSM794913///status: Public on Ma

title: serous ovarian cancer 267d///geo\_accession: GSM794914///status: Public on

title: serous ovarian cancer 268d///geo\_accession: GSM794915///status: Public on

title: serous ovarian cancer 269d///geo\_accession: GSM794916///status: Public on Ma

title: serous ovarian cancer 27d///geo\_accession: GSM794917///status: Public on

title: serous ovarian cancer 299d///geo\_accession: GSM794918///status: Public o

title: serous ovarian cancer 2d///geo\_accession: GSM794903///status: Public on

title: serous ovarian cancer 300d///geo\_accession: GSM794919///status: Public on

title: serous ovarian cancer 301d///geo\_accession: GSM794920///status: Public on Ma

title: serous ovarian cancer 302d///geo\_accession: GSM794921///status: Public on

title: serous ovarian cancer 303d///geo\_accession: GSM794922///status: Public on

title: serous ovarian cancer 304d///geo\_accession: GSM794923///status: Public on Ma

title: serous ovarian cancer 305d2///geo\_accession: GSM794924///status: Public on

title: serous ovarian cancer 306d///geo\_accession: GSM794925///status: Public on Ma

title: serous ovarian cancer 307d///geo\_accession: GSM794926///status: Public on Ma

title: serous ovarian cancer 310d///geo\_accession: GSM794927///status: Public

title: serous ovarian cancer 318d///geo\_accession: GSM794928///status: Public on M

title: serous ovarian cancer 319d///geo\_accession: GSM794929///status: Public on Ma

title: serous ovarian cancer 320d2///geo\_accession: GSM794930///status: Public on

title: serous ovarian cancer 323d///geo\_accession: GSM794931///status: Public on

title: serous ovarian cancer 327d///geo\_accession: GSM794932///status: Public on

title: serous ovarian cancer 330d///geo\_accession: GSM794933///status: Public on

title: serous ovarian cancer 331d///geo\_accession: GSM794934///status: Public on Ma

title: serous ovarian cancer 333d2///geo\_accession: GSM794935///status: Public on

title: serous ovarian cancer 335d///geo\_accession: GSM794936///status: Public on

title: serous ovarian cancer 337d///geo\_accession: GSM794937///status: Public on

title: serous ovarian cancer 340d///geo\_accession: GSM794938///status: Public on

title: serous ovarian cancer 342d///geo\_accession: GSM794939///status: Public on

title: serous ovarian cancer 346d///geo\_accession: GSM794940///status: Public on

title: serous ovarian cancer 347d///geo\_accession: GSM794941///status: Public on Ma

title: serous ovarian cancer 348d2///geo\_accession: GSM794942///status: Public on

title: serous ovarian cancer 350d///geo\_accession: GSM794943///status: Public on M

title: serous ovarian cancer 352d///geo\_accession: GSM794944///status: Public on Ma

title: serous ovarian cancer 353d///geo\_accession: GSM794945///status: Public

title: serous ovarian cancer 355d///geo\_accession: GSM794946///status: Public on

title: serous ovarian cancer 356d///geo\_accession: GSM794947///status: Public

title: serous ovarian cancer 357d///geo\_accession: GSM794948///status: Public on Ma

title: serous ovarian cancer 358d///geo\_accession: GSM794949///status: Public on

title: serous ovarian cancer 360d///geo\_accession: GSM794951///status: Public on Ma

title: serous ovarian cancer 362d///geo\_accession: GSM794952///status: Public on Ma



title: serous ovarian cancer 363d///geo\_accession: GSM794953///status: Public on  
title: serous ovarian cancer 365d///geo\_accession: GSM794954///status: Public on  
title: serous ovarian cancer 366d///geo\_accession: GSM794955///status: Public on  
title: serous ovarian cancer 367d///geo\_accession: GSM794956///status: Public on  
title: serous ovarian cancer 368d2///geo\_accession: GSM794957///status: Public on  
title: serous ovarian cancer 36d///geo\_accession: GSM794950///status: Public on  
title: serous ovarian cancer 38d///geo\_accession: GSM794958///status: Public on  
title: serous ovarian cancer 41d2R///geo\_accession: GSM794960///status: Public on M  
title: serous ovarian cancer 42d///geo\_accession: GSM794961///status: Public on M  
title: serous ovarian cancer 43d///geo\_accession: GSM794962///status: Public on  
title: serous ovarian cancer 44d///geo\_accession: GSM794963///status: Public on  
title: serous ovarian cancer 456d///geo\_accession: GSM794965///status: Public on

duplicates:  
GSE32062.GSE32062.GPL6480\_GSM794933 GSE32062.GSE32062.GPL6480\_GSM794935  
1 1  
NA's  
258

Value

An expression set

GSE32063	<i>High-risk ovarian cancer based on 126-gene expression signature is uniquely characterized by downregulation of antigen presentation pathway.</i>
----------	---

Description

High-grade serous ovarian cancers are heterogeneous not only in terms of clinical outcome but also at the molecular level. Our aim was to establish a novel risk classification system based on

a gene expression signature for predicting overall survival, leading to suggesting novel therapeutic strategies for high-risk patients. In this large-scale cross-platform study of six microarray data sets consisting of 1,054 ovarian cancer patients, we developed a gene expression signature for predicting overall survival by applying elastic net and 10-fold cross-validation to a Japanese data set A (n = 260) and evaluated the signature in five other data sets. Subsequently, we investigated differences in the biological characteristics between high- and low-risk ovarian cancer groups. An elastic net analysis identified a 126-gene expression signature for predicting overall survival in patients with ovarian cancer using the Japanese data set A (multivariate analysis,  $P = 4 \times 10^{-20}$ ). We validated its predictive ability with five other data sets using multivariate analysis (Tothill's data set,  $P = 1 \times 10^{-5}$ ; Bonome's data set,  $P = 0.0033$ ; Dressman's data set,  $P = 0.0016$ ; TCGA data set,  $P = 0.0027$ ; Japanese data set B,  $P = 0.021$ ). Through gene ontology and pathway analyses, we identified a significant reduction in expression of immune-response-related genes, especially on the antigen presentation pathway, in high-risk ovarian cancer patients. This risk classification based on the 126-gene expression signature is an accurate predictor of clinical outcome in patients with advanced stage high-grade serous ovarian cancer and has the potential to develop new therapeutic strategies for high-grade serous ovarian cancer patients.

### Format

```

experimentData(eset):
Experiment data
  Experimenter name: Yoshihara K, Tsunoda T, Shigemizu D, Fujiwara H et al. High-risk
  Laboratory: Yoshihara, Tanaka 2012
  Contact information:
  Title: High-risk ovarian cancer based on 126-gene expression signature is unique
  URL:
  PMIDs: 22241791

Abstract: A 255 word abstract is available. Use 'abstract' method.
Information is available on: preprocessing
notes:
  platform_title:
    Agilent-014850 Whole Human Genome Microarray 4x44K G4112F (Probe Name vers
ion)
  platform_shorttitle:
    Agilent G4112F
  platform_summary:
    hgug4112a
  platform_manufacturer:
    Agilent
  platform_distribution:
    commercial
  platform_accession:
    GPL6480
  version:
    2015-09-22 19:58:23

featureData(eset):
An object of class 'AnnotatedDataFrame'

```

```
featureNames: A_23_P100001 A_23_P100011 ... A_32_P99902 (30936 total)
varLabels: probeset gene EntrezGene.ID best_probe
varMetadata: labelDescription
```

Details

```
assayData: 30936 features, 40 samples
Platform type:
Overall survival time-to-event summary (in years):
Call: survfit(formula = Surv(time, cens) ~ -1)
```

```
      n  events  median 0.95LCL 0.95UCL
40.00   22.00    4.44    3.29      NA
```

```
-----
Available sample meta-data:
-----
```

```
alt_sample_name:
 106  108 109R  110 111R  192 195R  196  197  198  200  203  205  206  207  213
   1    1    1    1    1    1    1    1    1    1    1    1    1    1    1    1
222  224  226  229  230  231  274  277  278  280  281  282  283  284  285  286
   1    1    1    1    1    1    1    1    1    1    1    1    1    1    1    1
287  288  289  291  292  294 297R 298R
   1    1    1    1    1    1    1    1
```

```
sample_type:
tumor
  40
```

```
histological_type:
ser
  40
```

```
summarygrade:
high low
  17   23
```

```
summarystage:
late
  40
```

```
tumorstage:
  3  4
31  9
```

```
substage:
  b    c NA's
```

```

      3      28      9

grade:
  2  3
23 17

pltx:
  y
40

tax:
  y
40

days_to_death:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
    210     705    1155    1346    1792    3330

vital_status:
deceased  living
      22      18

debulking:
  optimal suboptimal
      19      21

uncurated_author_metadata:
  title: serous ovarian cancer 106///geo_accession: GSM795125///status: Public on M
    title: serous ovarian cancer 108///geo_accession: GSM795126///status: Public o
  title: serous ovarian cancer 109R///geo_accession: GSM795127///status: Public on M
    title: serous ovarian cancer 110///geo_accession: GSM795128///status: Public on M
  title: serous ovarian cancer 111R///geo_accession: GSM795129///status: Public on Ma
    title: serous ovarian cancer 192///geo_accession: GSM7
  title: serous ovarian cancer 195R///geo_accession: GSM79
    title: serous ovarian cancer 196///geo_accession: GS
    title: serous ovarian cancer 197///geo_accession: GSM7
  title: serous ovarian cancer 198///geo_accession: GSM795
  title: serous ovarian cancer 200///geo_accession: GSM795
```

title: serous ovarian cancer 203///geo\_accession: GSM7951  
title: serous ovarian cancer 205///geo\_accession: GSM79  
title: serous ovarian cancer 206///geo\_accession: GSM7  
title: serous ovarian cancer 207///geo\_accession: GSM7951  
title: serous ovarian cancer 213///geo\_accession: GSM79  
title: serous ovarian cancer 222///geo\_accession: GSM7951  
title: serous ovarian cancer 224///geo\_accession: GSM7951  
title: serous ovarian cancer 226///geo\_accession: GSM7  
title: serous ovarian cancer 229///geo\_accession: GS  
title: serous ovarian cancer 230///geo\_accession:  
title: serous ovarian cancer 231///geo\_accession: GS  
title: serous ovarian cancer 274///geo\_accession: GSM79514  
title: serous ovarian cancer 277///geo\_accession: GSM79  
title: serous ovarian cancer 278///geo\_accession: GSM79  
title: serous ovarian cancer 280///geo\_accession: GSM7  
title: serous ovarian cancer 281///geo\_accession: GSM795  
title: serous ovarian cancer 282///geo\_accession: GSM7  
title: serous ovarian cancer 283///geo\_accession: GSM7  
title: serous ovarian cancer 284///geo\_accession: GSM795154  
title: serous ovarian cancer 285///geo\_accession: GSM7  
title: serous ovarian cancer 286///geo\_accession: GSM  
title: serous ovarian cancer 287///geo\_accession: GSM7  
title: serous ovarian cancer 288///geo\_accession: GSM7  
title: serous ovarian cancer 289///geo\_accession: GSM7

title: serous ovarian cancer 291///geo\_accession: GSM7951  
title: serous ovarian cancer 292///geo\_accession: GSM7  
title: serous ovarian cancer 294///geo\_accession: GSM7  
title: serous ovarian cancer 297R///geo\_accession: GSM79  
title: serous ovarian cancer 298R///geo\_accession: GSM795

Value

An expression set

---

GSE44104	<i>COL11A1 promotes tumor progression and predicts poor clinical outcome in ovarian cancer.</i>
----------	---

---

Description

Biomarkers that predict disease progression might assist the development of better therapeutic strategies for aggressive cancers, such as ovarian cancer. Here, we investigated the role of collagen type XI alpha 1 (COL11A1) in cell invasiveness and tumor formation and the prognostic impact of COL11A1 expression in ovarian cancer. Microarray analysis suggested that COL11A1 is a disease progression-associated gene that is linked to ovarian cancer recurrence and poor survival. Small interference RNA-mediated specific reduction in COL11A1 protein levels suppressed the invasive ability and oncogenic potential of ovarian cancer cells and decreased tumor formation and lung colonization in mouse xenografts. A combination of experimental approaches, including real-time RT-PCR, casein zymography and chromatin immunoprecipitation (ChIP) assays, showed that COL11A1 knockdown attenuated MMP3 expression and suppressed binding of Ets-1 to its putative MMP3 promoter-binding site, suggesting that the Ets-1-MMP3 axis is upregulated by COL11A1. Transforming growth factor (TGF)-beta (TGF-??1) treatment triggers the activation of smad2 signaling cascades, leading to activation of COL11A1 and MMP3. Pharmacological inhibition of MMP3 abrogated the TGF-??1-triggered, COL11A1-dependent cell invasiveness. Furthermore, the NF-YA-binding site on the COL11A1 promoter was identified as the major determinant of TGF-??1-dependent COL11A1 activation. Analysis of 88 ovarian cancer patients indicated that high COL11A1 mRNA levels are associated with advanced disease stage. The 5-year recurrence-free and overall survival rates were significantly lower (P=0.006 and P=0.018, respectively) among patients with high expression levels of tissue COL11A1 mRNA compared with those with low expression. We conclude that COL11A1 may promote tumor aggressiveness via the TGF-??1-MMP3 axis and that COL11A1 expression can predict clinical outcome in ovarian cancer patients.

**Format**

```

experimentData(eset):
Experiment data
  Experimenter name: Wu Y, Chang T, Huang Y, Huang H, Chou C
  Laboratory: Wu, Chou 2013
  Contact information:
  Title: COL11A1 promotes tumor progression and predicts poor clinical outcome in c
  URL:
  PMIDs: 23934190

Abstract: A 260 word abstract is available. Use 'abstract' method.
Information is available on: preprocessing
notes:
  platform_title:
    [HG-U133_Plus_2] Affymetrix Human Genome U133 Plus 2.0 Array
  platform_shorttitle:
    Affymetrix HG-U133Plus2
  platform_summary:
    hgu133plus2
  platform_manufacturer:
    Affymetrix
  platform_distribution:
    commercial
  platform_accession:
    GPL570
  platform_technology:
    in situ oligonucleotide
  version:
    2015-09-22 20:02:05

featureData(eset):
An object of class 'AnnotatedDataFrame'
  featureNames: 1007_s_at 1053_at ... AFFX-HUMISGF3A/M97935_MB_at
    (42447 total)
  varLabels: probeset gene EntrezGene.ID best_probe
  varMetadata: labelDescription

```

**Details**

```

assayData: 42447 features, 60 samples
Platform type:
-----
Available sample meta-data:
-----

alt_sample_name:
Tc_113  Tc_48  Tc_49  Tc_51  Tc_56  Tc_59  Tc_61  Tc_63  Tc_64  Tc_65  Tc_74

```

1	1	1	1	1	1	1	1	1	1	1
Tc_94	Te_69	Te_77	Te_78	Te_79	Te_84	Te_87	Te_89	Te_90	Te_91	Te_92
1	1	1	1	1	1	1	1	1	1	1
Te_93	Tm_101	Tm_102	Tm_106	Tm_107	Tm_110	Tm_95	Tm_96	Tm_97	Tm_98	Ts_11
1	1	1	1	1	1	1	1	1	1	1
Ts_14	Ts_15	Ts_17	Ts_19	Ts_2	Ts_20	Ts_21	Ts_23	Ts_24	Ts_26	Ts_28
1	1	1	1	1	1	1	1	1	1	1
Ts_3	Ts_31	Ts_32	Ts_34	Ts_35	Ts_36	Ts_37	Ts_39	Ts_4	Ts_41	Ts_43
1	1	1	1	1	1	1	1	1	1	1
Ts_45	Ts_46	Ts_47	Ts_5	Ts_8						
1	1	1	1	1						

sample\_type:

tumor

60

histological\_type:

clearcell endo mucinous ser

12 11 9 28

summarystage:

early late

25 35

tumorstage:

1 2 3 4

17 8 30 5

recurrence\_status:

norecurrence recurrence

40 20

os\_binary:

long short

44 16

relapse\_binary:

long short

40 20

batch:

2010-09-07 2010-09-08 2010-10-14 2010-12-10 2010-12-14

20 2 18 16 4

uncurated\_author\_metadata:

title: Tc\_113///geo\_accession: GSM1078972///status: Public on Jan 01 2014///submitter: NCI

title: Tc\_48///geo\_accession: GSM1078973///status: Public on Jan 01 2014///submitter: NCI



title: Tc\_49///geo\_accession: GSM1078974///status: Public on Jan 01 2014///sub  
title: Tc\_51///geo\_accession: GSM1078975///status: Public on Jan 01 2014///submi  
title: Tc\_56///geo\_accession: GSM1078976///status: Public on Jan 01 2014///sub  
title: Tc\_59///geo\_accession: GSM1078977///status: Public on Jan 01 2014///sub  
title: Tc\_61///geo\_accession: GSM1078978///status: Public on Jan 01 2014///submi  
title: Tc\_63///geo\_accession: GSM1078979///status: Public on Jan 01 2014///sub  
title: Tc\_64///geo\_accession: GSM1078980///status: Public on Jan 01 2014///sub  
title: Tc\_65///geo\_accession: GSM1078981///status: Public on Jan 01 2014///  
title: Tc\_74///geo\_accession: GSM1078982///status: Public on Jan 01 2014///  
title: Tc\_94///geo\_accession: GSM1078983///status: Public on Jan 01 2014///s  
title: Te\_69///geo\_accession: GSM1078984///status: Public on Jan 01 2014///su  
title: Te\_77///geo\_accession: GSM1078985///status: Public on Jan 01 2014///sub  
title: Te\_78///geo\_accession: GSM1078986///status: Public on Jan 01 2014///submi  
title: Te\_79///geo\_accession: GSM1078987///status: Public on Jan 01 2014///submi  
title: Te\_84///geo\_accession: GSM1078988///status: Public on Jan 01 2014///submis  
title: Te\_87///geo\_accession: GSM1078989///status: Public on Jan 01 2014///submiss  
title: Te\_89///geo\_accession: GSM1078990///status: Public on Jan 01 2014///submi  
title: Te\_90///geo\_accession: GSM1078991///status: Public on Jan 01 2014///submis  
title: Te\_91///geo\_accession: GSM1078992///status: Public on Jan 01 2014///  
title: Te\_92///geo\_accession: GSM1078993///status: Public on Jan 01 2014///submi  
title: Te\_93///geo\_accession: GSM1078994///status: Public on Jan 01 2014///submis  
title: Tm\_101///geo\_accession: GSM1078995///status: Public on Jan 01 2014///su  
title: Tm\_102///geo\_accession: GSM1078996///status: Public on Jan 01 2014///sub  
title: Tm\_106///geo\_accession: GSM1078997///status: Public on Jan 01 2014///sub

title: Tm\_107///geo\_accession: GSM1078998///status: Public on Jan 01 2014///submi  
title: Tm\_110///geo\_accession: GSM1078999///status: Public on Jan 01 2014///suk  
title: Tm\_95///geo\_accession: GSM1079000///status: Public on Jan 01 2014///s  
title: Tm\_96///geo\_accession: GSM1079001///status: Public on Jan 01 2014///su  
title: Tm\_97///geo\_accession: GSM1079002///status: Public on Jan 01 2014///s  
title: Tm\_98///geo\_accession: GSM1079003///status: Public on Jan 01 2014///s  
title: Ts\_11///geo\_accession: GSM1079004///status: Public on Jan 01 2014///s  
title: Ts\_14///geo\_accession: GSM1079005///status: Public on Jan 01 2014///s  
title: Ts\_15///geo\_accession: GSM1079006///status: Public on Jan 01 2014///s  
title: Ts\_17///geo\_accession: GSM1079007///status: Public on Jan 01 2014///s  
title: Ts\_19///geo\_accession: GSM1079008///status: Public on Jan 01 2014///s  
title: Ts\_20///geo\_accession: GSM1079009///status: Public on Jan 01 2014///s  
title: Ts\_21///geo\_accession: GSM1079010///status: Public on Jan 01 2014///s  
title: Ts\_23///geo\_accession: GSM1079011///status: Public on Jan 01 2014///s  
title: Ts\_24///geo\_accession: GSM1079012///status: Public on Jan 01 2014///s  
title: Ts\_26///geo\_accession: GSM1079013///status: Public on Jan 01 2014///s  
title: Ts\_28///geo\_accession: GSM1079014///status: Public on Jan 01 2014///s  
title: Ts\_2///geo\_accession: GSM1079015///status: Public on Jan 01 2014///s  
title: Ts\_31///geo\_accession: GSM1079016///status: Public on Jan 01 2014///s  
title: Ts\_32///geo\_accession: GSM1079017///status: Public on Jan 01 2014///s  
title: Ts\_34///geo\_accession: GSM1079018///status: Public on Jan 01 2014///s  
title: Ts\_35///geo\_accession: GSM1079019///status: Public on Jan 01 2014///s  
title: Ts\_36///geo\_accession: GSM1079020///status: Public on Jan 01 2014///s  
title: Ts\_37///geo\_accession: GSM1079021///status: Public on Jan 01 2014///s

```
title: Ts_39///geo_accession: GSM1079022///status: Public on Jan 01 2014
title: Ts_3///geo_accession: GSM1079023///status: Public on Jan 01 20
title: Ts_41///geo_accession: GSM1079024///status: Public on Jan 01 2014///s
title: Ts_43///geo_accession: GSM1079025///status: Public on Jan 01 2014///
title: Ts_45///geo_accession: GSM1079026///status: Public on Jan 01 2014///
title: Ts_46///geo_accession: GSM1079027///status: Public on Jan 01 2014///
title: Ts_47///geo_accession: GSM1079028///status: Public on Jan 01 2014///s
title: Ts_4///geo_accession: GSM1079029///status: Public on Jan 01
title: Ts_5///geo_accession: GSM1079030///status: Public on Jan 0
title: Ts_8///geo_accession: GSM1079031///status: Public on Jan 01 20

duplicates:
  Length      Class      Mode
      60 character character
```

Value

An expression set

---

GSE49997	<i>Validating the impact of a molecular subtype in ovarian cancer on outcomes: a study of the OVCAD Consortium.</i>
----------	---

---

Description

Most patients with epithelial ovarian cancer (EOC) are diagnosed at advanced stage and have a poor prognosis. However, a small proportion of these patients will survive, whereas others will die very quickly. Clinicopathological factors do not allow precise identification of these subgroups. Thus, we have validated a molecular subclassification as new prognostic factor in EOC. One hundred and ninety-four patients with Stage II-IV EOC were characterized by whole-genome expression profiling of tumor tissues and were classified using a published 112 gene set, derived from an International Federation of Gynecology and Obstetrics (FIGO) stage-directed supervised classification approach. The 194 tumor samples were classified into two subclasses comprising 95 (Subclass 1) and 99 (Subclass 2) tumors. All nine FIGO II tumors were grouped in Subclass 1 (P = 0.001). Subclass 2 (54% of advanced-stage tumors) was significantly correlated with peritoneal carcinomatosis

and non-optimal debulking. Patients with Subclass 2 tumors had a worse overall survival for both serous and non-serous histological subtypes, as revealed by univariate analysis (hazard ratios [HR] of 3.17 and 17.11, respectively;  $P < 0.001$ ) and in models corrected for relevant clinicopathologic parameters (HR 2.87 and 12.42, respectively;  $P = 0.023$ ). Significance analysis of microarrays revealed 2082 genes that were differentially expressed in advanced-grade serous tumors of both subclasses and the focal adhesion pathway as the most deregulated pathway. In the present validation study, we have shown that, in advanced-stage serous ovarian cancer, two approximately equally large molecular subtypes exist, independent of classical clinicopathological parameters and presenting with highly different whole-genome expression profiles and a markedly different overall survival. Similar results were obtained in a small cohort of patients with non-serous tumors. 2012 Japanese Cancer Association.

### Format

```
experimentData(eset):
Experiment data
  Experimenter name: Pils D1, Hager G, Tong D, Aust S, Heinze G, Kohl M, Schuster E
  Laboratory: Pils, Zeilinger 2012
  Contact information:
  Title: Validating the impact of a molecular subtype in ovarian cancer on outcomes
  URL:
  PMIDs: 22497737

Abstract: A 276 word abstract is available. Use 'abstract' method.
Information is available on: preprocessing
notes:
  platform_title:
    ABI Human Genome Survey Microarray Version 2
  platform_shorttitle:
    ABI Human Genome
  platform_summary:

  platform_manufacturer:
    Applied Biosystems
  platform_distribution:
    commercial
  platform_accession:
    GPL2986
  platform_technology:
    in situ oligonucleotide
  version:
    2015-09-22 20:04:13

featureData(eset):
An object of class 'AnnotatedDataFrame'
  featureNames: 100027 100036 ... 10715781 (18439 total)
  varLabels: probeset gene EntrezGene.ID best_probe
  varMetadata: labelDescription
```

**Details**

assayData: 18439 features, 204 samples  
Platform type:  
Overall survival time-to-event summary (in years):  
Call: survfit(formula = Surv(time, cens) ~ -1)

10 observations deleted due to missingness  
n events median 0.95LCL 0.95UCL  
194.00 57.00 NA 3.67 NA

-----  
Available sample meta-data:  
-----

alt\_sample\_name:

EOC P001	EOC P002	EOC P003	EOC P004	EOC P005	EOC P006	EOC P007	EOC P008
1	1	1	1	1	1	1	1
EOC P009	EOC P010	EOC P011	EOC P012	EOC P013	EOC P014	EOC P015	EOC P016
1	1	1	1	1	1	1	1
EOC P017	EOC P018	EOC P019	EOC P020	EOC P021	EOC P022	EOC P023	EOC P024
1	1	1	1	1	1	1	1
EOC P025	EOC P026	EOC P027	EOC P028	EOC P029	EOC P030	EOC P031	EOC P032
1	1	1	1	1	1	1	1
EOC P033	EOC P034	EOC P035	EOC P036	EOC P037	EOC P038	EOC P039	EOC P040
1	1	1	1	1	1	1	1
EOC P041	EOC P042	EOC P043	EOC P044	EOC P045	EOC P046	EOC P047	EOC P048
1	1	1	1	1	1	1	1
EOC P049	EOC P050	EOC P051	EOC P052	EOC P053	EOC P054	EOC P055	EOC P056
1	1	1	1	1	1	1	1
EOC P057	EOC P058	EOC P059	EOC P060	EOC P061	EOC P062	EOC P063	EOC P064
1	1	1	1	1	1	1	1
EOC P065	EOC P066	EOC P067	EOC P068	EOC P069	EOC P070	EOC P071	EOC P072
1	1	1	1	1	1	1	1
EOC P073	EOC P074	EOC P075	EOC P076	EOC P077	EOC P078	EOC P079	EOC P080
1	1	1	1	1	1	1	1
EOC P081	EOC P082	EOC P083	EOC P084	EOC P085	EOC P086	EOC P087	EOC P088
1	1	1	1	1	1	1	1
EOC P089	EOC P090	EOC P091	EOC P092	EOC P093	EOC P094	EOC P095	EOC P096
1	1	1	1	1	1	1	1
EOC P097	EOC P098	EOC P099	(Other)				
1	1	1	105				

sample\_type:

tumor  
204

histological\_type:

other ser NA's

```

23    171    10

summarygrade:
high  low NA's
143   50   11

summarystage:
early  late  NA's
9     185   10

tumorstage:
2      3      4 NA's
9    154    31   10

grade:
2      3 NA's
50    143   11

age_at_initial_pathologic_diagnosis:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
26.00  50.00  57.00  57.66  67.00  85.00    10

days_to_tumor_recurrence:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
30.0   335.0  487.0  580.1  722.5 1461.0    10

recurrence_status:
norecurrence  recurrence      NA's
          70          124          10

days_to_death:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
30.0   517.0  745.5  782.9 1027.0 1491.0    10

vital_status:
deceased  living   NA's
    57     137     10

debulking:
optimal  suboptimal      NA's
    137         57         10

uncurated_author_metadata:
  title: EOC P001///geo_accession: GSM1211536///status: Public on Jan 01 2014///
  title: EOC P002///geo_accession: GSM1211537///status: Public on Jan 01 2014///
  title: EOC P003///geo_accession: GSM1211538///status: Public on Jan 01 2014///s

```

title: EOC P004///geo\_accession: GSM1211539///status: Public on Jan 01 2014///s

title: EOC P005///geo\_accession: GSM1211540///status: Public on Jan 01 2014///s

title: EOC P006///geo\_accession: GSM1211541///status: Public on Jan 01 2014///s

title: EOC P008///geo\_accession: GSM1211543///status: Public on Jan 01 2014///su

title: EOC P009///geo\_accession: GSM1211544///status: Public on Jan 01 2014///s

title: EOC P011///geo\_accession: GSM1211546///status: Public on Jan 01 2014///s

title: EOC P012///geo\_accession: GSM1211547///status: Public on Jan 01 2014///s

title: EOC P013///geo\_accession: GSM1211548///status: Public on Jan 01 2014///submi

title: EOC P014///geo\_accession: GSM1211549///status: Public on Jan 01 2014///s

title: EOC P015///geo\_accession: GSM1211550///status: Public on Jan 01 2014///s

title: EOC P016///geo\_accession: GSM1211551///status: Public on Jan 01 2014///s

title: EOC P017///geo\_accession: GSM1211552///status: Public on Jan 01 2014///s

title: EOC P018///geo\_accession: GSM1211553///status: Public on Jan 01 2014///s

title: EOC P019///geo\_accession: GSM1211554///status: Public on Jan 01 2014///sub

title: EOC P020///geo\_accession: GSM1211555///status: Public on Jan 01 2014///s

title: EOC P021///geo\_accession: GSM1211556///status: Public on Jan 01 2014///s

title: EOC P022///geo\_accession: GSM1211557///status: Public on Jan 01 2014///s

title: EOC P023///geo\_accession: GSM1211558///status: Public on Jan 01 2014///s

title: EOC P024///geo\_accession: GSM1211559///status: Public on Jan 01 2014///s

title: EOC P025///geo\_accession: GSM1211560///status: Public on Jan 01 2014///sub

title: EOC P026///geo\_accession: GSM1211561///status: Public on Jan 01 2014///s

title: EOC P028///geo\_accession: GSM1211563///status: Public on Jan 01 2014/  
title: EOC P029///geo\_accession: GSM1211564///status: Public on Jan 01 2014///s  
title: EOC P030///geo\_accession: GSM1211565///status: Public on Jan 01 2014///  
title: EOC P031///geo\_accession: GSM1211566///status: Public on Jan 01 2014/  
title: EOC P032///geo\_accession: GSM1211567///status: Public on Jan 01 2014//  
  
title: EOC P034///geo\_accession: GSM1211569///status: Public on Jan 01 2014/  
title: EOC P035///geo\_accession: GSM1211570///status: Public on Jan 01 2014/  
title: EOC P036///geo\_accession: GSM1211571///status: Public on Jan 01 2014///  
title: EOC P037///geo\_accession: GSM1211572///status: Public on Jan 01 2014///s  
title: EOC P038///geo\_accession: GSM1211573///status: Public on Jan 01 2014/  
title: EOC P039///geo\_accession: GSM1211574///status: Public on Jan 01 2014///  
title: EOC P040///geo\_accession: GSM1211575///status: Public on Jan 01 2014//  
title: EOC P041///geo\_accession: GSM1211576///status: Public on Jan 01 2014///  
title: EOC P042///geo\_accession: GSM1211577///status: Public on Jan 01 2014///  
title: EOC P043///geo\_accession: GSM1211578///status: Public on Jan 01 2014//  
title: EOC P044///geo\_accession: GSM1211579///status: Public on Jan 01 2014///s  
title: EOC P045///geo\_accession: GSM1211580///status: Public on Jan 01 2014///submi  
title: EOC P046///geo\_accession: GSM1211581///status: Public on Jan 01 2014//  
title: EOC P047///geo\_accession: GSM1211582///status: Public on Jan 01 2014///s  
title: EOC P048///geo\_accession: GSM1211583///status: Public on Jan 01 2014/  
title: EOC P049///geo\_accession: GSM1211584///status: Public on Jan 01 2014///su  
title: EOC P050///geo\_accession: GSM1211585///status: Public on Jan 01 2014//  
title: EOC P051///geo\_accession: GSM1211586///status: Public on Jan 01 2014/



title: EOC P052///geo\_accession: GSM1211587///status: Public on Jan 01 2014///sub

title: EOC P053///geo\_accession: GSM1211588///status: Public on Jan 01 2014///su

title: EOC P054///geo\_accession: GSM1211589///status: Public on Jan 01 2014/

title: EOC P055///geo\_accession: GSM1211590///status: Public on Jan 01 2014///

title: EOC P056///geo\_accession: GSM1211591///status: Public on Jan 01 2014/

title: EOC P057///geo\_accession: GSM1211592///status: Public on Jan 01 2014//

title: EOC P058///geo\_accession: GSM1211593///status: Public on Jan 01 2014/

title: EOC P059///geo\_accession: GSM1211594///status: Public on Jan 01 2014/

title: EOC P060///geo\_accession: GSM1211595///status: Public on Jan 01 2014/

title: EOC P061///geo\_accession: GSM1211596///status: Public on Jan 01 2014//

title: EOC P062///geo\_accession: GSM1211597///status: Public on Jan 01 2014//

title: EOC P063///geo\_accession: GSM1211598///status: Public on Jan 01 2014///s

title: EOC P064///geo\_accession: GSM1211599///status: Public on Jan 01 2014/

title: EOC P065///geo\_accession: GSM1211600///status: Public on Jan 01 2014///s

title: EOC P066///geo\_accession: GSM1211601///status: Public on Jan 01 2014///

title: EOC P067///geo\_accession: GSM1211602///status: Public on Jan 01 2014///

title: EOC P068///geo\_accession: GSM1211603///status: Public on Jan 01 2014/

title: EOC P069///geo\_accession: GSM1211604///status: Public on Jan 01 2014//

title: EOC P070///geo\_accession: GSM1211605///status: Public on Jan 01 2014/

title: EOC P071///geo\_accession: GSM1211606///status: Public on Jan 01 2014///s

title: EOC P072///geo\_accession: GSM1211607///status: Public on Jan 01 2014///

title: EOC P073///geo\_accession: GSM1211608///status: Public on Jan 01 2014/

title: EOC P074///geo\_accession: GSM1211609///status: Public on Jan 01 2014//

title: EOC P075///geo\_accession: GSM1211610///status: Public on Jan 01 2014//

title: EOC P076///geo\_accession: GSM1211611///status: Public on Jan 01 2014//  
title: EOC P077///geo\_accession: GSM1211612///status: Public on Jan 01 2014//  
title: EOC P078///geo\_accession: GSM1211613///status: Public on Jan 01 2014///su  
title: EOC P079///geo\_accession: GSM1211614///status: Public on Jan 01 2014//  
title: EOC P080///geo\_accession: GSM1211615///status: Public on Jan 01 2014//  
title: EOC P081///geo\_accession: GSM1211616///status: Public on Jan 01 2014///s  
title: EOC P082///geo\_accession: GSM1211617///status: Public on Jan 01 2014///s  
title: EOC P083///geo\_accession: GSM1211618///status: Public on Jan 01 2014///sub  
title: EOC P084///geo\_accession: GSM1211619///status: Public on Jan 01 2014//  
title: EOC P085///geo\_accession: GSM1211620///status: Public on Jan 01 2014///  
title: EOC P086///geo\_accession: GSM1211621///status: Public on Jan 01 2014//  
title: EOC P087///geo\_accession: GSM1211622///status: Public on Jan 01 2014///su  
title: EOC P088///geo\_accession: GSM1211623///status: Public on Jan 01 2014//  
title: EOC P089///geo\_accession: GSM1211624///status: Public on Jan 01 2014///su  
title: EOC P090///geo\_accession: GSM1211625///status: Public on Jan 01 2014///s  
title: EOC P091///geo\_accession: GSM1211626///status: Public on Jan 01 2014///sub  
title: EOC P092///geo\_accession: GSM1211627///status: Public on Jan 01 2014///su  
title: EOC P093///geo\_accession: GSM1211628///status: Public on Jan 01 2014///  
  
title: EOC P095///geo\_accession: GSM1211630///status: Public on Jan 01 2014//  
title: EOC P096///geo\_accession: GSM1211631///status: Public on Jan 01 2014///s  
title: EOC P097///geo\_accession: GSM1211632///status: Public on Jan 01 2014///s  
title: EOC P098///geo\_accession: GSM1211633///status: Public on Jan 01 2014//  
title: EOC P099///geo\_accession: GSM1211634///status: Public on Jan 01 2014//

Value

An expression set

GSE51088	<i>POSTN/TGFBI-associated stromal signature predicts poor prognosis in serous epithelial ovarian cancer.</i>
----------	--

Description

To identify molecular prognosticators and therapeutic targets for high-grade serous epithelial ovarian cancers (EOCs) using genetic analyses driven by biologic features of EOC pathogenesis. Ovarian tissue samples (n = 172; 122 serous EOCs, 30 other EOCs, 20 normal/benign) collected prospectively from sequential patients undergoing gynecologic surgery were analyzed using RNA expression microarrays. Samples were classified based on expression of genes with potential relevance in ovarian cancer. Gene sets were defined using Rosetta Similarity Search Tool (ROAST) and analysis of variance (ANOVA). Gene copy number variations were identified by array comparative genomic hybridization. No distinct subgroups of EOC could be identified by unsupervised clustering, however, analyses based on genes correlated with periostin (POSTN) and estrogen receptor-alpha (ESR1) yielded distinct subgroups. When 95 high-grade serous EOCs were grouped by genes based on ANOVA comparing ESR1/WT1 and POSTN/TGFBI samples, overall survival (OS) was significantly shorter for 43 patients with tumors expressing genes associated with POSTN/TGFBI compared to 52 patients with tumors expressing genes associated with ESR1/WT1 (median 30 versus 49 months, respectively; P = 0.022). Several targets with therapeutic potential were identified within each subgroup. BRCA germline mutations were more frequent in the ESR1/WT1 subgroup. Proliferation-associated genes and TP53 status (mutated or wild-type) did not correlate with survival. Findings were validated using independent ovarian cancer datasets. Two distinct molecular subgroups of high-grade serous EOCs based on POSTN/TGFBI and ESR1/WT1 expressions were identified with significantly different OS. Specific differentially expressed genes between these subgroups provide potential prognostic and therapeutic targets. Copyright ?? 2013 Elsevier Inc. All rights reserved.

Format

```
experimentData (eset) :
Experiment data
  Experimenter name: Karlan BY, Dering J, Walsh C, Orsulic S, Lester J, Anderson LA
  Laboratory: Karlan, Slamon 2014
  Contact information:
  Title: POSTN/TGFBI-associated stromal signature predicts poor prognosis in serous
  URL:
  PMIDs: 24368280
```

```

Abstract: A 250 word abstract is available. Use 'abstract' method.
Information is available on: preprocessing
notes:
  platform_title:
    Agilent-012097 Human 1A Microarray (V2) G4110B (Probe Name version)
  platform_shorttitle:
    Agilent G4110B
  platform_summary:
    hgug4110b
  platform_manufacturer:
    Agilent
  platform_distribution:
    commercial
  platform_accession:
    GPL7264
  platform_technology:
    in situ oligonucleotide
  version:
    2015-09-22 20:05:48

featureData(eset):
An object of class 'AnnotatedDataFrame'
  featureNames: A_23_P100001 A_23_P100011 ... A_23_P99996 (18703 total)
  varLabels: probeset gene EntrezGene.ID best_probe
  varMetadata: labelDescription

```

## Details

```

assayData: 18703 features, 172 samples
Platform type:
Overall survival time-to-event summary (in years):
Call: survfit(formula = Surv(time, cens) ~ -1)

```

```

      20 observations deleted due to missingness
      n  events  median 0.95LCL 0.95UCL
152.00  112.00    4.13    3.50    4.92

```

```

-----
Available sample meta-data:
-----

```

```

alt_sample_name:
Ov_Tumor_Ref_Mix vs. CS-OV-001 Ov_Tumor_Ref_Mix vs. CS-OV-002
                                1                                1
Ov_Tumor_Ref_Mix vs. CS-OV-003 Ov_Tumor_Ref_Mix vs. CS-OV-004
                                1                                1
Ov_Tumor_Ref_Mix vs. CS-OV-005 Ov_Tumor_Ref_Mix vs. CS-OV-006

```

	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-007		Ov_Tumor_Ref_Mix vs. CS-OV-008	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-009		Ov_Tumor_Ref_Mix vs. CS-OV-010	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-011		Ov_Tumor_Ref_Mix vs. CS-OV-012	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-013		Ov_Tumor_Ref_Mix vs. CS-OV-014	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-015		Ov_Tumor_Ref_Mix vs. CS-OV-016	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-017		Ov_Tumor_Ref_Mix vs. CS-OV-018	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-019		Ov_Tumor_Ref_Mix vs. CS-OV-020	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-021		Ov_Tumor_Ref_Mix vs. CS-OV-022	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-023		Ov_Tumor_Ref_Mix vs. CS-OV-024	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-025		Ov_Tumor_Ref_Mix vs. CS-OV-026	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-027		Ov_Tumor_Ref_Mix vs. CS-OV-028	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-029		Ov_Tumor_Ref_Mix vs. CS-OV-030	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-031		Ov_Tumor_Ref_Mix vs. CS-OV-032	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-033		Ov_Tumor_Ref_Mix vs. CS-OV-034	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-035		Ov_Tumor_Ref_Mix vs. CS-OV-036	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-037		Ov_Tumor_Ref_Mix vs. CS-OV-038	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-039		Ov_Tumor_Ref_Mix vs. CS-OV-040	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-041		Ov_Tumor_Ref_Mix vs. CS-OV-042	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-043		Ov_Tumor_Ref_Mix vs. CS-OV-044	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-045		Ov_Tumor_Ref_Mix vs. CS-OV-046	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-047		Ov_Tumor_Ref_Mix vs. CS-OV-048	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-049		Ov_Tumor_Ref_Mix vs. CS-OV-050	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-051		Ov_Tumor_Ref_Mix vs. CS-OV-052	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-053		Ov_Tumor_Ref_Mix vs. CS-OV-054	

	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-055		Ov_Tumor_Ref_Mix vs. CS-OV-056	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-057		Ov_Tumor_Ref_Mix vs. CS-OV-058	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-059		Ov_Tumor_Ref_Mix vs. CS-OV-060	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-061		Ov_Tumor_Ref_Mix vs. CS-OV-062	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-063		Ov_Tumor_Ref_Mix vs. CS-OV-064	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-065		Ov_Tumor_Ref_Mix vs. CS-OV-066	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-067		Ov_Tumor_Ref_Mix vs. CS-OV-068	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-069		Ov_Tumor_Ref_Mix vs. CS-OV-070	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-071		Ov_Tumor_Ref_Mix vs. CS-OV-072	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-073		Ov_Tumor_Ref_Mix vs. CS-OV-074	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-075		Ov_Tumor_Ref_Mix vs. CS-OV-076	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-077		Ov_Tumor_Ref_Mix vs. CS-OV-078	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-079		Ov_Tumor_Ref_Mix vs. CS-OV-080	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-081		Ov_Tumor_Ref_Mix vs. CS-OV-082	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-083		Ov_Tumor_Ref_Mix vs. CS-OV-084	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-085		Ov_Tumor_Ref_Mix vs. CS-OV-086	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-087		Ov_Tumor_Ref_Mix vs. CS-OV-088	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-089		Ov_Tumor_Ref_Mix vs. CS-OV-090	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-091		Ov_Tumor_Ref_Mix vs. CS-OV-092	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-093		Ov_Tumor_Ref_Mix vs. CS-OV-094	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-095		Ov_Tumor_Ref_Mix vs. CS-OV-096	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-097		Ov_Tumor_Ref_Mix vs. CS-OV-098	
	1		1
Ov_Tumor_Ref_Mix vs. CS-OV-099		(Other)	
	1		73

```

sample_type:
  benign borderline      healthy metastatic      tumor
      5          12          15          17          123

histological_type:
clearcell      endo  mucinous      other      ser      NA's
      3          7          9          11      122      20

summarygrade:
high  low NA's
 119   30   23

summarystage:
early  late  NA's
   31   120   21

tumorstage:
  1    2    3    4 NA's
 22    9  103   17  21

substage:
  a    b    c NA's
 17   22   94   39

grade:
  0    1    2    3 NA's
  8    8   14  119   23

age_at_initial_pathologic_diagnosis:
  Min. 1st Qu.  Median    Mean 3rd Qu.  Max.
 26.0   49.0   57.5   58.6   68.0   91.0

neo:
  n
172

recurrence_status:
norecurrence  recurrence      NA's
          36          111          25

days_to_death:
  Min. 1st Qu.  Median    Mean 3rd Qu.  Max.      NA's
   30    791   1491   1835   2344   7001        20

vital_status:
deceased  living      NA's
   112      40        20

```

```
percent_normal_cells:
  30- NA's
  140    32

percent_stromal_cells:
  30- NA's
  140    32

percent_tumor_cells:
  70+ NA's
  140    32

uncurated_author_metadata:
  title: Ov_Tumor_Ref_Mix vs. CS-OV-001///geo_accession: GSM1238150
  title: Ov_Tumor_Ref_Mix vs. CS-OV-002///geo_accession: GSM1238151
  title: Ov_Tumor_Ref_Mix vs. CS-OV-003///geo_accession: GSM1238152
  title: Ov_Tumor_Ref_Mix vs. CS-OV-004///geo_accession: GSM1238153
  title: Ov_Tumor_Ref_Mix vs. CS-OV-005///geo_accession: GSM1238154
  title: Ov_Tumor_Ref_Mix vs. CS-OV-006///geo_accession: GSM1238150///status: Public
  title: Ov_Tumor_Ref_Mix vs. CS-OV-007///geo_accession: GSM1238155
  title: Ov_Tumor_Ref_Mix vs. CS-OV-008///geo_accession: GSM1238156
  title: Ov_Tumor_Ref_Mix vs. CS-OV-009///geo_accession: GSM1238157
  title: Ov_Tumor_Ref_Mix vs. CS-OV-010///geo_accession: GSM1238158
  title: Ov_Tumor_Ref_Mix vs. CS-OV-011///geo_accession: GSM1238159
  title: Ov_Tumor_Ref_Mix vs. CS-OV-012///geo_accession: GSM1238160
  title: Ov_Tumor_Ref_Mix vs. CS-OV-013///geo_accession: GSM1238161
  title: Ov_Tumor_Ref_Mix vs. CS-OV-014///geo_accession: GSM1238162
  title: Ov_Tumor_Ref_Mix vs. CS-OV-015///geo_accession: GSM1238163
  title: Ov_Tumor_Ref_Mix vs. CS-OV-016///geo_accession: GSM1238164
  title: Ov_Tumor_Ref_Mix vs. CS-OV-017///geo_accession: GSM1238161///status: Public
  title: Ov_Tumor_Ref_Mix vs. CS-OV-018///geo_accession: GSM1238162///status: Public
```



title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-019///geo\_accession: GSM123

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-020///geo\_accession: GSM1238164

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-021///geo\_accession: GSM123

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-022///geo\_accession: GSM1238166

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-023///geo\_accession: GSM1238

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-024///geo\_accession: GSM1238168///status: Public

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-025///geo\_accession: GSM12

title: Ov\_Tumor\_

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-027///geo\_accession: G

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-028///geo\_accession: GSM12381

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-029///geo\_accession: GSM1238

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-030///geo\_accession: GSM123

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-031///geo\_accession: GSM123817

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-032///geo\_accession: GSM

title: Ov\_Tumor\_

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-034///geo\_accession: GSM1

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-035///geo\_accession: GSM1238

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-036///geo\_accession: GSM12

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-037///geo\_accession: GSM123818

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-038///geo\_accession: GSM123

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-039///geo\_accession: GSM123

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-040///geo\_accession: GSM1238

title: Ov\_Tumor\_

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-042///geo\_accession: GSM1238186///status: Public

title: Ov\_Tumor\_

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-044///geo\_accession: GSM123

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-045///geo\_accession: GSM123

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-046///geo\_accession: GSM12

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-047///geo\_accession: GSM1

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-048///geo\_accession: GSM12

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-049///geo\_accession: GSM1238

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-050///geo\_accession: GSM1238194

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-051///geo\_accession: GSM1238

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-052///geo\_accession: GSM1

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-053///geo\_accession: GSM12

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-054///geo\_accession: GSM12

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-055///geo\_accession: GSM12381

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-056///geo\_accession: GSM1238

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-057///geo\_accession: GSM12382

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-058///geo\_accession: GS

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-059///geo\_accession: GSM12382

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-060///geo\_accession: GSM1238204///st

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-061///geo\_accession: GSM12

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-062///geo\_accession: GSM1238206///status: Publi

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-063///geo\_accession: GSM123820

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-064///geo\_accession: GSM123

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-065///geo\_accession: GSM1238209///status: Publ

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-066///geo\_accession: GSM1238210

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-067///geo\_accession: GSM1238217

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-068///geo\_accession: GSM1238218

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-069///geo\_accession: GSM1238219

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-070///geo\_accession: GSM1238220

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-071///geo\_accession: GSM1238221

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-072///geo\_accession: GSM1238222

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-073///geo\_accession: GSM1238223///status: Public

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-074///geo\_accession: GSM1238224

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-075///geo\_accession: GSM1238225

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-076///geo\_accession: GSM1238226

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-077///geo\_accession: GSM1238227///status: Public

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-078///geo\_accession: GSM1238228

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-079///geo\_accession: GSM1238229

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-080///geo\_accession: GSM1238230

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-081///geo\_accession: GSM1238231

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-082///geo\_accession: GSM1238232

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-083///geo\_accession: GSM1238233

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-084///geo\_accession: GSM1238234

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-085///geo\_accession: GSM1238235

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-086///geo\_accession: GSM1238236

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-087///geo\_accession: GSM1238237

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-088///geo\_accession: GSM1238238///status: Public

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-089///geo\_accession: GSM1238239

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-090///geo\_accession: GSM1238240

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-091///geo\_accession: GSM1238235///status: Public

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-092///geo\_accession: GSM1238236///status: Public

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-093///geo\_accession: GSM1238237///status: Public

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-094///geo\_accession: GSM1238238///status: Public

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-095///geo\_accession: GSM1238239///status: Public

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-096///geo\_accession: GSM1238240///status: Public

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-097///geo\_accession: GSM1238241///status: Public

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-098///geo\_accession: GSM1238242///status: Public

title: Ov\_Tumor\_Ref\_Mix vs. CS-OV-099///geo\_accession: GSM1238243///status: Public

Value

An expression set

GSE6008	<i>Lysophosphatidic acid-induced transcriptional profile represents serous epithelial ovarian carcinoma and worsened prognosis.</i>
---------	---

Description

Lysophosphatidic acid (LPA) governs a number of physiologic and pathophysiological processes. Malignant ascites fluid is rich in LPA, and LPA receptors are aberrantly expressed by ovarian cancer cells, implicating LPA in the initiation and progression of ovarian cancer. However, there is an absence of systematic data critically analyzing the transcriptional changes induced by LPA in ovarian cancer. In this study, gene expression profiling was used to examine LPA-mediated transcription by exogenously adding LPA to human epithelial ovarian cancer cells for 24 h to mimic long-term stimulation in the tumor microenvironment. The resultant transcriptional profile comprised a 39-gene signature that closely correlated to serous epithelial ovarian carcinoma. Hierarchical clustering of ovarian cancer patient specimens demonstrated that the signature is associated with worsened prognosis. Patients with LPA-signature-positive ovarian tumors have reduced disease-specific and progression-free survival times. They have a higher frequency of stage IIIc serous carcinoma and a greater proportion is deceased. Among the 39-gene signature, a group of seven genes associated with cell adhesion recapitulated the results. Out of those seven, claudin-1, an adhesion molecule and phenotypic epithelial marker, is the only independent biomarker of serous epithelial ovarian

carcinoma. Knockdown of claudin-1 expression in ovarian cancer cells reduces LPA-mediated cellular adhesion, enhances suspended cells and reduces LPA-mediated migration. The data suggest that transcriptional events mediated by LPA in the tumor microenvironment influence tumor progression through modulation of cell adhesion molecules like claudin-1 and, for the first time, report an LPA-mediated expression signature in ovarian cancer that predicts a worse prognosis.

## Format

```
experimentData(eset):
Experiment data
  Experimenter name: Murph MM, Liu W, Yu S, Lu Y, Hall H, Hennessy BT, Lahad J, Sch
  Laboratory: Murph, Mills 2009
  Contact information:
  Title: Lysophosphatidic acid-induced transcriptional profile represents serous ep
  URL:
  PMIDs: 19440550

Abstract: A 247 word abstract is available. Use 'abstract' method.
Information is available on: preprocessing
notes:
  platform_title:
    [HG-U133A] Affymetrix Human Genome U133A Array
  platform_shorttitle:
    Affymetrix HG-U133A
  platform_summary:
    hgu133a
  platform_manufacturer:
    Affymetrix
  platform_distribution:
    commercial
  platform_accession:
    GPL96
  version:
    2015-09-22 20:07:11

featureData(eset):
An object of class 'AnnotatedDataFrame'
  featureNames: 1007_s_at 1053_at ... AFFX-HUMISGF3A/M97935_MB_at
    (20967 total)
  varLabels: probeset gene EntrezGene.ID best_probe
  varMetadata: labelDescription
```

## Details

```
assayData: 20967 features, 103 samples
Platform type:
-----
Available sample meta-data:
```

-----  
alt\_sample\_name:

Ovarian_Tumor_ClearCell_CHTN-OC-004	Ovarian_Tumor_ClearCell_CHTN-OC-012
1	1
Ovarian_Tumor_ClearCell_CHTN-OC-028	Ovarian_Tumor_ClearCell_KU-OC-003
1	1
Ovarian_Tumor_ClearCell_KU-OC-004	Ovarian_Tumor_ClearCell_KU-OC-005
1	1
Ovarian_Tumor_ClearCell_KU-OC-006	Ovarian_Tumor_ClearCell_KU-OC-007
1	1
Ovarian_Tumor_Endometrioid_CHTN-OE-005	Ovarian_Tumor_Endometrioid_CHTN-OE-011
1	1
Ovarian_Tumor_Endometrioid_CHTN-OE-014	Ovarian_Tumor_Endometrioid_CHTN-OE-017
1	1
Ovarian_Tumor_Endometrioid_CHTN-OE-018	Ovarian_Tumor_Endometrioid_CHTN-OE-019
1	1
Ovarian_Tumor_Endometrioid_CHTN-OE-023	Ovarian_Tumor_Endometrioid_CHTN-OE-029
1	1
Ovarian_Tumor_Endometrioid_CHTN-OE-033	Ovarian_Tumor_Endometrioid_CHTN-OE-035
1	1
Ovarian_Tumor_Endometrioid_CHTN-OE-036	Ovarian_Tumor_Endometrioid_CHTN-OE-038
1	1
Ovarian_Tumor_Endometrioid_CHTN-OE-039	Ovarian_Tumor_Endometrioid_CHTN-OE-040
1	1
Ovarian_Tumor_Endometrioid_CHTN-OE-042	Ovarian_Tumor_Endometrioid_CHTN-OE-046
1	1
Ovarian_Tumor_Endometrioid_CHTN-OE-047	Ovarian_Tumor_Endometrioid_CHTN-OE-048
1	1
Ovarian_Tumor_Endometrioid_CHTN-OE-053	Ovarian_Tumor_Endometrioid_CHTN-OE-054
1	1
Ovarian_Tumor_Endometrioid_CHTN-OE-056	Ovarian_Tumor_Endometrioid_CHTN-OE-059
1	1
Ovarian_Tumor_Endometrioid_CHTN-OE-060	Ovarian_Tumor_Endometrioid_CHTN-OE-061
1	1
Ovarian_Tumor_Endometrioid_CHTN-OE-065	Ovarian_Tumor_Endometrioid_CHTN-OE-069
1	1
Ovarian_Tumor_Endometrioid_CHTN-OE-076	Ovarian_Tumor_Endometrioid_CHTN-OE-077
1	1
Ovarian_Tumor_Endometrioid_CHTN-OE-080	Ovarian_Tumor_Endometrioid_CHTN-OE-082
1	1
Ovarian_Tumor_Endometrioid_CHTN-OE-087	Ovarian_Tumor_Endometrioid_CHTN-OE-092
1	1
Ovarian_Tumor_Endometrioid_JH-OE-2T	Ovarian_Tumor_Endometrioid_KU-OE-003
1	1
Ovarian_Tumor_Endometrioid_KU-OE-004	Ovarian_Tumor_Endometrioid_KU-OE-007
1	1
Ovarian_Tumor_Endometrioid_UM-OE-1T	Ovarian_Tumor_Mucinous_CHTN-OM-007

Ovarian_Tumor_Mucinous_CHTN-OM-017	1	Ovarian_Tumor_Mucinous_CHTN-OM-023	1
Ovarian_Tumor_Mucinous_CHTN-OM-029	1	Ovarian_Tumor_Mucinous_CHTN-OM-032	1
Ovarian_Tumor_Mucinous_CHTN-OM-035	1	Ovarian_Tumor_Mucinous_CHTN-OM-036	1
Ovarian_Tumor_Mucinous_KU-OM-003	1	Ovarian_Tumor_Mucinous_KU-OM-004	1
Ovarian_Tumor_Mucinous_KU-OM-006	1	Ovarian_Tumor_Mucinous_KU-OM-007	1
Ovarian_Tumor_Mucinous_UM-OM-01	1	Ovarian_Tumor_Mucinous_UM-OM-03	1
Ovarian_Tumor_Serous_CHTN-OS-002	1	Ovarian_Tumor_Serous_CHTN-OS-003	1
Ovarian_Tumor_Serous_CHTN-OS-009	1	Ovarian_Tumor_Serous_CHTN-OS-010	1
Ovarian_Tumor_Serous_CHTN-OS-011	1	Ovarian_Tumor_Serous_CHTN-OS-018	1
Ovarian_Tumor_Serous_CHTN-OS-020	1	Ovarian_Tumor_Serous_CHTN-OS-029	1
Ovarian_Tumor_Serous_CHTN-OS-038	1	Ovarian_Tumor_Serous_CHTN-OS-041	1
Ovarian_Tumor_Serous_CHTN-OS-044	1	Ovarian_Tumor_Serous_CHTN-OS-046	1
Ovarian_Tumor_Serous_CHTN-OS-048	1	Ovarian_Tumor_Serous_CHTN-OS-053	1
Ovarian_Tumor_Serous_CHTN-OS-055	1	Ovarian_Tumor_Serous_CHTN-OS-068	1
Ovarian_Tumor_Serous_CHTN-OS-072	1	Ovarian_Tumor_Serous_CHTN-OS-081	1
Ovarian_Tumor_Serous_CHTN-OS-089	1	Ovarian_Tumor_Serous_CHTN-OS-093	1
Ovarian_Tumor_Serous_CHTN-OS-098	1	Ovarian_Tumor_Serous_CU-OS-04	1
Ovarian_Tumor_Serous_CU-OS-05	1	Ovarian_Tumor_Serous_KU-OS-001	1
Ovarian_Tumor_Serous_KU-OS-002	1	Ovarian_Tumor_Serous_KU-OS-003	1
Ovarian_Tumor_Serous_KU-OS-005	1	Ovarian_Tumor_Serous_KU-OS-007	1
Ovarian_Tumor_Serous_KU-OS-009	1	Ovarian_Tumor_Serous_KU-OS-011	1
Ovarian_Tumor_Serous_KU-OS-012	1	Ovarian_Tumor_Serous_KU-OS-013	1
Ovarian_Tumor_Serous_KU-OS-015	1	Ovarian_Tumor_Serous_KU-OS-018	1
Ovarian_Tumor_Serous_KU-OS-021	1	Ovarian_Tumor_Serous_KU-OS-022	1

	Ovarian_Tumor_Serous_UM-OS-02		Ovarian_Tumor_Serous_UM-OS-07			
	1		1			
	Ovarian_Tumor_Serous_UM-OS-09		Ovarian_Tumor_Serous_UM-OS-10			
	1		1			
	Ovarian_Tumor_Serous_UM-OS-11	(Other)				
	1		4			
sample_type:						
healthy	tumor					
4	99					
histological_type:						
clearcell	endo	mucinous	ser	NA's		
8	37	13	41	4		
primarysite:						
ov						
103						
summarygrade:						
high	low	NA's				
38	36	29				
summarystage:						
early	late	NA's				
42	53	8				
tumorstage:						
1	2	3	4	NA's		
35	11	44	9	4		
substage:						
a	b	c	d	NA's		
19	2	54	1	27		
grade:						
1	2	3	NA's			
19	17	38	29			
batch:						
2002-04-03	2002-04-04	2002-04-09	2002-04-10	2002-04-12	2002-08-13	2002-08-15
3	8	9	2	3	4	4
2002-08-22	2002-08-23	2002-08-27	2002-08-28	2002-08-29	2002-08-30	2002-09-11
8	8	5	6	16	14	9
2006-01-27						
4						



uncurated\_author\_metadata:

title: Ovarian\_Tumor\_ClearCell\_CHTN-OC-004///geo\_accession: GSM139377///status

title: Ovarian\_Tumor\_ClearCell\_CHTN-OC-012///geo\_accession: GSM139378///status

title: Ovarian\_Tumor\_ClearCell\_CHTN-OC-028///geo\_accession: GSM139379///status

title: Ovarian\_Tumor\_ClearCell\_KU-OC-003///geo\_accession: GSM139380///status

title: Ovarian\_Tumor\_ClearCell\_KU-OC-004///geo\_accession: GSM139381///status

title: Ovarian\_Tumor\_ClearCell\_KU-OC-005///geo\_accession: GSM139382///status

title: Ovarian\_Tumor\_ClearCell\_KU-OC-006///geo\_accession: GSM139383///status

title: Ovarian\_Tumor\_ClearCell\_KU-OC-007///geo\_accession: GSM139384///status

title: Ovarian\_Tumor\_Endometrioid\_CHTN-OE-005///geo\_accession: GSM139385///status

title: Ovarian\_Tumor\_Endometrioid\_CHTN-OE-011///geo\_accession: GSM139386///status

title: Ovarian\_Tumor\_Endometrioid\_CHTN-OE-014///geo\_accession: GSM139387///status

title: Ovarian\_Tumor\_Endometrioid\_CHTN-OE-017///geo\_accession: GSM139388///status

title: Ovarian\_Tumor\_Endometrioid\_CHTN-OE-018///geo\_accession: GSM139389///status

title: Ovarian\_Tumor\_Endometrioid\_CHTN-OE-019///geo\_accession: GSM139390///status

title: Ovarian\_Tumor\_Endometrioid\_CHTN-OE-023///geo\_accession: GSM139391///status

title: Ovarian\_Tumor\_Endometrioid\_CHTN-OE-029///geo\_accession: GSM139392///status

title: Ovarian\_Tumor\_Endometrioid\_CHTN-OE-033///geo\_accession: GSM139393///status

title: Ovarian\_Tumor\_Endometrioid\_CHTN-OE-035///geo\_accession: GSM139394///status

title: Ovarian\_Tumor\_Endometrioid\_CHTN-OE-036///geo\_accession: GSM139395///status

title: Ovarian\_Tumor\_Endometrioid\_CHTN-OE-038///geo\_accession: GSM139396///status

title: Ovarian\_Tumor\_Endometrioid\_CHTN-OE-039///geo\_accession: GSM139397///status

title: Ovarian\_Tumor\_Endometrioid\_CHTN-OE-040///geo\_accession: GSM139398///status

title: Ovarian\_Tumor\_Endometrioid\_CHTN-OE-042///geo\_accession: GSM139399///status

title: Ovarian\_Tumor\_Endometrioid\_CHTN-OE-046///geo\_accession: GSM139400///status

title: Ovarian\_Tumor\_Endometrioid\_CHTN-OE-047///geo\_accession: GSM139401///status: 1

title: Ovarian\_Tumor\_Endometrioid\_CHTN-OE-048///geo\_accession: GSM139402///status: 1

title: Ovarian\_Tumor\_Endometrioid\_CHTN-OE-053///geo\_accession: GSM139403///status: 1

title: Ovarian\_Tumor\_Endometrioid\_CHTN-OE-054///geo\_accession: GSM139404///status: 1

title: Ovarian\_Tumor\_Endometrioid\_CHTN-OE-056///geo\_accession: GSM139405///status: 1

title: Ovarian\_Tumor\_Endometrioid\_CHTN-OE-059///geo\_accession: GSM139406///status: 1

title: Ovarian\_Tumor\_Endometrioid\_CHTN-OE-060///geo\_accession: GSM139407///status: 1

title: Ovarian\_Tumor\_Endometrioid\_CHTN-OE-061///geo\_accession: GSM139408///status: 1

title: Ovarian\_Tumor\_Endometrioid\_CHTN-OE-065///geo\_accession: GSM139409///status: 1

title: Ovarian\_Tumor\_Endometrioid\_CHTN-OE-069///geo\_accession: GSM139410///status: 1

title: Ovarian\_Tumor\_Endometrioid\_CHTN-OE-076///geo\_accession: GSM139411///status: 1

title: Ovarian\_Tumor\_Endometrioid\_CHTN-OE-077///geo\_accession: GSM139412///status: 1

title: Ovarian\_Tumor\_Endometrioid\_CHTN-OE-080///geo\_accession: GSM139413///status: 1

title: Ovarian\_Tumor\_Endometrioid\_CHTN-OE-082///geo\_accession: GSM139414///status: 1

title: Ovarian\_Tumor\_Endometrioid\_CHTN-OE-087///geo\_accession: GSM139415///status: 1

title: Ovarian\_Tumor\_Endometrioid\_CHTN-OE-092///geo\_accession: GSM139416///status: 1

title: Ovarian\_Tumor\_Endometrioid\_JH-OE-2T///geo\_accession: GSM139417///status: 1

title: Ovarian\_Tumor\_Endometrioid\_KU-OE-003///geo\_accession: GSM139418///status: 1

title: Ovarian\_Tumor\_Endometrioid\_KU-OE-004///geo\_accession: GSM139419///status: 1

title: Ovarian\_Tumor\_Endometrioid\_KU-OE-007///geo\_accession: GSM139420///status: 1

title: Ovarian\_Tumor\_Endometrioid\_UM-OE-1T///geo\_accession: GSM139421///status: 1

title: Ovarian\_Tumor\_Mucinous\_CHTN-OM-007///geo\_accession: GSM139422///status: 1

title: Ovarian\_Tumor\_Mucinous\_CHTN-OM-017///geo\_accession: GSM139423///status: 1

title: Ovarian\_Tumor\_Mucinous\_CHTN-OM-023///geo\_accession: GSM139424///status: 1

title: Ovarian\_Tumor\_Mucinous\_CHTN-OM-029///geo\_accession: GSM139425///st  
title: Ovarian\_Tumor\_Mucinous\_CHTN-OM-032///geo\_accession: GSM139426///st  
title: Ovarian\_Tumor\_Mucinous\_CHTN-OM-035///geo\_accession: GSM139427///st  
title: Ovarian\_Tumor\_Mucinous\_CHTN-OM-036///geo\_accession: GSM139428///st  
title: Ovarian\_Tumor\_Mucinous\_KU-OM-003///geo\_accession: GSM139429///sta  
title: Ovarian\_Tumor\_Mucinous\_KU-OM-004///geo\_accession: GSM139430///sta  
title: Ovarian\_Tumor\_Mucinous\_KU-OM-006///geo\_accession: GSM139431///sta  
title: Ovarian\_Tumor\_Mucinous\_KU-OM-007///geo\_accession: GSM139432///sta  
title: Ovarian\_Tumor\_Mucinous\_UM-OM-01///geo\_accession: GSM139433//  
title: Ovarian\_Tumor\_Mucinous\_UM-OM-03///geo\_accession: GSM139434//  
title: Ovarian\_Tumor\_Serous\_CHTN-OS-002///geo\_accession: GSM139435/  
title: Ovarian\_Tumor\_Serous\_CHTN-OS-003///geo\_accession: GSM139436/  
title: Ovarian\_Tumor\_Serous\_CHTN-OS-009///geo\_accession: GSM139437/  
title: Ovarian\_Tumor\_Serous\_CHTN-OS-010///geo\_accession: GSM139438/  
title: Ovarian\_Tumor\_Serous\_CHTN-OS-011///geo\_accession: GSM139439/  
title: Ovarian\_Tumor\_Serous\_CHTN-OS-018///geo\_accession: GSM139440/  
title: Ovarian\_Tumor\_Serous\_CHTN-OS-020///geo\_accession: GSM139441/  
title: Ovarian\_Tumor\_Serous\_CHTN-OS-029///geo\_accession: GSM139442///  
title: Ovarian\_Tumor\_Serous\_CHTN-OS-038///geo\_accession: GSM139443///  
title: Ovarian\_Tumor\_Serous\_CHTN-OS-041///geo\_accession: GSM139444/  
title: Ovarian\_Tumor\_Serous\_CHTN-OS-044///geo\_accession: GSM139445/  
title: Ovarian\_Tumor\_Serous\_CHTN-OS-046///geo\_accession: GSM139446/  
title: Ovarian\_Tumor\_Serous\_CHTN-OS-048///geo\_accession: GSM139447/  
title: Ovarian\_Tumor\_Serous\_CHTN-OS-053///geo\_accession: GSM139448/

title: Ovarian\_Tumor\_Serous\_CHTN-OS-055///geo\_accession: GSM139449/  
title: Ovarian\_Tumor\_Serous\_CHTN-OS-068///geo\_accession: GSM139450//  
title: Ovarian\_Tumor\_Serous\_CHTN-OS-072///geo\_accession: GSM139451/  
title: Ovarian\_Tumor\_Serous\_CHTN-OS-081///geo\_accession: GSM139452/  
title: Ovarian\_Tumor\_Serous\_CHTN-OS-089///geo\_accession: GSM139453/  
title: Ovarian\_Tumor\_Serous\_CHTN-OS-093///geo\_accession: GSM139454/  
title: Ovarian\_Tumor\_Serous\_CHTN-OS-098///geo\_accession: GSM139455/  
title: Ovarian\_Tumor\_Serous\_CU-OS-04///geo\_accession: GSM139456/  
title: Ovarian\_Tumor\_Serous\_CU-OS-05///geo\_accession: GSM139457/  
title: Ovarian\_Tumor\_Serous\_KU-OS-001///geo\_accession: GSM139458/  
title: Ovarian\_Tumor\_Serous\_KU-OS-002///geo\_accession: GSM139459/  
title: Ovarian\_Tumor\_Serous\_KU-OS-003///geo\_accession: GSM139460/  
title: Ovarian\_Tumor\_Serous\_KU-OS-005///geo\_accession: GSM139461/  
title: Ovarian\_Tumor\_Serous\_KU-OS-007///geo\_accession: GSM139462/  
title: Ovarian\_Tumor\_Serous\_KU-OS-009///geo\_accession: GSM139463/  
title: Ovarian\_Tumor\_Serous\_KU-OS-011///geo\_accession: GSM139464/  
title: Ovarian\_Tumor\_Serous\_KU-OS-012///geo\_accession: GSM139465/  
title: Ovarian\_Tumor\_Serous\_KU-OS-013///geo\_accession: GSM139466/  
title: Ovarian\_Tumor\_Serous\_KU-OS-015///geo\_accession: GSM139467/  
title: Ovarian\_Tumor\_Serous\_KU-OS-018///geo\_accession: GSM139468/  
title: Ovarian\_Tumor\_Serous\_KU-OS-021///geo\_accession: GSM139469/  
title: Ovarian\_Tumor\_Serous\_KU-OS-022///geo\_accession: GSM139470/  
title: Ovarian\_Tumor\_Serous\_UM-OS-02///geo\_accession: GSM139471/  
title: Ovarian\_Tumor\_Serous\_UM-OS-07///geo\_accession: GSM139472/

title: Ovarian\_Tumor\_Serous\_UM-OS-09///geo\_accession: GSM1394  
title: Ovarian\_Tumor\_Serous\_UM-OS-10///geo\_accession: GSM139  
title: Ovarian\_Tumor\_Serous\_UM-OS-11///geo\_accession: GSM1394

duplicates:  
GSE6008.GSE6008\_GSM139476///GSE6008.GSE6008\_GSM139477  
1  
GSE6008.GSE6008\_GSM139476///GSE6008.GSE6008\_GSM139478  
1  
GSE6008.GSE6008\_GSM139477///GSE6008.GSE6008\_GSM139478  
1  
NA's  
100

Value

An expression set

GSE6822	Classification of ovarian tumor samples
---------	---

Description

Ouellet V, Provencher DM, Maugard CM, Le Page C, Ren F, Lussier C, Novak J, Ge B, Hudson TJ, Tonin PN, Mes-Masson A-M: Discrimination between serous low malignant potential and invasive epithelial ovarian tumors using molecular profiling. Oncogene 2005, 24:4672-4687.

Format

experimentData(eset):  
Experiment data  
  Experimenter name: Ouellet V, Provencher DM, Maugard CM, Le Page C, Ren F, Lussie  
  Laboratory: Ouellet, Mes-Masson 2005  
  Contact information:  
  Title: Classification of ovarian tumor samples  
  URL:  
  PMIDs: PMID unknown  
  
Abstract: A 40 word abstract is available. Use 'abstract' method.  
Information is available on: preprocessing

```

notes:
  platform_title:
    [Hu6800] Affymetrix Human Full Length HuGeneFL Array
  platform_shorttitle:
    Affymetrix Hu6800
  platform_summary:
    hu6800
  platform_manufacturer:
    Affymetrix
  platform_distribution:
    commercial
  platform_accession:
    GPL80
  version:
    2015-09-22 20:07:22

featureData(eset):
An object of class 'AnnotatedDataFrame'
  featureNames: A28102_at AB000114_at ... Z97074_at (6407 total)
  varLabels: probeset gene EntrezGene.ID best_probe
  varMetadata: labelDescription

```

## Details

assayData: 6407 features, 66 samples

Platform type:

-----  
 Available sample meta-data:  
 -----

alt\_sample\_name:

Ovarian tumor AM053	Ovarian tumor AM122	Ovarian tumor AM124	Ovarian tumor AM125
1	1	1	1
Ovarian tumor AM127	Ovarian tumor AM137	Ovarian tumor AM138	Ovarian tumor AM144
1	1	1	1
Ovarian tumor AM178	Ovarian tumor AM179	Ovarian tumor AM182	Ovarian tumor AM195
1	1	1	1
Ovarian tumor AM196	Ovarian tumor AM198	Ovarian tumor AM200	Ovarian tumor AM201
1	1	1	1
Ovarian tumor AM202	Ovarian tumor AM203	Ovarian tumor AM204	Ovarian tumor AM207
1	1	1	1
Ovarian tumor AM208	Ovarian tumor AM209	Ovarian tumor AM225	Ovarian tumor AM226
1	1	1	1
Ovarian tumor AM228	Ovarian tumor AM233	Ovarian tumor AM250	Ovarian tumor AM252
1	1	1	1
Ovarian tumor AM253	Ovarian tumor AM255	Ovarian tumor AM256	Ovarian tumor AM259
1	1	1	1
Ovarian tumor AM261	Ovarian tumor AM263	Ovarian tumor AM268	Ovarian tumor AM269

1	1	1	1
Ovarian tumor AM287	Ovarian tumor AM288	Ovarian tumor AM289	Ovarian tumor AM290
1	1	1	1
Ovarian tumor AM292	Ovarian tumor AM293	Ovarian tumor AM294	Ovarian tumor AM311
1	1	1	1
Ovarian tumor AM313	Ovarian tumor AM315	Ovarian tumor AM317	Ovarian tumor AM333
1	1	1	1
Ovarian tumor AM335	Ovarian tumor AM339	Ovarian tumor AM341	Ovarian tumor AM344
1	1	1	1
Ovarian tumor AM345	Ovarian tumor AM347	Ovarian tumor AM348	Ovarian tumor AM349
1	1	1	1
Ovarian tumor AM354	Ovarian tumor AM364	Ovarian tumor AM367	Ovarian tumor AM368
1	1	1	1
Ovarian tumor AM381	Ovarian tumor AM382	Ovarian tumor AM398	Ovarian tumor AM429
1	1	1	1
Ovarian tumor AM431	Ovarian tumor AM438		
1	1		

sample\_type:

tumor

66

histological\_type:

clearcell

endo

mix

mucinous

11

7

3

1

ser undifferentiated

41

3

primarysite:

ov

66

summarygrade:

high low NA's

40 15 11

grade:

1 2 3 NA's

1 14 40 11

batch:

2000-12-21 2001-05-03 2001-05-29 2001-06-12 2001-09-25 2001-09-26 2001-09-27

1 1 3 3 1 5 8

2002-02-14 2002-04-17 2002-04-18 2002-07-18 2002-07-24 2002-10-20 2002-10-30

4 1 9 7 4 10 5

2002-11-01 2002-11-13

2 2

```
uncurated_author_metadata:
    title: Ovarian tumor AM053///geo_accession:
title: Ovarian tumor AM122///geo_accession: GSM157231///status: Public on Dec 31 20
    title: Ovarian tumor AM124///geo_accession:
    title: Ovarian tumor AM125///geo_accession:
title: Ovarian tumor AM127///geo_accession: GSM157234///status: Public
    title: Ovarian tumor AM137///geo_accession: GSM157238
title: Ovarian tumor AM138///geo_accession: GSM157239
    title: Ovarian tumor AM144///geo_accession: GSM157
    title: Ovarian tumor AM178///geo_accession:
title: Ovarian tumor AM179///geo_accession: GSM157242
    title: Ovarian tumor AM182///geo_accession: GSM157
    title: Ovarian tumor AM195///geo_accession:
title: Ovarian tumor AM196///geo_accession: GSM157245
    title: Ovarian tumor AM198///geo_accession: GSM1
title: Ovarian tumor AM200///geo_accession: GSM157
    title: Ovarian tumor AM201///geo_accession: GSM1
    title: Ovarian tumor AM202///geo_accession: GSM1
title: Ovarian tumor AM203///geo_accession: GSM157
    title: Ovarian tumor AM204///geo_accession: GSM1
    title: Ovarian tumor AM207///geo_accession: GSM1
    title: Ovarian tumor AM208///geo_accession: GSM1
    title: Ovarian tumor AM209///geo_accession: GSM1
title: Ovarian tumor AM225///geo_accession: GSM15
title: Ovarian tumor AM226///geo_accession: GSM15
```



title: Ovarian tumor AM228///geo\_accession: GSM157261

title: Ovarian tumor AM233///geo\_accession: GSM157262

title: Ovarian tumor AM250///geo\_accession: GSM157263

title: Ovarian tumor AM252///geo\_accession: GSM157264

title: Ovarian tumor AM253///geo\_accession: GSM157265

title: Ovarian tumor AM255///geo\_accession: GSM157266

title: Ovarian tumor AM256///geo\_accession: GSM157267

title: Ovarian tumor AM259///geo\_accession: GSM157268

title: Ovarian tumor AM261///geo\_accession: GSM157269

title: Ovarian tumor AM263///geo\_accession: GSM157270

title: Ovarian tumor AM268///geo\_accession: GSM157271

title: Ovarian tumor AM269///geo\_accession: GSM157272

title: Ovarian tumor AM287///geo\_accession: GSM157269///status: Public

title: Ovarian tumor AM288///geo\_accession: GSM157270///status: Public

title: Ovarian tumor AM289///geo\_accession: GSM157271

title: Ovarian tumor AM290///geo\_accession: GSM157272

title: Ovarian tumor AM292///geo\_accession: GSM157273///status: Public

title: Ovarian tumor AM293///geo\_accession: GSM157274

title: Ovarian tumor AM294///geo\_accession: GSM157275

title: Ovarian tumor AM311///geo\_accession: GSM157276

title: Ovarian tumor AM313///geo\_accession: GSM157277

title: Ovarian tumor AM315///geo\_accession: GSM157278

title: Ovarian tumor AM317///geo\_accession: GSM157279

title: Ovarian tumor AM333///geo\_accession: GSM157280

title: Ovarian tumor AM335///geo\_accession:  
title: Ovarian tumor AM339///geo\_accession:  
title: Ovarian tumor AM341///geo\_accession: O  
title: Ovarian tumor AM344///geo\_accession: GSM15  
title: Ovarian tumor AM345///geo\_accession:  
title: Ovarian tumor AM347///geo\_accession: GSM157286///status: Public  
title: Ovarian tumor AM348///geo\_accession:  
title: Ovarian tumor AM349///geo\_accession:  
title: Ovarian tumor AM354///geo\_accession: GSM1  
title: Ovarian tumor AM364///geo\_accession: GSM157290//  
title: Ovarian tumor AM367///geo\_accession:  
title: Ovarian tumor AM368///geo\_accession:  
title: Ovarian tumor AM381///geo\_accession:  
title: Ovarian tumor AM382///geo\_accession:  
title: Ovarian tumor AM398///geo\_accession: GSM157295///status: Public on Dec 31  
title: Ovarian tumor AM429///geo\_accession: GSM157296///status: Public on Dec 3  
title: Ovarian tumor AM431///geo\_accession:  
title: Ovarian tumor AM438///geo\_accession:

duplicates:  
Length      Class      Mode  
66 character character

**Value**

An expression set

GSE8842

*Analysis of gene expression in early-stage ovarian cancer.***Description**

Gene expression profile was analyzed in 68 stage I and 15 borderline ovarian cancers to determine if different clinical features of stage I ovarian cancer such as histotype, grade, and survival are related to differential gene expression. Tumors were obtained directly at surgery and immediately frozen in liquid nitrogen until analysis. Glass arrays containing 16,000 genes were used in a dual-color assay labeling protocol. Unsupervised analysis identified eight major patient partitions, one of which was statistically associated to overall survival, grading, and histotype and another with grading and histotype. Supervised analysis allowed detection of gene profiles clearly associated to histotype or to degree of differentiation. No difference was found between borderline and grade 1 tumors. As to recurrence, a subset of genes able to differentiate relapsers from nonrelapsers was identified. Among these, cyclin E and minichromosome maintenance protein 5 were found particularly relevant, as their expression was inversely correlated to progression-free survival ( $P = 0.00033$  and  $0.017$ , respectively). Specific molecular signatures define different histotypes and prognosis of stage I ovarian cancer. Mucinous and clear cells histotypes can be distinguished from the others regardless of tumor grade. Cyclin E and minichromosome maintenance protein 5, whose expression was found previously to be related to a bad prognosis of advanced ovarian cancer, appear to be potential prognostic markers in stage I ovarian cancer too, independent of other pathologic and clinical variables.

**Format**

```
experimentData(eset) :  
Experiment data  
  Experimenter name: Marchini S, Mariani P, Chiorino G, Marrazzo E, Bonomi R, Frusci  
  Laboratory: Marchini, D'Incalci 2008  
  Contact information:  
  Title: Analysis of gene expression in early-stage ovarian cancer.  
  URL:  
  PMIDs: 19047114  
  
Abstract: A 225 word abstract is available. Use 'abstract' method.  
Information is available on: preprocessing  
notes:  
  platform_title:  
    Agilent Human 1 cDNA Microarray (G4100A)  
  platform_shorttitle:  
    Agilent G4100A cDNA  
  platform_summary:  
    hgug4100a  
  platform_manufacturer:  
    Agilent  
  platform_distribution:  
    custom-commerical
```

```
platform_accession:
  GPL5689
platform_technology:
  spotted DNA/cDNA
version:
  2015-09-22 20:07:40

featureData(eset):
An object of class 'AnnotatedDataFrame'
  featureNames: 1 2 ... 8864 (7809 total)
  varLabels: probeset gene EntrezGene.ID best_probe
  varMetadata: labelDescription
```

## Details

```
assayData: 7809 features, 83 samples
Platform type:
Overall survival time-to-event summary (in years):
Call: survfit(formula = Surv(time, cens) ~ -1)
```

n	events	median	0.95LCL	0.95UCL
83	15	NA	12	NA

Available sample meta-data:

alt_sample_name:					
p0102bis	sample_Ovarian	tumor	p0103bis	sample_Ovarian	tumor
		1			1
p0112bis	sample_Ovarian	tumor	p0114bis	sample_Ovarian	tumor
		1			1
p0125bis	sample_Ovarian	tumor	p0128bis	sample_Ovarian	tumor
		1			1
p0143bis	sample_Ovarian	tumor	p0146bis	sample_Ovarian	tumor
		1			1
p0188bis	sample_Ovarian	tumor	p0208bis	sample_Ovarian	tumor
		1			1
p0210bis	sample_Ovarian	tumor	p0217bis	sample_Ovarian	tumor
		1			1
p057bis	sample_Ovarian	tumor	p070bis	sample_Ovarian	tumor
		1			1
p080bis	sample_Ovarian	tumor	p091bis	sample_Ovarian	tumor
		1			1
p139bis	sample_Ovarian	tumor	p13bis	sample_Ovarian	tumor
		1			1
p141bis	sample_Ovarian	tumor	p166bis	sample_Ovarian	tumor
		1			1

p171bis sample_Ovarian tumor	p17bis sample_Ovarian tumor
1	1
p183bis sample_Ovarian tumor	p209bis sample_Ovarian tumor
1	1
p212bis sample_Ovarian tumor	p213bis sample_Ovarian tumor
1	1
p243bis sample_Ovarian tumor	p246bis sample_Ovarian tumor
1	1
p261bis sample_Ovarian tumor	p284bis sample_Ovarian tumor
1	1
p293bis sample_Ovarian tumor	p310bis sample_Ovarian tumor
1	1
p31bis sample_Ovarian tumor	p320bis sample_Ovarian tumor
1	1
p331bis sample_Ovarian tumor	p336bis sample_Ovarian tumor
1	1
p350bis sample_Ovarian tumor	p375bis sample_Ovarian tumor
1	1
p382bis sample_Ovarian tumor	p383bis sample_Ovarian tumor
1	1
p386bis sample_Ovarian tumor	p388bis sample_Ovarian tumor
1	1
p398bis sample_Ovarian tumor	p39bis sample_Ovarian tumor
1	1
p401bis sample_Ovarian tumor	p414bis sample_Ovarian tumor
1	1
p421bis sample_Ovarian tumor	p429bis sample_Ovarian tumor
1	1
p433bis sample_Ovarian tumor	p448bis sample_Ovarian tumor
1	1
p455bis sample_Ovarian tumor	p459bis sample_Ovarian tumor
1	1
p462bis sample_Ovarian tumor	p482bis sample_Ovarian tumor
1	1
p487bis sample_Ovarian tumor	p497bis sample_Ovarian tumor
1	1
p502bis sample_Ovarian tumor	p540bis sample_Ovarian tumor
1	1
p541bis sample_Ovarian tumor	p549bis sample_Ovarian tumor
1	1
p550bis sample_Ovarian tumor	p567bis sample_Ovarian tumor
1	1
p56bis sample_Ovarian tumor	p573bis sample_Ovarian tumor
1	1
p586bis sample_Ovarian tumor	p597bis sample_Ovarian tumor
1	1
p616bis sample_Ovarian tumor	p63bis sample_Ovarian tumor
1	1

p646bis sample_Ovarian tumor	p66bis sample_Ovarian tumor
1	1
p68bis sample_Ovarian tumor	p690bis sample_Ovarian tumor
1	1
p692bis sample_Ovarian tumor	p725bis sample_Ovarian tumor
1	1
p73bis sample_Ovarian tumor	p760bis sample_Ovarian tumor
1	1
p770bis sample_Ovarian tumor	p772bis sample_Ovarian tumor
1	1
p775bis sample_Ovarian tumor	p793bis sample_Ovarian tumor
1	1
p79bis sample_Ovarian tumor	p84bis sample_Ovarian tumor
1	1
p90bis sample_Ovarian tumor	
1	

sample\_type:

borderline	tumor
15	68

histological\_type:

clearcell	endo	mucinous	other
16	17	17	1
ser undifferentiated			
31	1		

primarysite:

ov
83

summarygrade:

high	low	NA's
35	33	15

summarystage:

early
83

tumorstage:

1
83

substage:

a	b	c
25	5	53

grade:

```

      1      2      3 NA's
13      20      35      15

age_at_initial_pathologic_diagnosis:
      Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
21.00   43.00   50.00   51.25   61.00   87.00

recurrence_status:
norecurrence  recurrence
           62           21

days_to_death:
      Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
      0      1192      2248      2273      3048      5824

vital_status:
deceased  living
       15       68

uncurated_author_metadata:
      title: p0102bis sample_Ovarian tumor///geo_accession: GSM214010///status:
      title: p0103bis sample_Ovarian tumor///geo_accession: GSM214078///status: Public
      title: p0112bis sample_Ovarian tumor///geo_accession: GSM214040///sta
      title: p0114bis sample_Ovarian tumor///geo_accession: GSM214
      title: p0125bis sample_Ovarian tumor///geo_accession: GSM214009///status:
      title: p0128bis sample_Ovarian tumor///geo_accession: GSM214030///s
      title: p0143bis sample_Ovarian tumor///geo_accession: GSM214012///status:
      title: p0146bis sample_Ovarian tumor///geo_accession: GSM214033///status:
      title: p0188bis sample_Ovarian tumor///geo_accession: GSM214041///
      title: p0208bis sample_Ovarian tumor///geo_accession: GSM214011///status
      title: p0210bis sample_Ovarian tumor///geo_accession: GSM214031///status:
      title: p0217bis sample_Ovarian tumor///geo_accession: GSM214008///sta
      title: p057bis sample_Ovarian tumor///geo_accession: GSM214064///status: Publ
      title: p070bis sample_Ovarian tumor///geo_accession: GSM214032///status

```

title: p080bis sample\_Ovarian tumor///geo\_accession: GSM214017///status: E

title: p091bis sample\_Ovarian tumor///geo\_accession: GSM214024///status:

title: p139bis sample\_Ovarian tumor///geo\_accession: GSM214047///status:

title: p13bis sample\_Ovarian tumor///geo\_accession: GSM214043///status:

title: p141bis sample\_Ovarian tumor///geo\_accession: GSM214081///status: Public

title: p166bis sample\_Ovarian tumor///geo\_accession: GSM214013///status: Publi

title: p171bis sample\_Ovarian tumor///geo\_accession: GSM214014///status:

title: p17bis sample\_Ovarian tumor///geo\_accession: GSM214080///status: Public on

title: p183bis sample\_Ovarian tumor///geo\_accession: GSM214015///status:

title: p209bis sample\_Ovarian tumor///geo\_accession: GSM214090///status: Public on

title: p212bis sample\_Ovarian tumor///geo\_accession: GSM214065///status: Publ

title: p213bis sample\_Ovarian tumor///geo\_accession: GSM214018///status: E

title: p243bis sample\_Ovarian tumor///geo\_accession: GSM214042///status: E

title: p246bis sample\_Ovarian tumor///geo\_accession: GSM214055///status: Publi

title: p261bis sample\_Ovarian tumor///geo\_accession: GSM214034///status:

title: p284bis sample\_Ovarian tumor///geo\_accession: GSM21

title: p293bis sample\_Ovarian tumor///geo\_accession: GSM214035///status: Publi

title: p310bis sample\_Ovarian tumor///geo\_accession: GSM214083///status: Public on

title: p31bis sample\_Ovarian tumor///geo\_accession: GSM214019///status: E

title: p320bis sample\_Ovarian tumor///geo\_accession: GSM214020///status:

title: p331bis sample\_Ovarian tumor///geo\_accession: GSM214021///status: Publ

title: p336bis sample\_Ovarian tumor///geo\_accession: GSM214056///status:

title: p350bis sample\_Ovarian tumor///geo\_accession: GSM214036///status: Publi

title: p375bis sample\_Ovarian tumor///geo\_accession: GSM214048///status: Publi



title: p382bis sample\_Ovarian tumor///geo\_accession: GSM214037///status:  
title: p383bis sample\_Ovarian tumor///geo\_accession: GSM214029///status:  
title: p386bis sample\_Ovarian tumor///geo\_accession: GSM214038///status:  
title: p388bis sample\_Ovarian tumor///geo\_accession: GSM214059///status:  
title: p398bis sample\_Ovarian tumor///geo\_accession: GSM214066///status:  
title: p39bis sample\_Ovarian tumor///geo\_accession: GSM214076///status: Public on  
title: p401bis sample\_Ovarian tumor///geo\_accession: GSM214022///status: E  
title: p414bis sample\_Ovarian tumor///geo\_accession: GSM214051///status: Publi  
title: p421bis sample\_Ovarian tumor///geo\_accession: GSM214023///status  
title: p429bis sample\_Ovarian tumor///geo\_accession: GSM214067///sta  
title: p433bis sample\_Ovarian tumor///geo\_accession: GSM214079///status: Public on  
title: p448bis sample\_Ovarian tumor///geo\_accession: GSM214068///status: E  
title: p455bis sample\_Ovarian tumor///geo\_accession: GSM214069///status  
title: p459bis sample\_Ovarian tumor///geo\_accession: GSM214025///status: Publi  
title: p462bis sample\_Ovarian tumor///geo\_accession: GSM214084///status: Public on  
title: p482bis sample\_Ovarian tumor///geo\_accession: GSM214050///status: E  
title: p487bis sample\_Ovarian tumor///geo\_accession: GSM214026///status: Publ  
title: p497bis sample\_Ovarian tumor///geo\_accession: GSM214052///statu  
title: p502bis sample\_Ovarian tumor///geo\_accession: GSM214070///status: Pub  
title: p540bis sample\_Ovarian tumor///geo\_accession: GSM214085///status: Public  
title: p541bis sample\_Ovarian tumor///geo\_accession: GSM214082///status: Public on  
title: p549bis sample\_Ovarian tumor///geo\_accession: GSM214086///status: Public on  
title: p550bis sample\_Ovarian tumor///geo\_accession: GSM214053///status:  
title: p567bis sample\_Ovarian tumor///geo\_accession: GSM214054///status: Publi

title: p56bis sample\_Ovarian tumor///geo\_accession: GSM214044///status: Public on

title: p573bis sample\_Ovarian tumor///geo\_accession: GSM214060///status: Public on

title: p586bis sample\_Ovarian tumor///geo\_accession: GSM214061///status: Public on

title: p597bis sample\_Ovarian tumor///geo\_accession: GSM214088///status: Public on

title: p616bis sample\_Ovarian tumor///geo\_accession: GSM214071///status: Public on

title: p63bis sample\_Ovarian tumor///geo\_accession: GSM214027///status: Public on

title: p646bis sample\_Ovarian tumor///geo\_accession: GSM214087///status: Public on

title: p66bis sample\_Ovarian tumor///geo\_accession: GSM214045///status: Public on

title: p68bis sample\_Ovarian tumor///geo\_accession: GSM214046///status: Public on

title: p690bis sample\_Ovarian tumor///geo\_accession: GSM214072///status: Public on

title: p692bis sample\_Ovarian tumor///geo\_accession: GSM214073///status: Public on

title: p725bis sample\_Ovarian tumor///geo\_accession: GSM214057///status: Public on

title: p73bis sample\_Ovarian tumor///geo\_accession: GSM214028///status: Public on

title: p760bis sample\_Ovarian tumor///geo\_accession: GSM214062///status: Public on

title: p770bis sample\_Ovarian tumor///geo\_accession: GSM214089///status: Public on

title: p772bis sample\_Ovarian tumor///geo\_accession: GSM214058///status: Public on

title: p775bis sample\_Ovarian tumor///geo\_accession: GSM214074///status: Public on

title: p793bis sample\_Ovarian tumor///geo\_accession: GSM214075///status: Public on

title: p79bis sample\_Ovarian tumor///geo\_accession: GSM214063///status: Public on

title: p84bis sample\_Ovarian tumor///geo\_accession: GSM214039///status: Public on

title: p90bis sample\_Ovarian tumor///geo\_accession: GSM214077///status: Public on

**Value**

An expression set

GSE9891

*Novel molecular subtypes of serous and endometrioid ovarian cancer linked to clinical outcome.***Description**

The study aim to identify novel molecular subtypes of ovarian cancer by gene expression profiling with linkage to clinical and pathologic features. Microarray gene expression profiling was done on 285 serous and endometrioid tumors of the ovary, peritoneum, and fallopian tube. K-means clustering was applied to identify robust molecular subtypes. Statistical analysis identified differentially expressed genes, pathways, and gene ontologies. Laser capture microdissection, pathology review, and immunohistochemistry validated the array-based findings. Patient survival within k-means groups was evaluated using Cox proportional hazards models. Class prediction validated k-means groups in an independent dataset. A semisupervised survival analysis of the array data was used to compare against unsupervised clustering results. Optimal clustering of array data identified six molecular subtypes. Two subtypes represented predominantly serous low malignant potential and low-grade endometrioid subtypes, respectively. The remaining four subtypes represented higher grade and advanced stage cancers of serous and endometrioid morphology. A novel subtype of high-grade serous cancers reflected a mesenchymal cell type, characterized by overexpression of N-cadherin and P-cadherin and low expression of differentiation markers, including CA125 and MUC1. A poor prognosis subtype was defined by a reactive stroma gene expression signature, correlating with extensive desmoplasia in such samples. A similar poor prognosis signature could be found using a semisupervised analysis. Each subtype displayed distinct levels and patterns of immune cell infiltration. Class prediction identified similar subtypes in an independent ovarian dataset with similar prognostic trends. Gene expression profiling identified molecular subtypes of ovarian cancer of biological and clinical importance.

**Format**

```
experimentData(eset):
Experiment data
  Experimenter name: Tothill RW, Tinker AV, George J, Brown R, Fox SB, Lade S, John
  Laboratory: Tothill, Bowtell 2008
  Contact information:
  Title: Novel molecular subtypes of serous and endometrioid ovarian cancer linked
  URL:
  PMIDs: 18698038

Abstract: A 243 word abstract is available. Use 'abstract' method.
Information is available on: preprocessing
notes:
  platform_title:
    [HG-U133_Plus_2] Affymetrix Human Genome U133 Plus 2.0 Array
  platform_shorttitle:
    Affymetrix HG-U133Plus2
  platform_summary:
    hgu133plus2
```

```

platform_manufacturer:
  Affymetrix
platform_distribution:
  commercial
platform_accession:
  GPL570
version:
  2015-09-22 20:16:32

featureData(eset):
An object of class 'AnnotatedDataFrame'
  featureNames: 1007_s_at 1053_at ... AFFX-HUMISGF3A/M97935_MB_at
  (42447 total)
  varLabels: probeset gene EntrezGene.ID best_probe
  varMetadata: labelDescription

```

## Details

```

assayData: 42447 features, 285 samples
Platform type:
Overall survival time-to-event summary (in years):
Call: survfit(formula = Surv(time, cens) ~ -1)

```

```

  7 observations deleted due to missingness
      n  events  median 0.95LCL 0.95UCL
278.00 113.00   3.95   3.53   5.01

```

```

-----
Available sample meta-data:
-----

```

```

alt_sample_name:
  X129    X146    X152  X20019  X20025  X20027  X20031  X20032  X20041  X20046
      1      1      1      1      1      1      1      1      1      1
X20074  X22002  X22012  X22013  X22020  X22023  X22027  X22029  X22031  X22037
      1      1      1      1      1      1      1      1      1      1
X22046  X22047  X22048  X22057  X22058    X2219    X2227  X23026  X23030  X23036
      1      1      1      1      1      1      1      1      1      1
X23043  X23052  X23053  X23055  X23066  X23070  X23074  X23077  X23084  X23098
      1      1      1      1      1      1      1      1      1      1
X23102  X23106  X23116  X23128  X23139  X23143  X23162  X23165  X23167  X23170
      1      1      1      1      1      1      1      1      1      1
X23172  X23177  X23178  X23182  X23187  X23197  X23202  X23204  X23210  X23212
      1      1      1      1      1      1      1      1      1      1
X23213  X23221  X26047    X261    X27006  X27098  X32013  X32022  X32032  X32034
      1      1      1      1      1      1      1      1      1      1
X32048  X32049  X32054  X32055  X32089  X32098  X32103  X32117  X34019  X34049
      1      1      1      1      1      1      1      1      1      1

```

X34066	X34078	X34080	X34085	X34086	X34090	X34102	X34103	X34111	X34113
1	1	1	1	1	1	1	1	1	1

  

X34117	X34125	X34165	X34168	X34172	X34186	X34202	X34207	X34801	(Other)
1	1	1	1	1	1	1	1	1	186

  

sample\_type:

tumor
285

  

histological\_type:

endo	other	ser
20	1	264

  

primarysite:

ft	other	ov
8	34	243

  

arrayedsite:

ft	other	ov
2	83	200

  

summarygrade:

high	low	NA's
163	116	6

  

summarystage:

early	late	NA's
42	240	3

  

tumorstage:

1	2	3	4	NA's
24	18	218	22	3

  

substage:

a	b	c	NA's
26	19	212	28

  

grade:

1	2	3	NA's
19	97	163	6

  

age\_at\_initial\_pathologic\_diagnosis:

Min.	1st Qu.	Median	Mean	3rd Qu.	Max.	NA's
22.00	53.00	59.00	59.62	68.00	80.00	3

  

pltx:

n	y	NA's
39	243	3

tax:

n	y	NA's
87	195	3

neo:

n	y	NA's
264	18	3

days\_to\_tumor\_recurrence:

Min.	1st Qu.	Median	Mean	3rd Qu.	Max.	NA's
0.0	300.0	450.0	618.9	810.0	4980.0	10

recurrence\_status:

norecurrence	recurrence	NA's
94	188	3

days\_to\_death:

Min.	1st Qu.	Median	Mean	3rd Qu.	Max.	NA's
0.0	547.5	855.0	955.1	1252.0	6420.0	7

vital\_status:

deceased	living	NA's
113	169	3

debulking:

optimal	suboptimal	NA's
160	88	37

batch:

2004-12-03	2004-12-23	2005-01-12	2005-01-17	2005-01-24	2005-01-31	2005-02-21
3	4	7	7	8	10	10
2005-03-17	2005-05-05	2005-05-09	2005-05-25	2005-05-27	2005-05-30	2005-06-02
2	1	1	2	3	3	6
2005-06-06	2005-06-08	2005-06-16	2005-06-17	2005-06-24	2005-07-06	2005-07-15
4	5	3	5	6	2	9
2005-07-20	2005-07-29	2005-08-03	2005-08-05	2005-08-18	2005-08-24	2005-08-26
7	5	6	3	4	8	4
2005-09-09	2005-09-14	2005-09-16	2005-09-21	2005-10-05	2005-10-26	2005-10-28
4	6	6	4	5	2	4
2005-11-04	2005-11-09	2005-11-11	2005-11-23	2005-12-15	2005-12-21	2006-01-20
6	3	7	4	7	8	3
2006-01-31	2006-02-08	2006-02-28	2006-04-05	2006-04-06	2006-04-12	2006-04-13
7	3	3	7	3	7	4
2006-04-28	2006-05-03	2006-06-06	2006-06-07	2006-06-22	2006-07-07	2006-07-19
6	9	6	3	9	4	7

uncurated\_author\_metadata:

title: X129///geo\_accession: GSM250001///status: Public on Mar 01 2008///

title: X146///geo\_accession: GSM250000///status: Public on Mar 01 2008///

title: X152///geo\_accession: GSM249999///status: Public on Mar 01 2008///subm

title: X20019///geo\_accession: GSM249998///status: Public on Mar 01 2008///

title: X20025///geo\_accession: GSM249997///status: Public on Mar 01 2008///subm

title: X20027///geo\_accession: GSM249996///status: Public on Mar 01 2008///

title: X20031///geo\_accession: GSM249995///status: Public on Mar 01 2008///

title: X20032///geo\_accession: GSM249994///status: Public on Mar 01 2008///

title: X20041///geo\_accession: GSM249993///status: Public on Mar 01 2008///

title: X20046///geo\_accession: GSM249992///status: Public on Mar 01 2008///

title: X20074///geo\_accession: GSM249991///status: Public on Mar 01 2008///sub

title: X22002///geo\_accession: GSM249728///status: Public on Mar 01 2008///

title: X22012///geo\_accession: GSM249990///status: Public on Mar 01 2008///

title: X22013///geo\_accession: GSM249989///status: Public on Mar 01 2008///subm

title: X22020///geo\_accession: GSM249988///status: Public on Mar 01 2008///

title: X22023///geo\_accession: GSM249987///status: Public on Mar 01 2008///

title: X22027///geo\_accession: GSM249725///status: Public on Mar 01 2008///

title: X22029///geo\_accession: GSM249986///status: Public on Mar 01 2008///

title: X22031///geo\_accession: GSM249985///status: Public on Mar 01 2008///

title: X22037///geo\_accession: GSM249984///status: Public on Mar 01 2008///

title: X22046///geo\_accession: GSM249983///status: Public on Mar 01 2008///

title: X22047///geo\_accession: GSM249982///status: Public on Mar 01 2008///su

title: X22048///geo\_accession: GSM249981///status: Public on Mar 01 2008///

title: X22057///geo\_accession: GSM249980///status: Public on Mar 01 2008///

title: X22058///geo\_accession: GSM249979///status: Public on Mar 01 2008/  
title: X2219///geo\_accession: GSM249978///status: Public on Mar 01 2008/  
title: X2227///geo\_accession: GSM249977///status: Public on Mar 01 2008/  
title: X23026///geo\_accession: GSM249976///status: Public on Mar 01 2008/  
title: X23030///geo\_accession: GSM249975///status: Public on Mar 01 2008/  
title: X23036///geo\_accession: GSM249727///status: Public on Mar 01 2008/  
title: X23043///geo\_accession: GSM249974///status: Public on Mar 01 2008/  
title: X23052///geo\_accession: GSM249721///status: Public on Mar 01 2008/  
title: X23053///geo\_accession: GSM249973///status: Public on Mar 01 2008/  
title: X23055///geo\_accession: GSM249972///status: Public on Mar 01 2008/  
title: X23066///geo\_accession: GSM249716///status: Public on Mar 01 2008/  
title: X23070///geo\_accession: GSM249971///status: Public on Mar 01 2008/  
title: X23074///geo\_accession: GSM249970///status: Public on Mar 01 2008/  
title: X23077///geo\_accession: GSM249969///status: Public on Mar 01 2008/  
title: X23084///geo\_accession: GSM249968///status: Public on Mar 01 2008/  
title: X23098///geo\_accession: GSM249967///status: Public on Mar 01 2008/  
title: X23102///geo\_accession: GSM249966///status: Public on Mar 01 2008/  
title: X23106///geo\_accession: GSM249965///status: Public on Mar 01 2008///submissi  
title: X23116///geo\_accession: GSM249964///status: Public on Mar 01 2008///su  
title: X23128///geo\_accession: GSM249963///status: Public on Mar 01 2008/  
title: X23139///geo\_accession: GSM249962///status: Public on Mar 01 2008/  
title: X23143///geo\_accession: GSM249961///status: Public on Mar 01 2008/  
title: X23162///geo\_accession: GSM249960///status: Public on Mar 01 2008/  
title: X23165///geo\_accession: GSM249959///status: Public on Mar 01 2008/



title: X23167///geo\_accession: GSM249958///status: Public on Mar 01 2008//  
title: X23170///geo\_accession: GSM249957///status: Public on Mar 01 2008//  
title: X23172///geo\_accession: GSM249956///status: Public on Mar 01 2008//  
title: X23177///geo\_accession: GSM249720///status: Public on Mar 01 2008//  
title: X23178///geo\_accession: GSM249955///status: Public on Mar 01 2008//  
title: X23182///geo\_accession: GSM249954///status: Public on Mar 01 2008//  
title: X23187///geo\_accession: GSM249953///status: Public on Mar 01 2008//  
title: X23197///geo\_accession: GSM249951///status: Public on Mar 01 2008//  
title: X23202///geo\_accession: GSM249950///status: Public on Mar 01 2008//  
title: X23204///geo\_accession: GSM249949///status: Public on Mar 01 2008//  
title: X23210///geo\_accession: GSM249948///status: Public on Mar 01 2008//  
title: X23212///geo\_accession: GSM249947///status: Public on Mar 01 2008//su  
title: X23213///geo\_accession: GSM249946///status: Public on Mar 01 2008//  
title: X23221///geo\_accession: GSM249945///status: Public on Mar 01 2008//su  
title: X26047///geo\_accession: GSM249944///status: Public on Mar 01 2008//sub  
title: X261///geo\_accession: GSM249943///status: Public on Mar 01 2008//  
title: X27006///geo\_accession: GSM249942///status: Public on Mar 01 2008//  
title: X27098///geo\_accession: GSM249941///status: Public on Mar 01 2008//  
title: X32013///geo\_accession: GSM249940///status: Public on Mar 01 2008//  
title: X32022///geo\_accession: GSM249939///status: Public on Mar 01 2008//  
title: X32032///geo\_accession: GSM249938///status: Public on Mar 01 2008//su  
title: X32034///geo\_accession: GSM249937///status: Public on Mar 01 2008//subm  
title: X32048///geo\_accession: GSM249936///status: Public on Mar 01 2008//  
title: X32049///geo\_accession: GSM249935///status: Public on Mar 01 2008//su

title: X32054///geo\_accession: GSM249934///status: Public on Mar 01 2008/  
title: X32055///geo\_accession: GSM249933///status: Public on Mar 01 2008/  
title: X32089///geo\_accession: GSM249932///status: Public on Mar 01 2008///submiss  
title: X32098///geo\_accession: GSM249931///status: Public on Mar 01 2008///s  
title: X32103///geo\_accession: GSM249930///status: Public on Mar 01 2008//  
title: X32117///geo\_accession: GSM249715///status: Public on Mar 01 2008/  
title: X34019///geo\_accession: GSM249929///status: Public on Mar 01 2008/  
title: X34049///geo\_accession: GSM249928///status: Public on Mar 01 2008/  
title: X34066///geo\_accession: GSM249927///status: Public on Mar 01 2008//  
title: X34078///geo\_accession: GSM249926///status: Public on Mar 01 2008//  
title: X34080///geo\_accession: GSM249925///status: Public on Mar 01 2008/  
title: X34085///geo\_accession: GSM249924///status: Public on Mar 01 2008//  
title: X34086///geo\_accession: GSM249923///status: Public on Mar 01 2008/  
title: X34090///geo\_accession: GSM249922///status: Public on Mar 01 2008/  
title: X34102///geo\_accession: GSM249921///status: Public on Mar 01 2008///sub  
title: X34103///geo\_accession: GSM249920///status: Public on Mar 01 2008/  
title: X34111///geo\_accession: GSM249919///status: Public on Mar 01 2008//  
title: X34113///geo\_accession: GSM249918///status: Public on Mar 01 2008//  
title: X34117///geo\_accession: GSM249917///status: Public on Mar 01 2008/  
title: X34125///geo\_accession: GSM249916///status: Public on Mar 01 2008//  
title: X34165///geo\_accession: GSM249915///status: Public on Mar 01 2008/  
title: X34168///geo\_accession: GSM249914///status: Public on Mar 01 2008///su  
title: X34172///geo\_accession: GSM249913///status: Public on Mar 01 2008/  
title: X34186///geo\_accession: GSM249912///status: Public on Mar 01 2008//

```
title: X34202///geo_accession: GSM249911///status: Public on Mar 01 2008///sub
```

```
title: X34207///geo_accession: GSM249910///status: Public on Mar 01 2008///
```

```
title: X34801///geo_accession: GSM249909///status: Public on Mar 01 2008///
```

## Value

An expression set

---

```
loadOvarianDatasets
```

*Function to load ovarian cancer SummarizedExperiment objects from the Experiment Hub*

---

## Description

This function returns ovarian cancer datasets from the hub and a vector of patients from the datasets that are duplicates based on a spearman correlation > 0.98

## Usage

```
loadOvarianDatasets (
  rescale = FALSE,
  minNumberGenes = 0,
  minNumberEvents = 0,
  minSampleSize = 0,
  keepCommonOnly = FALSE,
  imputeMissing = FALSE,
  removeDuplicates = FALSE
)
```

## Arguments

<code>rescale</code>	apply centering and scaling to the expression sets (default FALSE)
<code>minNumberGenes</code>	an integer specifying to remove expression sets with less genes than this number (default 0)
<code>minNumberEvents</code>	an integer specifying how man survival events must be in the dataset to keep the dataset (default 0)

`minSampleSize`  
 an integer specifying the minimum number of patients required in a summarizedExperiment (default 0)

`keepCommonOnly`  
 remove entrezIDs not common to all datasets (default FALSE)

`imputeMissing`  
 remove patients from datasets with missing expression values

`removeDuplicates`  
 remove patients with a Spearman correlation greater than or equal to 0.98 with other patient expression profiles (default TRUE)

### Value

a list with 2 elements. The First element named `summarizedExperiments` contains the datasets. The second element named `duplicates` contains a vector with patient IDs for the duplicate patients (those with Spearman correlation greater than or equal to 0.98 with other patient expression profiles).

### Examples

```
experimentsAndDups = loadOvarianDatasets()
```

---

<code>loadOvarianEsets</code>	<i>Function to load ovarian cancer expression sets from the Experiment Hub</i>
-------------------------------	--

---

### Description

This function returns ovarian cancer datasets from the hub and a vector of patients from the datasets that are most likely duplicates

### Usage

```
loadOvarianEsets(
  removeDuplicates = TRUE,
  quantileCutoff = 0,
  rescale = FALSE,
  minNumberGenes = 0,
  minNumberEvents = 0,
  minSampleSize = 0,
  removeRetracted = TRUE,
  removeSubsets = TRUE,
  keepCommonOnly = FALSE,
  imputeMissing = FALSE
)
```

**Arguments**

<code>removeDuplicates</code>	remove patients with a Spearman correlation greater than or equal to 0.98 with other patient expression profiles (default TRUE)
<code>quantileCutoff</code>	A numeric between 0 and 1 specifying to remove genes with standard deviation below the required quantile (default 0)
<code>rescale</code>	apply centering and scaling to the expression sets (default FALSE)
<code>minNumberGenes</code>	an integer specifying to remove expression sets with less genes than this number (default 0)
<code>minNumberEvents</code>	an integer specifying how many survival events must be in the dataset to keep the dataset (default 0)
<code>minSampleSize</code>	an integer specifying the minimum number of patients required in an eset (default 0)
<code>removeRetracted</code>	remove datasets from retracted papers (default TRUE, currently just PMID17290060 dataset)
<code>removeSubsets</code>	remove datasets that are a subset of other datasets (default TRUE, currently just PMID19318476)
<code>keepCommonOnly</code>	remove probes not common to all datasets (default FALSE)
<code>imputeMissing</code>	remove patients from datasets with missing expression values

**Value**

a list with 2 elements. The first element named `esets` contains the datasets. The second element named `duplicates` contains a vector with patient IDs for the duplicate patients (those with Spearman correlation greater than or equal to 0.98 with other patient expression profiles).

**Examples**

```
esetsAndDups = loadOvarianEsets()
```

## Description

A better understanding of the underlying biology of invasive serous ovarian cancer is critical for the development of early detection strategies and new therapeutics. The objective of this study was to define gene expression patterns associated with favorable survival. RNA from 65 serous ovarian cancers was analyzed using Affymetrix U133A microarrays. This included 54 stage III/IV cases (30 short-term survivors who lived <3 years and 24 long-term survivors who lived >7 years) and 11 stage I/II cases. Genes were screened on the basis of their level of and variability in expression, leaving 7,821 for use in developing a predictive model for survival. A composite predictive model was developed that combines Bayesian classification tree and multivariate discriminant models. Leave-one-out cross-validation was used to select and evaluate models. Patterns of genes were identified that distinguish short-term and long-term ovarian cancer survivors. The expression model developed for advanced stage disease classified all 11 early-stage ovarian cancers as long-term survivors. The MAL gene, which has been shown to confer resistance to cancer therapy, was most highly overexpressed in short-term survivors (3-fold compared with long-term survivors, and 29-fold compared with early-stage cases). These results suggest that gene expression patterns underlie differences in outcome, and an examination of the genes that provide this discrimination reveals that many are implicated in processes that define the malignant phenotype. Differences in survival of advanced ovarian cancers are reflected by distinct patterns of gene expression. This biological distinction is further emphasized by the finding that early-stage cancers share expression patterns with the advanced stage long-term survivors, suggesting a shared favorable biology.

## Format

```
experimentData(eset) :
Experiment data
  Experimenter name: Berchuck A, Iversen ES, Lancaster JM, Pittman J, Luo J, Lee P,
  Laboratory: Berchuck, Marks 2005
  Contact information:
  Title: Patterns of gene expression that characterize long-term survival in advanced
  URL:
  PMIDs: 15897565

Abstract: A 258 word abstract is available. Use 'abstract' method.
Information is available on: preprocessing
notes:
  platform_title:
    [HG-U133A] Affymetrix Human Genome U133A Array
  platform_shorttitle:
    Affymetrix HG-U133A
  platform_summary:
    hgu133a
  platform_manufacturer:
    Affymetrix
  platform_distribution:
    commercial
  platform_accession:
    GPL96
  warnings:
```

These samples are a subset of PMID17290060.

version:

2015-09-22 20:17:53

featureData(eset):

An object of class 'AnnotatedDataFrame'

featureNames: 1007\_s\_at 1053\_at ... AFFX-HUMISGF3A/M97935\_MB\_at  
(20967 total)

varLabels: probeset gene EntrezGene.ID best\_probe

varMetadata: labelDescription

## Details

assayData: 20967 features, 63 samples

Platform type:

-----  
Available sample meta-data:

alt\_sample\_name:

Min.	1st Qu.	Median	Mean	3rd Qu.	Max.
1761	1828	1907	2001	2032	2536

sample\_type:

tumor

63

histological\_type:

ser

63

primarysite:

ov

63

summarygrade:

high low NA's

25 37 1

summarystage:

early late

11 52

tumorstage:

1 2 3 4

7 4 48 4

grade:

```

      1      2      3      4 NA's
      2     35     24      1      1

age_at_initial_pathologic_diagnosis:
      Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
      33.00   52.50   59.00   59.21   67.00   79.00

os_binary:
      long short  NA's
      24     28     11

debulking:
      optimal suboptimal    NA's
      24         28         11

batch:
2002-09-20 2002-10-23 2002-11-12 2002-12-16 2002-12-21 2003-01-03 2003-05-30
           15          9          10          1          3          11          13
2003-07-02
           1

uncurated_author_metadata:
Genome.ID..File.name....0074_GenomeID_h133a_2802.cel: 1761///Cancer.Type: Early sta
Genome.ID..File.name....0074_GenomeID_h133a_2802.cel: 1762///Cancer.Type: Early sta
Genome.ID..File.name....0074_GenomeID_h133a_2802.cel: 1763///Cancer.Type: Early sta
Genome.ID..File.name....0074_GenomeID_h133a_2802.cel: 1764///Cancer.Type: Early sta
Genome.ID..File.name....0074_GenomeID_h133a_2802.cel: 1765///Cancer.Type: Early sta
Genome.ID..File.name....0074_GenomeID_h133a_2802.cel: 1772///Cancer.Type: Lon
Genome.ID..File.name....0074_GenomeID_h133a_2802.cel: 1773///Cancer.Type: Lon
Genome.ID..File.name....0074_GenomeID_h133a_2802.cel: 1774///Cancer.Type: Lon
Genome.ID..File.name....0074_GenomeID_h133a_2802.cel: 1775///Cancer.Type: Lon
Genome.ID..File.name....0074_GenomeID_h133a_2802.cel: 1776///Cancer.Type: Lon
Genome.ID..File.name....0074_GenomeID_h133a_2802.cel: 1777///Cancer.Type: Lon
Genome.ID..File.name....0074_GenomeID_h133a_2802.cel: 1778///Cancer.Type: Lon
Genome.ID..File.name....0074_GenomeID_h133a_2802.cel: 1779///Cancer.Type: Lon

```



Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 1780///Cancer.Type: Lon  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 1781///Cancer.Type: Lon  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 1828///Cancer.Type: SH  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 1829///Cancer.Type: Shor  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 1830///Cancer.Type: Shor  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 1831///Cancer.Type: Shor  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 1832///Cancer.Type: Shor  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 1833///Cancer.Type: Shor  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 1834///Cancer.Type: Shor  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 1835///Cancer.Type: Shor  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 1836///Cancer.Type: Shor  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 1900///Cancer.Type: Lon  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 1901///Cancer.Type: Lon  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 1902///Cancer.Type: Lon  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 1903///Cancer.Type: Early sta  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 1904///Cancer.Type: Lon  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 1905///Cancer.Type: Shor  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 1906///Cancer.Type: Shor  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 1907///Cancer.Type: Lon  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 1908///Cancer.Type: Shor  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 1909///Cancer.Type: Shor  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 1989///Cancer.Type: Lon  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 2003///Cancer.Type: Shor  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 2004///Cancer.Type: Shor

Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 2005///Cancer.Type: Short  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 2019///Cancer.Type: Long  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 2020///Cancer.Type: Long  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 2021///Cancer.Type: Long  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 2026///Cancer.Type: Short  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 2027///Cancer.Type: Short  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 2028///Cancer.Type: Short  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 2029///Cancer.Type: Short  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 2030///Cancer.Type: Short  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 2031///Cancer.Type: Long  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 2032///Cancer.Type: Long  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 2033///Cancer.Type: Long  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 2390///Cancer.Type: Early stage  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 2391///Cancer.Type: Early stage  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 2392///Cancer.Type: Early stage  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 2393///Cancer.Type: Early stage  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 2394///Cancer.Type: Long  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 2395///Cancer.Type: Long  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 2396///Cancer.Type: Short  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 2397///Cancer.Type: Short  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 2398///Cancer.Type: Short  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 2399///Cancer.Type: Short  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 2400///Cancer.Type: Short  
Genome.ID..File.name....0074\_GenomeID\_h133a\_2802.cel: 2401///Cancer.Type: Short

```
Genome.ID..File.name....0074_GenomeID_h133a_2802.cel: 2402///Cancer.Type: SH
```

```
Genome.ID..File.name....0074_GenomeID_h133a_2802.cel: 2536///Cancer.Type: Early st
```

## Value

An expression set

---

PMID17290060

*An integrated genomic-based approach to individualized treatment of patients with advanced-stage ovarian cancer.*

---

## Description

The purpose of this study was to develop an integrated genomic-based approach to personalized treatment of patients with advanced-stage ovarian cancer. We have used gene expression profiles to identify patients likely to be resistant to primary platinum-based chemotherapy and also to identify alternate targeted therapeutic options for patients with de novo platinum-resistant disease. A gene expression model that predicts response to platinum-based therapy was developed using a training set of 83 advanced-stage serous ovarian cancers and tested on a 36-sample external validation set. In parallel, expression signatures that define the status of oncogenic signaling pathways were evaluated in 119 primary ovarian cancers and 12 ovarian cancer cell lines. In an effort to increase chemotherapy sensitivity, pathways shown to be activated in platinum-resistant cancers were subject to targeted therapy in ovarian cancer cell lines. Gene expression profiles identified patients with ovarian cancer likely to be resistant to primary platinum-based chemotherapy with greater than 80% accuracy. In patients with platinum-resistant disease, we identified expression signatures consistent with activation of Src and Rb/E2F pathways, components of which were successfully targeted to increase response in ovarian cancer cell lines. We have defined a strategy for treatment of patients with advanced-stage ovarian cancer that uses therapeutic stratification based on predictions of response to chemotherapy, coupled with prediction of oncogenic pathway deregulation, as a method to direct the use of targeted agents.

## Format

```
experimentData(eset):
```

```
Experiment data
```

```
  Experimenter name: Dressman HK, Berchuck A, Chan G, Zhai J, Bild A, Sayer R, Crago
```

```
  Laboratory: Dressman, Lancaster 2007
```

```
  Contact information:
```

```
  Title: An integrated genomic-based approach to individualized treatment of patient
```

```
  URL:
```

```
  PMIDs: 17290060
```

```
Abstract: A 223 word abstract is available. Use 'abstract' method.
```

```
Information is available on: preprocessing
```



2895	2967	2981	2999	3018	3090	3102	3107	3142	860
1	1	1	1	1	1	1	1	1	1
872	922	D1805	D1837	D1859	D2098	D2208	D2332	D2342	D2358
1	1	1	1	1	1	1	1	1	1
D2421	D2432	D2433	D2480	D2557	D2559	D2560	D2572	D2575	D2576
1	1	1	1	1	1	1	1	1	1
D2581	D2603	D2611	D2629	D2640	D2648	D2668	D2689	D2691	D2700
1	1	1	1	1	1	1	1	1	1
D2726	D2727	D2733	D2738	D2749	D2776	D2792	M1054	M1055	M120
1	1	1	1	1	1	1	1	1	1
M1241	M1390	M1503	M1572	M17	M1891	M2070	M2097	M2184	(Other)
1	1	1	1	1	1	1	1	1	18

sample\_type:

tumor

117

histological\_type:

ser

117

primarysite:

ov

117

summarygrade:

high low NA's

57 57 3

summarystage:

early late NA's

1 115 1

tumorstage:

2 3 4 NA's

1 98 17 1

grade:

1 2 3 4 NA's

4 53 56 1 3

days\_to\_death:

Min. 1st Qu. Median Mean 3rd Qu. Max.

30 510 1020 1496 2220 5550

vital\_status:

deceased living

67 50

```

primary_therapy_outcome_success:
  completeresponse 85
  progressive disease 32

```

```

debulking:
  optimal 63
  suboptimal 54

```

```

batch:
2002-09-20 2002-10-23 2002-11-12 2002-12-16 2002-12-21 2003-01-03 2003-05-30
           10         8         9         1         3         11         10
2004-03-09 2004-03-16 2004-04-20 2004-05-18 2004-05-21 2004-05-27 2004-06-22
           16         6         5        15         7         7         1
2004-06-23
           8

```

```

uncurated_author_metadata:

```

```

    OVC.TumorID: 1024///Survival: 13///X0...alive...1...dead: 1/
    OVC.TumorID: 1447///Survival: 75///X0...alive...1...dead: 1/
    OVC.TumorID: 1451///Survival: 132///X0...alive...1...dead: 1/
    OVC.TumorID: 1504///Survival: 108///X0...alive...1...dead: 1/
    OVC.TumorID: 1526///Survival: 74///X0...alive...1...dead: 1/
    OVC.TumorID: 1552///Survival: 33///X0...alive...1...dead: 1/
    OVC.TumorID: 1578///Survival: 33///X0...alive...1...dead: 1/
    OVC.TumorID: 1590///Survival: 148///X0...alive...1...dead: 1/
    OVC.TumorID: 1615///Survival: 13///X0...alive...1...dead: 1/
    OVC.TumorID: 1623///Survival: 147///X0...alive...1...dead: 1/
    OVC.TumorID: 1665///Survival: 15///X0...alive...1...dead: 1/
    OVC.TumorID: 1674///Survival: 18///X0...alive...1...dead: 1/
    OVC.TumorID: 1675///Survival: 34///X0...alive...1...dead: 1/
    OVC.TumorID: 1774///Survival: 22///X0...alive...1...dead: 1/
    OVC.TumorID: 1784///Survival: 78///X0...alive...1...dead: 1/

```

OVC.TumorID: 1834///Survival: 118///X0...alive...1...dead: 1/  
OVC.TumorID: 1846///Survival: 142///X0...alive...1...dead: 1/  
OVC.TumorID: 1877///Survival: 119///X0...alive...1...dead: 1/  
OVC.TumorID: 1913///Survival: 32///X0...alive...1...dead: 1/  
OVC.TumorID: 1929///Survival: 134///X0...alive...1...dead: 1/  
OVC.TumorID: 2046///Survival: 127///X0...alive...1...dead: 1/  
OVC.TumorID: 2063///Survival: 16///X0...alive...1...dead: 1/  
OVC.TumorID: 2064///Survival: 27///X0...alive...1...dead: 1///Ass  
OVC.TumorID: 2075///Survival: 87///X0...alive...1...dead: 1/  
OVC.TumorID: 2198///Survival: 91///X0...alive...1...dead: 1/  
OVC.TumorID: 2204///Survival: 118///X0...alive...1...dead: 1/  
OVC.TumorID: 2324///Survival: 98///X0...alive...1...dead: 1/  
OVC.TumorID: 2419///Survival: 107///X0...alive...1...dead: 0/  
OVC.TumorID: 2422///Survival: 20///X0...alive...1...dead: 1/  
OVC.TumorID: 2424///Survival: 16///X0...alive...1...dead: 1/  
OVC.TumorID: 2465///Survival: 17///X0...alive...1...dead: 1/  
OVC.TumorID: 2476///Survival: 86///X0...alive...1...dead: 1/  
OVC.TumorID: 2479///Survival: 95///X0...alive...1...dead: 0/  
OVC.TumorID: 2505///Survival: 95///X0...alive...1...dead: 0/  
OVC.TumorID: 2542///Survival: 36///X0...alive...1...dead: 1/  
OVC.TumorID: 2573///Survival: 7///X0...alive...1...dead: 1/  
OVC.TumorID: 2673///Survival: 74///X0...alive...1...dead: 0/  
OVC.TumorID: 2739///Survival: 67///X0...alive...1...dead: 0/  
OVC.TumorID: 2802///Survival: 24///X0...alive...1...dead: 1/

OVC.TumorID: 2849///Survival: 23///X0...alive...1...dead: 1//  
OVC.TumorID: 2895///Survival: 9///X0...alive...1...dead: 1//  
OVC.TumorID: 2967///Survival: 22///X0...alive...1...dead: 1//  
OVC.TumorID: 2981///Survival: 6///X0...alive...1...dead: 1//  
OVC.TumorID: 2999///Survival: 16///X0...alive...1...dead: 1//  
OVC.TumorID: 3018///Survival: 16///X0...alive...1...dead: 1//  
OVC.TumorID: 3090///Survival: 16///X0...alive...1...dead: 1//  
OVC.TumorID: 3102///Survival: 10///X0...alive...1...dead: 1//  
OVC.TumorID: 3107///Survival: 31///X0...alive...1...dead: 1//  
OVC.TumorID: 3142///Survival: 18///X0...alive...1...dead: 1//  
OVC.TumorID: 860///Survival: 17///X0...alive...1...dead: 1//  
OVC.TumorID: 872///Survival: 185///X0...alive...1...dead: 0//  
OVC.TumorID: 922///Survival: 183///X0...alive...1...dead: 1//  
OVC.TumorID: D1805///Survival: 9///X0...alive...1...dead: 1//  
OVC.TumorID: D1837///Survival: 83///X0...alive...1...dead: 0//  
OVC.TumorID: D1859///Survival: 110///X0...alive...1...dead: 1//  
OVC.TumorID: D2098///Survival: 42///X0...alive...1...dead: 1//  
OVC.TumorID: D2208///Survival: 2///X0...alive...1...dead: 0//  
OVC.TumorID: D2332///Survival: 27///X0...alive...1...dead: 1//  
OVC.TumorID: D2342///Survival: 20///X0...alive...1...dead: 1//  
OVC.TumorID: D2358///Survival: 9///X0...alive...1...dead: 1//  
OVC.TumorID: D2421///Survival: 12///X0...alive...1...dead: 1//  
OVC.TumorID: D2432///Survival: 34///X0...alive...1...dead: 1//  
OVC.TumorID: D2433///Survival: 49///X0...alive...1...dead: 0//



OVC.TumorID: D2480///Survival: 34///X0...alive...1...dead: 1//  
OVC.TumorID: D2557///Survival: 62///X0...alive...1...dead: 0//  
OVC.TumorID: D2559///Survival: 5///X0...alive...1...dead: 1//  
OVC.TumorID: D2560///Survival: 91///X0...alive...1...dead: 0//  
OVC.TumorID: D2572///Survival: 37///X0...alive...1...dead: 0//  
OVC.TumorID: D2575///Survival: 33///X0...alive...1...dead: 1//  
OVC.TumorID: D2576///Survival: 17///X0...alive...1...dead: 1//  
OVC.TumorID: D2581///Survival: 63///X0...alive...1...dead: 0//  
OVC.TumorID: D2603///Survival: 42///X0...alive...1...dead: 0//  
OVC.TumorID: D2611///Survival: 2///X0...alive...1...dead: 1//  
OVC.TumorID: D2629///Survival: 36///X0...alive...1...dead: 0//  
OVC.TumorID: D2640///Survival: 1///X0...alive...1...dead: 1//  
OVC.TumorID: D2648///Survival: 35///X0...alive...1...dead: 1//  
OVC.TumorID: D2668///Survival: 40///X0...alive...1...dead: 0//  
OVC.TumorID: D2689///Survival: 45///X0...alive...1...dead: 0//  
OVC.TumorID: D2691///Survival: 63///X0...alive...1...dead: 0//  
OVC.TumorID: D2700///Survival: 74///X0...alive...1...dead: 0//  
OVC.TumorID: D2726///Survival: 71///X0...alive...1...dead: 0//  
OVC.TumorID: D2727///Survival: 53///X0...alive...1...dead: 0//  
OVC.TumorID: D2733///Survival: 55///X0...alive...1...dead: 0//  
OVC.TumorID: D2738///Survival: 68///X0...alive...1...dead: 0//  
OVC.TumorID: D2749///Survival: 24///X0...alive...1...dead: 1//  
OVC.TumorID: D2776///Survival: 10///X0...alive...1...dead: 1//  
OVC.TumorID: D2792///Survival: 16///X0...alive...1...dead: 1//

OVC.TumorID: M1054///Survival: 101///X0...alive...1...dead: 0///Assigned

OVC.TumorID: M1055///Survival: 13///X0...alive...1...dead: 0///Assigned

OVC.TumorID: M120///Survival: 35///X0...alive...1...dead: 1///Assigned

OVC.TumorID: M1241///Survival: 95///X0...alive...1...dead: 0///Assigned.S

OVC.TumorID: M1390///Survival: 46///X0...alive...1...dead: 0///Assigned

OVC.TumorID: M1503///Survival: 53///X0...alive...1...dead: 1///Assigned

OVC.TumorID: M1572///Survival: 22///X0...alive...1...dead: 1///Assigned

OVC.TumorID: M17///Survival: 17///X0...alive...1...dead: 0///Assigned.Sta

OVC.TumorID: M1891///Survival: 12///X0...alive...1...dead: 0///Assigned.Stage: 4///

OVC.TumorID: M2070///Survival: 65///X0...alive...1...dead: 0///Assigned.S

OVC.TumorID: M2097///Survival: 58///X0...alive...1...dead: 0///Assigned

OVC.TumorID: M2184///Survival: 34///X0...alive...1...dead: 0///Assigned

Value

An expression set

PMID19318476	<i>Microarray analysis of early stage serous ovarian cancers shows profiles predictive of favorable outcome.</i>
--------------	--

Description

Although few women with advanced serous ovarian cancer are cured, detection of the disease at an early stage is associated with a much higher likelihood of survival. We previously used gene expression array analysis to distinguish subsets of advanced cancers based on disease outcome. In the present study, we report on gene expression of early-stage cancers and validate our prognostic model for advanced-stage cancers.Frozen specimens from 39 stage I/II, 42 stage III/IV, and 20 low malignant potential cancers were obtained from four different sites. A linear discriminant model was used to predict survival based upon array data.We validated the late-stage survival model and show that three of the most differentially expressed genes continue to be predictive of outcome. Most early-stage cancers (38 of 39 invasive, 15 of 20 low malignant potential) were classified as

long-term survivors (median probabilities 0.97 and 0.86). MAL, the most differentially expressed gene, was further validated at the protein level and found to be an independent predictor of poor survival in an unselected group of advanced serous cancers ( $P = 0.0004$ ). These data suggest that serous ovarian cancers detected at an early stage generally have a favorable underlying biology similar to advanced-stage cases that are long-term survivors. Conversely, most late-stage ovarian cancers seem to have a more virulent biology. This insight suggests that if screening approaches are to succeed it will be necessary to develop approaches that are able to detect these virulent cancers at an early stage.

## Format

```
experimentData(eset):
Experiment data
  Experimenter name: Berchuck A, Iversen ES, Luo J, Clarke JP, Horne H, Levine DA,
  Laboratory: Berchuck, Lancaster 2009
  Contact information:
  Title: Microarray analysis of early stage serous ovarian cancers shows profiles p
  URL:
  PMIDs: 19318476

Abstract: A 241 word abstract is available. Use 'abstract' method.
Information is available on: preprocessing
notes:
  platform_title:
    [HG-U133A] Affymetrix Human Genome U133A Array
  platform_shorttitle:
    Affymetrix HG-U133A
  platform_summary:
    hgu133a
  platform_manufacturer:
    Affymetrix
  platform_distribution:
    commercial
  platform_accession:
    GPL96
  warnings:
    These samples are a subset of PMID17290060.
  version:
    2015-09-22 20:20:30

featureData(eset):
An object of class 'AnnotatedDataFrame'
  featureNames: 1007_s_at 1053_at ... AFFX-HUMISGF3A/M97935_MB_at
    (20967 total)
  varLabels: probeset gene EntrezGene.ID best_probe
  varMetadata: labelDescription
```

Details

assayData: 20967 features, 42 samples  
Platform type:  
Overall survival time-to-event summary (in years):  
Call: survfit(formula = Surv(time, cens) ~ -1)

n	events	median	0.95LCL	0.95UCL
42.00	22.00	2.79	2.30	NA

-----  
Available sample meta-data:  
-----

alt_sample_name:													
D1462	D1805	D2171	D2208	D2247	D2332	D2432	D2480	D2559	D2560	D2575	D2576	D2611	
1	1	1	1	1	1	1	1	1	1	1	1	1	
D2629	D2640	D2648	D2736	D2749	D2776	D2792	M1025	M1054	M1055	M120	M1241	M1572	
1	1	1	1	1	1	1	1	1	1	1	1	1	
M17	M1777	M1891	M2184	M2515	M2807	M3035	M337	M3484	M359	M4161	M444	M503	
1	1	1	1	1	1	1	1	1	1	1	1	1	
M5668	M5775	M806											
1	1	1											

sample\_type:  
tumor  
42

histological\_type:  
ser  
42

summarygrade:  
high low NA's  
24 17 1

summarystage:  
early late NA's  
2 39 1

tumorstage:  
1 2 3 4 NA's  
1 1 29 10 1

substage:  
a b c NA's  
1 1 29 11

grade:

1	2	3	NA's
2	15	24	1

age\_at\_initial\_pathologic\_diagnosis:

Min.	1st Qu.	Median	Mean	3rd Qu.	Max.	NA's
33.00	55.00	62.00	61.46	70.00	81.00	1

recurrence\_status:

norecurrence	recurrence
6	36

days\_to\_death:

Min.	1st Qu.	Median	Mean	3rd Qu.	Max.
30.0	367.5	825.0	1105.0	1050.0	3420.0

vital\_status:

deceased	living
22	20

debulking:

optimal	suboptimal	NA's
20	21	1

batch:

2004-03-09	2004-03-16	2004-04-20	2004-05-18	2004-05-21	2004-05-27	2004-06-22
14	3	4	8	6	5	1
2004-06-23						
1						

uncurated\_author\_metadata:

Tumor: D2560///NEW.Response: CR///SHORT.LONG: NA///AgeDx: 60///DateDx: 5/14/1996///

Value

An expression set

---

TCGA.RNASeqV2	<i>Integrated genomic analyses of ovarian carcinoma.</i>
---------------	--

---

Description

A catalogue of molecular aberrations that cause ovarian cancer is critical for developing and deploying therapies that will improve patients' lives. The Cancer Genome Atlas project has analysed messenger RNA expression, microRNA expression, promoter methylation and DNA copy number in 489 high-grade serous ovarian adenocarcinomas and the DNA sequences of exons from coding genes in 316 of these tumours. Here we report that high-grade serous ovarian cancer is characterized by TP53 mutations in almost all tumours (96%); low prevalence but statistically recurrent somatic mutations in nine further genes including NF1, BRCA1, BRCA2, RB1 and CDK12; 113 significant focal DNA copy number aberrations; and promoter methylation events involving 168 genes. Analyses delineated four ovarian cancer transcriptional subtypes, three microRNA subtypes, four promoter methylation subtypes and a transcriptional signature associated with survival duration, and shed new light on the impact that tumours with BRCA1/2 (BRCA1 or BRCA2) and CCNE1 aberrations have on survival. Pathway analyses suggested that homologous recombination is defective in about half of the tumours analysed, and that NOTCH and FOXM1 signalling are involved in serous ovarian cancer pathophysiology.

**Format**

```

experimentData(eset):
Experiment data
  Experimenter name: Integrated genomic analyses of ovarian carcinoma. Nature 2011,
  Laboratory: Cancer Genome Atlas Research Network 2011
  Contact information:
  Title: Integrated genomic analyses of ovarian carcinoma.
  URL:
  PMIDs: 21720365

Abstract: A 179 word abstract is available. Use 'abstract' method.
Information is available on: preprocessing
notes:
  platform_title:
    [RNASeqV2] Illumina HiSeq RNA sequencing
  platform_shorttitle:
    Illumina HiSeq RNA sequencing
  platform_summary:
    NA
  platform_manufacturer:
    Illumina
  platform_distribution:
    sequencing
  platform_accession:
    NA
  platform_technology:
    RNA sequencing
  version:
    2015-09-22 20:27:26

featureData(eset):
An object of class 'AnnotatedDataFrame'
  featureNames: ?|100133144 ?|100134869 ... ZZZ3|26009 (20471 total)
  varLabels: probeset gene EntrezGene.ID best_probe
  varMetadata: labelDescription

```

**Details**

```

assayData: 20471 features, 261 samples
Platform type:
Overall survival time-to-event summary (in years):
Call: survfit(formula = Surv(time, cens) ~ -1)

      5 observations deleted due to missingness
      n  events  median 0.95LCL 0.95UCL
256.00 143.00   3.62   3.19   4.03

```



-----  
 Available sample meta-data:  
 -----

alt\_sample\_name:

TCGA-04-1348-01A-01R-1565-13	TCGA-04-1357-01A-01R-1565-13
1	1
TCGA-04-1362-01A-01R-1565-13	TCGA-04-1364-01A-01R-1565-13
1	1
TCGA-04-1365-01A-01R-1565-13	TCGA-04-1514-01A-01R-1566-13
1	1
TCGA-04-1519-01A-01R-1565-13	TCGA-09-0364-01A-02R-1564-13
1	1
TCGA-09-0366-01A-01R-1564-13	TCGA-09-0367-01A-01R-1564-13
1	1
TCGA-09-0369-01A-01R-1564-13	TCGA-09-1662-01A-01R-1566-13
1	1
TCGA-09-1666-01A-01R-1566-13	TCGA-09-1667-01C-01R-1566-13
1	1
TCGA-09-1668-01B-01R-1566-13	TCGA-09-1669-01A-01R-1566-13
1	1
TCGA-09-1670-01A-01R-1566-13	TCGA-09-1673-01A-01R-1566-13
1	1
TCGA-09-1674-01A-01R-1566-13	TCGA-09-2044-01B-01R-1568-13
1	1
TCGA-09-2045-01A-01R-1568-13	TCGA-09-2048-01A-01R-1568-13
1	1
TCGA-09-2051-01A-01R-1568-13	TCGA-09-2054-01A-01R-1568-13
1	1
TCGA-09-2056-01B-01R-1568-13	TCGA-10-0928-01A-02R-1564-13
1	1
TCGA-10-0936-01A-01R-1564-13	TCGA-13-0730-01A-01R-1564-13
1	1
TCGA-13-0799-01A-01R-1564-13	TCGA-13-0800-01A-01R-1564-13
1	1
TCGA-13-0801-01A-01R-1564-13	TCGA-13-0890-01A-01R-1564-13
1	1
TCGA-13-0893-01B-01R-1565-13	TCGA-13-0897-01A-01R-1564-13
1	1
TCGA-13-0899-01A-01R-1564-13	TCGA-13-0913-01A-01R-1564-13
1	1
TCGA-13-0916-01A-01R-1564-13	TCGA-13-0920-01A-01R-1564-13
1	1
TCGA-13-0924-01A-01R-1564-13	TCGA-13-1403-01A-01R-1565-13
1	1
TCGA-13-1405-01A-01R-1565-13	TCGA-13-1410-01A-01R-1565-13
1	1
TCGA-13-1481-01A-01R-1565-13	TCGA-13-1497-01A-01R-1565-13

TCGA-13-1498-01A-01R-1565-13	1	TCGA-13-1505-01A-01R-1565-13	1
TCGA-13-1506-01A-01R-1565-13	1	TCGA-13-1507-01A-01R-1565-13	1
TCGA-13-1511-01A-01R-1565-13	1	TCGA-13-1512-01A-01R-1565-13	1
TCGA-13-2060-01A-01R-1568-13	1	TCGA-20-1682-01A-01R-1564-13	1
TCGA-20-1683-01A-01R-1566-13	1	TCGA-20-1684-01A-01R-1566-13	1
TCGA-20-1685-01A-01R-1566-13	1	TCGA-20-1687-01A-01R-1566-13	1
TCGA-23-1023-01A-02R-1564-13	1	TCGA-23-1026-01B-01R-1569-13	1
TCGA-23-1027-01A-02R-1564-13	1	TCGA-23-1029-01B-01R-1567-13	1
TCGA-23-1109-01A-01R-1564-13	1	TCGA-23-1111-01A-01R-1567-13	1
TCGA-23-1114-01B-01R-1566-13	1	TCGA-23-1120-01A-02R-1565-13	1
TCGA-23-1122-01A-01R-1565-13	1	TCGA-23-1123-01A-01R-1565-13	1
TCGA-23-1809-01A-01R-1566-13	1	TCGA-23-2077-01A-01R-1568-13	1
TCGA-23-2081-01A-01R-1568-13	1	TCGA-23-2084-01A-02R-1568-13	1
TCGA-24-0975-01A-02R-1565-13	1	TCGA-24-1103-01A-01R-1565-13	1
TCGA-24-1413-01A-01R-1565-13	1	TCGA-24-1416-01A-01R-1565-13	1
TCGA-24-1417-01A-01R-1565-13	1	TCGA-24-1418-01A-01R-1565-13	1
TCGA-24-1419-01A-01R-1565-13	1	TCGA-24-1423-01A-01R-1565-13	1
TCGA-24-1424-01A-01R-1565-13	1	TCGA-24-1427-01A-01R-1565-13	1
TCGA-24-1428-01A-01R-1564-13	1	TCGA-24-1430-01A-01R-1566-13	1
TCGA-24-1436-01A-01R-1566-13	1	TCGA-24-1467-01A-01R-1566-13	1
TCGA-24-1469-01A-01R-1566-13	1	TCGA-24-1474-01A-01R-1566-13	1
TCGA-24-1544-01A-01R-1566-13	1	TCGA-24-1548-01A-01R-1566-13	1
TCGA-24-1549-01A-01R-1566-13	1	TCGA-24-1550-01A-01R-1566-13	1
TCGA-24-1551-01A-01R-1566-13	1	TCGA-24-1552-01A-01R-1566-13	1

	1	1
TCGA-24-1553-01A-01R-1566-13	TCGA-24-1555-01A-01R-1566-13	
	1	1
TCGA-24-1556-01A-01R-1566-13	TCGA-24-1557-01A-01R-1566-13	
	1	1
TCGA-24-1558-01A-01R-1566-13	TCGA-24-1560-01A-01R-1566-13	
	1	1
TCGA-24-1562-01A-01R-1566-13	(Other)	
	1	162

unique\_patient\_ID:

TCGA-04-1348	TCGA-04-1357	TCGA-04-1362	TCGA-04-1364	TCGA-04-1365	TCGA-04-1514
1	1	1	1	1	1
TCGA-04-1519	TCGA-09-0364	TCGA-09-0366	TCGA-09-0367	TCGA-09-0369	TCGA-09-1662
1	1	1	1	1	1
TCGA-09-1666	TCGA-09-1667	TCGA-09-1668	TCGA-09-1669	TCGA-09-1670	TCGA-09-1673
1	1	1	1	1	1
TCGA-09-1674	TCGA-09-2044	TCGA-09-2045	TCGA-09-2048	TCGA-09-2051	TCGA-09-2054
1	1	1	1	1	1
TCGA-09-2056	TCGA-10-0928	TCGA-10-0936	TCGA-13-0730	TCGA-13-0799	TCGA-13-0800
1	1	1	1	1	1
TCGA-13-0801	TCGA-13-0890	TCGA-13-0893	TCGA-13-0897	TCGA-13-0899	TCGA-13-0913
1	1	1	1	1	1
TCGA-13-0916	TCGA-13-0920	TCGA-13-0924	TCGA-13-1403	TCGA-13-1405	TCGA-13-1410
1	1	1	1	1	1
TCGA-13-1481	TCGA-13-1497	TCGA-13-1498	TCGA-13-1505	TCGA-13-1506	TCGA-13-1507
1	1	1	1	1	1
TCGA-13-1511	TCGA-13-1512	TCGA-13-2060	TCGA-20-1682	TCGA-20-1683	TCGA-20-1684
1	1	1	1	1	1
TCGA-20-1685	TCGA-20-1687	TCGA-23-1023	TCGA-23-1026	TCGA-23-1027	TCGA-23-1029
1	1	1	1	1	1
TCGA-23-1109	TCGA-23-1111	TCGA-23-1114	TCGA-23-1120	TCGA-23-1122	TCGA-23-1123
1	1	1	1	1	1
TCGA-23-1809	TCGA-23-2077	TCGA-23-2081	TCGA-23-2084	TCGA-24-0975	TCGA-24-1103
1	1	1	1	1	1
TCGA-24-1413	TCGA-24-1416	TCGA-24-1417	TCGA-24-1418	TCGA-24-1419	TCGA-24-1423
1	1	1	1	1	1
TCGA-24-1424	TCGA-24-1427	TCGA-24-1428	TCGA-24-1430	TCGA-24-1436	TCGA-24-1467
1	1	1	1	1	1
TCGA-24-1469	TCGA-24-1474	TCGA-24-1544	TCGA-24-1548	TCGA-24-1549	TCGA-24-1550
1	1	1	1	1	1
TCGA-24-1551	TCGA-24-1552	TCGA-24-1553	TCGA-24-1555	TCGA-24-1556	TCGA-24-1557
1	1	1	1	1	1
TCGA-24-1558	TCGA-24-1560	TCGA-24-1562	(Other)		
1	1	1	162		

sample\_type:  
tumor

```

261

histological_type:
ser
261

primarysite:
other    ov
    1    260

summarygrade:
high  low NA's
226   29    6

summarystage:
early  late NA's
    18   242    1

tumorstage:
    2    3    4 NA's
    18  209   33    1

substage:
    b    c NA's
    16  211   34

grade:
    1    2    3    4 NA's
    1    28  225    1    6

age_at_initial_pathologic_diagnosis:
      Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
34.00    51.00    58.00   58.84   66.00   87.00

pltx:
    n    y NA's
    17  215   29

tax:
    n    y NA's
    17  215   29

neo:
    n NA's
    232   29

days_to_tumor_recurrence:
      Min. 1st Qu.  Median    Mean 3rd Qu.    Max.    NA's

```

9.0      225.0      426.5      585.3      755.0      5480.0      19

```
recurrence_status:
```

norecurrence	recurrence
123	138

```
days_to_death:
```

Min.	1st Qu.	Median	Mean	3rd Qu.	Max.	NA's
9.0	341.8	878.0	1018.0	1446.0	5480.0	5

vital\_status:

deceased	living	NA's
143	114	4

```
site_of_tumor_first_recurrence:
```

locoregional	metastasis	NA's
82	56	123

```
primary_therapy_outcome_success:
```

completeresponse	partialresponse	progressivedisease	stabledisease
147	30	15	15
NA's			
54			

debulking:

optimal	suboptimal	NA's
171	60	30

percent\_normal\_cells:

Min.	1st Qu.	Median	Mean	3rd Qu.	Max.	NA's
0.000	0.000	0.000	2.066	0.000	55.000	5

percent\_stromal\_cells:

Min.	1st Qu.	Median	Mean	3rd Qu.	Max.	NA's
0.00	5.00	10.00	11.43	15.00	70.00	4

percent\_tumor\_cells:

Min.	1st Qu.	Median	Mean	3rd Qu.	Max.	NA's
0.00	77.00	85.00	82.07	90.00	100.00	4

uncurated\_author\_metadata:

age\_at\_initial\_pathologic\_diagnosis: 38///anatomic\_organ\_subdivision: Bilateral///k

age\_at\_initial\_

age\_at\_in

age\_at\_initial\_pathologic\_diagn

age\_at\_initial\_pathologic\_diagnosis: 4

age\_at\_initial\_pathologic\_diagnosi

age\_at\_in

age\_at\_initial\_pathologic\_diagnosis: 42///anatomic\_organ\_subdivi

age\_at\_initial\_pathologic\_diagnosis: 4

age\_at\_init

age\_at\_initial\_path

age\_at\_initial\_pathol

a

age\_at\_initial\_patholog

ag

age\_at\_initial\_p

age\_at\_initial\_pathologic\_diagnosis: 45///anatomic\_or

age\_at

age\_at\_initial\_pathologic\_diagnosis: 45///anato

age\_at\_initial\_patholog

age\_at\_initial\_pathologic

age\_at\_initial\_pathologic\_diagnosis

age\_at\_initial\_pathologic\_diagnosis: 45///anatomic\_organ\_subdivision:

age\_at\_initial\_pathologic\_dia

age\_at\_initial\_pathologic\_diagnosis: 46///anatomic\_organ\_subdivision:

```
age_at_initial_pathologic_diagnosis: 47
```

age\_at\_initial\_pathologic\_diagnosis

```
age_at_initial_pathologic_diagnosis: 47///anatomic
```

age\_at\_initial\_

age\_at\_initial\_pathologic\_diagnosis: 47///anatomic\_or

```
age_at_initial_pathologic_diagnosis: 48///ana
```

age\_at

age\_

age\_at\_initial\_pathologic\_dia





age\_at\_initial\_pathologic\_c  
age\_at\_initial\_pathologic\_diagn  
  
age\_at\_  
age\_at\_initial\_pathologic\_diagnosis:  
age\_at\_initial\_pathol  
age\_at\_initial\_pathologic\_diagn  
age\_at\_initial\_pathologic\_diagnosis: 53///anatomic\_organ\_sub  
age\_at\_initial\_pathologic\_diagnosis:  
age\_at\_initial\_pathologic\_diagnosis: 53///anatomic  
age\_at\_initial\_pathol  
  
age\_at\_initial\_pathologic\_diagnosis: 54///anatomic\_organ\_subdivision  
age\_at\_i  
age\_at\_initia  
  
age\_at\_init  
age\_at\_initial\_pathologic\_diagnosis: 54///anatomic\_organ\_subdivisi  
  
age

**Value**

An expression set

TCGAOVARIAN

*Integrated genomic analyses of ovarian carcinoma.***Description**

A catalogue of molecular aberrations that cause ovarian cancer is critical for developing and deploying therapies that will improve patients' lives. The Cancer Genome Atlas project has analysed messenger RNA expression, microRNA expression, promoter methylation and DNA copy number in 489 high-grade serous ovarian adenocarcinomas and the DNA sequences of exons from coding genes in 316 of these tumours. Here we report that high-grade serous ovarian cancer is characterized by TP53 mutations in almost all tumours (96%); low prevalence but statistically recurrent somatic mutations in nine further genes including NF1, BRCA1, BRCA2, RB1 and CDK12; 113 significant focal DNA copy number aberrations; and promoter methylation events involving 168 genes. Analyses delineated four ovarian cancer transcriptional subtypes, three microRNA subtypes, four promoter methylation subtypes and a transcriptional signature associated with survival duration, and shed new light on the impact that tumours with BRCA1/2 (BRCA1 or BRCA2) and CCNE1 aberrations have on survival. Pathway analyses suggested that homologous recombination is defective in about half of the tumours analysed, and that NOTCH and FOXM1 signalling are involved in serous ovarian cancer pathophysiology.

**Format**

```

experimentData(eset):
Experiment data
  Experimenter name: Integrated genomic analyses of ovarian carcinoma. Nature 2011,
  Laboratory: Cancer Genome Atlas Research Network 2011
  Contact information:
  Title: Integrated genomic analyses of ovarian carcinoma.
  URL:
  PMIDs: 21720365

Abstract: A 179 word abstract is available. Use 'abstract' method.
Information is available on: preprocessing
notes:
  platform_title:
    [HT_HG-U133A] Affymetrix HT Human Genome U133A Array
  platform_shorttitle:
    Affymetrix HT_HG-U133A
  platform_summary:
    hthgul33a

```

```

platform_manufacturer:
  Affymetrix
platform_distribution:
  commercial
platform_accession:
  GPL3921
warnings:
  The following samples are likely from specimens also used in GSE26712: TCG
  A.13.0725, TCGA.13.0885, TCGA.13.0887, TCGA.13.0890, TCGA.13.0886, TCGA.13
  .0714, TCGA.13.0727, TCGA.13.1817, TCGA.13.1499, TCGA.13.0883
version:
  2015-09-22 20:25:15

featureData(eset):
An object of class 'AnnotatedDataFrame'
  featureNames: 1007_s_at 1053_at ... AFFX-M27830_M_at (21260 total)
  varLabels: probeset gene EntrezGene.ID best_probe
  varMetadata: labelDescription

```

## Details

```

assayData: 21260 features, 578 samples
Platform type:
Overall survival time-to-event summary (in years):
Call: survfit(formula = Surv(time, cens) ~ -1)

```

```

  21 observations deleted due to missingness
      n  events  median 0.95LCL 0.95UCL
557.00  290.00    3.73    3.45    4.06

```

```

-----
Available sample meta-data:
-----

```

```

alt_sample_name:
TCGA-01-0628-11A-01R-0362-01 TCGA-01-0630-11A-01R-0362-01
                                1                                1
TCGA-01-0631-11A-01R-0362-01 TCGA-01-0633-11A-01R-0362-01
                                1                                1
TCGA-01-0636-11A-01R-0362-01 TCGA-01-0637-11A-01R-0362-01
                                1                                1
TCGA-01-0639-11A-01R-0362-01 TCGA-01-0642-11A-02R-0362-01
                                1                                1
TCGA-04-1331-01A-01R-0434-01 TCGA-04-1332-01A-01R-0434-01
                                1                                1
TCGA-04-1335-01A-01R-0434-01 TCGA-04-1336-01A-01R-0434-01
                                1                                1
TCGA-04-1337-01A-01R-0434-01 TCGA-04-1338-01A-01R-0434-01

```

TCGA-04-1341-01A-01R-0434-01	1	TCGA-04-1342-01A-01R-0434-01	1
TCGA-04-1343-01A-01R-0434-01	1	TCGA-04-1346-01A-01R-0434-01	1
TCGA-04-1347-01A-01R-0434-01	1	TCGA-04-1348-01A-01R-0453-01	1
TCGA-04-1349-01A-01R-0453-01	1	TCGA-04-1350-01A-01R-0453-01	1
TCGA-04-1351-01A-01R-0453-01	1	TCGA-04-1353-01A-01R-1048-01	1
TCGA-04-1356-01A-01R-0453-01	1	TCGA-04-1357-01A-01R-0453-01	1
TCGA-04-1360-01A-01R-0453-01	1	TCGA-04-1361-01A-01R-0453-01	1
TCGA-04-1362-01A-01R-0453-01	1	TCGA-04-1364-01A-01R-0453-01	1
TCGA-04-1365-01A-01R-0453-01	1	TCGA-04-1367-01A-01R-0453-01	1
TCGA-04-1369-01A-02R-1048-01	1	TCGA-04-1371-01A-01R-0453-01	1
TCGA-04-1514-01A-01R-0502-01	1	TCGA-04-1516-01A-01R-1048-01	1
TCGA-04-1517-01A-01R-0538-01	1	TCGA-04-1519-01A-01R-0538-01	1
TCGA-04-1525-01A-01R-0538-01	1	TCGA-04-1530-01A-02R-0502-01	1
TCGA-04-1536-01A-01R-0538-01	1	TCGA-04-1542-01A-01R-0502-01	1
TCGA-04-1638-01A-01R-0582-01	1	TCGA-04-1644-01B-01R-1048-01	1
TCGA-04-1646-01A-01R-0582-01	1	TCGA-04-1648-01A-01R-0582-01	1
TCGA-04-1649-01A-01R-0582-01	1	TCGA-04-1651-01A-01R-0582-01	1
TCGA-04-1652-01A-01R-0582-01	1	TCGA-04-1654-01A-02R-0653-01	1
TCGA-04-1655-01A-01R-0564-01	1	TCGA-09-0364-01A-02R-0362-01	1
TCGA-09-0365-01A-02R-0362-01	1	TCGA-09-0366-01A-01R-0362-01	1
TCGA-09-0367-01A-01R-0362-01	1	TCGA-09-0369-01A-01R-0362-01	1
TCGA-09-1659-01B-01R-0538-01	1	TCGA-09-1661-01B-01R-0538-01	1
TCGA-09-1662-01A-01R-0538-01	1	TCGA-09-1664-01A-01R-0582-01	1
TCGA-09-1665-01B-01R-0538-01	1	TCGA-09-1666-01A-01R-0538-01	1

TCGA-09-1667-01C-01R-0538-01	1	TCGA-09-1668-01B-01R-0538-01	1
TCGA-09-1669-01A-01R-0538-01	1	TCGA-09-1670-01A-01R-0564-01	1
TCGA-09-1672-01A-01R-0564-01	1	TCGA-09-1673-01A-01R-0564-01	1
TCGA-09-1674-01A-01R-0564-01	1	TCGA-09-1675-01B-01R-0564-01	1
TCGA-09-2043-01A-01R-0709-01	1	TCGA-09-2044-01B-01R-0709-01	1
TCGA-09-2045-01A-01R-0709-01	1	TCGA-09-2048-01A-01R-0709-01	1
TCGA-09-2049-01D-01R-0709-01	1	TCGA-09-2050-01A-01R-0709-01	1
TCGA-09-2051-01A-01R-0709-01	1	TCGA-09-2053-01C-01R-0668-01	1
TCGA-09-2054-01A-01R-0668-01	1	TCGA-09-2055-01B-01R-0709-01	1
TCGA-09-2056-01B-01R-0668-01	1	TCGA-10-0925-01B-01R-0653-01	1
TCGA-10-0926-01A-01R-0404-01	1	TCGA-10-0927-01A-02R-0404-01	1
TCGA-10-0928-01A-02R-0404-01	1	TCGA-10-0930-01A-02R-0404-01	1
TCGA-10-0931-01A-01R-0404-01	1	TCGA-10-0933-01A-01R-0404-01	1
TCGA-10-0934-01A-02R-0404-01	1	TCGA-10-0935-01A-02R-0404-01	1
TCGA-10-0936-01A-01R-0404-01	1	TCGA-10-0937-01A-02R-0404-01	1
TCGA-10-0938-01A-02R-0404-01	1	TCGA-13-0714-01A-01R-0362-01	1
TCGA-13-0717-01A-01R-0362-01	1	TCGA-13-0720-01A-01R-0362-01	1
TCGA-13-0723-01A-02R-0362-01	1	TCGA-13-0724-01A-01R-0362-01	1
(Other)	479	NA's	1

unique\_patient\_ID:

TCGA-01-0628	TCGA-01-0630	TCGA-01-0631	TCGA-01-0633	TCGA-01-0636	TCGA-01-0637
1	1	1	1	1	1
TCGA-01-0639	TCGA-01-0642	TCGA-04-1331	TCGA-04-1332	TCGA-04-1335	TCGA-04-1336
1	1	1	1	1	1
TCGA-04-1337	TCGA-04-1338	TCGA-04-1341	TCGA-04-1342	TCGA-04-1343	TCGA-04-1346
1	1	1	1	1	1
TCGA-04-1347	TCGA-04-1348	TCGA-04-1349	TCGA-04-1350	TCGA-04-1351	TCGA-04-1353

1	1	1	1	1	1
TCGA-04-1356	TCGA-04-1357	TCGA-04-1360	TCGA-04-1361	TCGA-04-1362	TCGA-04-1364
1	1	1	1	1	1
TCGA-04-1365	TCGA-04-1367	TCGA-04-1369	TCGA-04-1371	TCGA-04-1514	TCGA-04-1516
1	1	1	1	1	1
TCGA-04-1517	TCGA-04-1519	TCGA-04-1525	TCGA-04-1530	TCGA-04-1536	TCGA-04-1542
1	1	1	1	1	1
TCGA-04-1638	TCGA-04-1644	TCGA-04-1646	TCGA-04-1648	TCGA-04-1649	TCGA-04-1651
1	1	1	1	1	1
TCGA-04-1652	TCGA-04-1654	TCGA-04-1655	TCGA-09-0364	TCGA-09-0365	TCGA-09-0366
1	1	1	1	1	1
TCGA-09-0367	TCGA-09-0369	TCGA-09-1659	TCGA-09-1661	TCGA-09-1662	TCGA-09-1664
1	1	1	1	1	1
TCGA-09-1665	TCGA-09-1666	TCGA-09-1667	TCGA-09-1668	TCGA-09-1669	TCGA-09-1670
1	1	1	1	1	1
TCGA-09-1672	TCGA-09-1673	TCGA-09-1674	TCGA-09-1675	TCGA-09-2043	TCGA-09-2044
1	1	1	1	1	1
TCGA-09-2045	TCGA-09-2048	TCGA-09-2049	TCGA-09-2050	TCGA-09-2051	TCGA-09-2053
1	1	1	1	1	1
TCGA-09-2054	TCGA-09-2055	TCGA-09-2056	TCGA-10-0925	TCGA-10-0926	TCGA-10-0927
1	1	1	1	1	1
TCGA-10-0928	TCGA-10-0930	TCGA-10-0931	TCGA-10-0933	TCGA-10-0934	TCGA-10-0935
1	1	1	1	1	1
TCGA-10-0936	TCGA-10-0937	TCGA-10-0938	TCGA-13-0714	TCGA-13-0717	TCGA-13-0720
1	1	1	1	1	1
TCGA-13-0723	TCGA-13-0724	TCGA-13-0725	(Other)		
1	1	1	479		

sample\_type:

adjacentnormal	tumor
8	570

histological\_type:

ser	NA's
568	10

primarysite:

other	ov	NA's
4	564	10

summarygrade:

high	low	NA's
480	75	23

summarystage:

early	late	NA's
43	520	15

## tumorstage:

1	2	3	4	NA's
16	27	436	84	15

## substage:

b	c	NA's
31	448	99

## grade:

1	2	3	4	NA's
6	69	479	1	23

## age\_at\_initial\_pathologic\_diagnosis:

Min.	1st Qu.	Median	Mean	3rd Qu.	Max.	NA's
26.00	51.00	59.00	59.70	68.25	89.00	10

## pltx:

n	y	NA's
19	492	67

## tax:

n	y	NA's
43	468	67

## neo:

n	NA's
511	67

## days\_to\_tumor\_recurrence:

Min.	1st Qu.	Median	Mean	3rd Qu.	Max.	NA's
8.0	238.2	443.5	623.7	812.0	5480.0	56

## recurrence\_status:

norecurrence	recurrence
279	299

## days\_to\_death:

Min.	1st Qu.	Median	Mean	3rd Qu.	Max.	NA's
8	349	881	1010	1446	5480	21

## vital\_status:

deceased	living	NA's
290	270	18

## site\_of\_tumor\_first\_recurrence:

locoregional	locoregional_plus_metastatic	metastasis	NA's
153	3		

143

279

```
primary_therapy_outcome_success:
```

completeresponse	partialresponse	progressivedisease	stabledisease
318	65	41	30
NA's			
124			

debulking:

optimal	suboptimal	NA's
367	140	71

percent\_normal\_cells:

Min.	1st Qu.	Median	Mean	3rd Qu.	Max.	NA's
0.000	0.000	0.000	2.385	0.000	55.000	19

percent\_stromal\_cells:

Min.	1st Qu.	Median	Mean	3rd Qu.	Max.	NA's
0.00	5.00	10.00	12.85	20.00	70.00	25

percent\_tumor\_cells:

Min.	1st Qu.	Median	Mean	3rd Qu.	Max.	NA's
0.00	75.00	85.00	80.64	90.00	100.00	22

batch:

Min.	1st Qu.	Median	Mean	3rd Qu.	Max.	NA's
9.00	13.00	17.00	18.55	22.00	40.00	1

uncurated\_author\_metadata:

```
age_at_initial_pathologic_diagnosis:
```

age\_at

age\_at\_initial\_pathologic\_

```
age_at_initial_pathologic_diagnosis: 37///an
```

age\_at\_initial\_pathologic\_diagnosis: 38///anatomic\_organ\_subdivision: Bilateral///h



age\_at\_initial\_pathologic\_diagnosis: 38///anatomic\_organ\_subdivision: Bil  
age\_at\_initial\_  
age\_at\_in  
age\_at\_initial\_pathologic\_diagnosis: 39///ana  
age\_at\_initial\_pathologic\_dia  
age\_at\_initial\_pathologic\_diagn  
age\_at\_initial\_pathologic\_diagnosis: 4  
age\_at\_initial\_pathologic\_diagnosis: 40///anatomic\_organ\_su  
age\_at\_initial\_pathologic\_diagnosi  
age\_at\_in  
age\_at\_initial\_patho  
age\_at\_initial\_pathologic\_dia  
age\_at\_initial\_pathologic\_diagnosis: 4  
age\_at\_initial\_pathologic\_diagnosis: 42///anatomic\_organ\_subdivi  
age\_at\_initial\_pat  
age\_at\_initial\_pathologic\_diagnosis: 42///anatomic\_organ  
age\_at\_initial\_pathol  
age\_at\_initial\_pathologic\_diagnosis: 4  
age\_at\_ini

```
age_at_initial_pathologic_diagnosis: 45//anatomic_or
```

age\_at

```
age_at_initial_pathologic_diagnosis: 45///anato
```

age\_at\_initial\_patholog

age\_at\_initial\_pathologic

age\_at\_initial\_pathologic\_diagnosis

age\_at\_initial\_pathologic\_diagnosis: 45///anatomic\_organ\_subdivision:

age\_at\_initial\_pathologic\_dia

```
age_at_initial_pathologic_diagnosis: 46///anatomic_organ_subdivisor
```

```
age_at_initial_pathologic_diagnosis: 46///anato
```

```
age_at_initial_pathologic_diagnosis: 47
```

age\_at\_initial\_pathologic

age\_at\_initial\_pathologic\_diagnosis

age\_at\_initial\_pathologic\_diagnosis

```
age_at_initial_pathologic_diagnosis: 47///anatomic
```

age\_at\_initial\_

age\_at\_initial\_pathologic\_diagnosis: 47///anatomic\_org

age\_at\_initial\_pathologic\_diagnosis: 48///ana

age\_at\_initial\_pathologic\_diagnosis

age\_at\_initial\_pathologic\_di

age\_at\_initial\_pathologic\_diagnosis: 48///ana

duplicates:  
Length      Class      Mode  
578 character character

**Value**

An expression set