

An Introduction to MAST

Andrew McDavid and Greg Finak

May 22, 2015

1 Philosophy

MAST is an R/Bioconductor package for managing and analyzing qPCR and sequencing-based single-cell gene expression data, as well as data from other types of single-cell assays. Our goal is to support assays that have multiple *features* (genes, markers, etc) per *well* (cell, etc) in a flexible manner. Assays are assumed to be mostly *complete* in the sense that most *wells* contain measurements for all features.

1.1 Internals

A `SingleCellAssay` object can be manipulated as a matrix, with rows giving wells and columns giving features.

1.2 Statistical Testing

Apart from reading and storing single-cell assay data, the package also provides functionality for significance testing of differential expression using a combined binomial and normal-theory likelihood ratio test, as well as filtering of individual outlier wells. These methods are described in our papers.

2 Examples

With the cursory background out of the way, we'll proceed with some examples to help understand how the package is used.

2.1 Reading Data

Data can be imported in a Fluidigm instrument-specific format (the details of which are undocumented, and likely subject-to-change) or some derived, annotated format, or in “long” (melted) format, in which each row is a measurement, so if there are N wells and M cells, then the `data.frame` should contain $N \times M$ rows. The use of key-value mappings makes the reading of various input formats very flexible, provided that they contain the minimal required information expected by the package.

For example, the following data set was provided in as a comma-separated value file. It has the cycle threshold (ct) recorded. Non-detected genes are recorded as NAs. For the Fluidigm/qPCR single cell expression functions to work as expected, we must use the *expression threshold*, defined as $et = c_{\max} - ct$, which is proportional to the log-expression.

Below, we load the package and the data, then compute the expression threshold from the ct , and construct a `FluidigmAssay`.

```
library(MAST)
library(data.table)

## data.table 1.9.4 For help type: ?data.table
## *** NB: by=.EACHI is now explicit. See README to restore previous behaviour.

library(plyr)

##
## Attaching package: 'plyr'
##
```

```

## The following object is masked from 'package:MAST':
##
##   summarize
##
## The following objects are masked from 'package:reshape':
##
##   rename, round_any

data(vbeta)
colnames(vbeta)

vbeta <- computeEtFromCt(vbeta)
vbeta.fa <- FluidigmAssay(vbeta, idvars=c("Subject.ID", "Chip.Number", "Well"),
                          primerid='Gene', measurement='Et', ncells='Number.of.Cells',
                          geneid="Gene", cellvars=c('Number.of.Cells', 'Population'),
                          phenovars=c('Stim.Condition', 'Time'), id='vbeta all')
show(vbeta.fa)

```

We see that the variable `vbeta` is a `data.frame` from which we construct the `FluidigmAssay` object. The `idvars` is the set of column(s) in `vbeta` that uniquely identify a well (globally), the `primerid` is a column(s) that specify the feature measured at this well. The `measurement` gives the column name containing the log-expression measurement, `ncells` contains the number of cells (or other normalizing factor) for the well. `geneid`, `cellvars`, `phenovars` all specify additional columns to be included in the `featureData`, `phenoData` and `cellData` (TODO: `wellData`). The output is a `FluidigmAssay` object with 456 wells and 75 features.

We can access the feature-level metadata and the cell-level metadata using the `fData` and `cData` accessors.

```

head(fData(vbeta.fa),3)

##      primerid  Gene
## B3GAT1  B3GAT1 B3GAT1
## BAX      BAX    BAX
## BCL2     BCL2   BCL2

head(cData(vbeta.fa),3)

##      Number.of.Cells      Population      wellKey Subject.ID
## Sub01 1 A01            1 CD154+VbetaResponsive Sub01 1 A01      Sub01
## Sub01 1 A02            1 CD154+VbetaResponsive Sub01 1 A02      Sub01
## Sub01 1 A03            1 CD154+VbetaResponsive Sub01 1 A03      Sub01
##      Chip.Number Well Stim.Condition Time ncells
## Sub01 1 A01            1 A01      Stim(SEB)  12      1
## Sub01 1 A02            1 A02      Stim(SEB)  12      1
## Sub01 1 A03            1 A03      Stim(SEB)  12      1

```

We see this gives us the set of genes measured in the assay, or the cell-level metadata (i.e. the number of cells measured in the well, the population this cell belongs to, the subject it came from, the chip it was run on, the well id, the stimulation it was subjected to, and the timepoint for the experiment this cell was part of). The `wellKey` are concatenated `idvars` columns, helping to ensure consistency when splitting and merging `MAST` objects. TODO: Some of this “cell-level” information could arguably be part of the `@phenoData` slot of the object. This functionality is forthcoming but doesn’t

limit what can be done with the package at this stage.

2.2 Subsetting, splitting, combining

It's possible to subset `MAST` objects by wells and features. Square brackets (`[`"") will index on the first index and by features on the second index. Integer and boolean and indices may be used, as well as character vectors naming the cellKey or the feature (via the primerid). There is also a `subset` method, which will evaluate its argument in the frame of the `cData`, hence will subset by wells.

```
sub1 <- vbeta.fa[1:10,]
show(sub1)

## FluidigmAssay on layer Et
## 1 Layers; 10 wells; 75 features
## id: vbeta all

sub2 <- subset(vbeta.fa, Well=='A01')
show(sub2)

## FluidigmAssay on layer Et
## 1 Layers; 5 wells; 75 features
## id: vbeta all

sub3 <- vbeta.fa[1:10,6:10]
show(sub3)

## FluidigmAssay on layer Et
## 1 Layers; 10 wells; 5 features
## id: vbeta all

cellData(sub3)

## An object of class 'AnnotatedDataFrame'
## rowNames: Sub01 1 A01 Sub01 1 A02 ... Sub01 1 A10 (10 total)
## varLabels: Number.of.Cells Population ... ncells (9 total)
## varMetadata: labelDescription

featureData(sub3)

## An object of class 'AnnotatedDataFrame'
## rowNames: CCL4 CCL5 ... CCR5 (5 total)
## varLabels: primerid Gene
## varMetadata: labelDescription
```

The `cellData` and `featureData` `AnnotatedDataFrames` are subset accordingly as well.

A `MAST` may be split into a list of `MAST`, which is known as an `SCASet`. The `split` method takes an argument which names the column (factor) on which to split the data. Each level of the factor will be placed in its own `MAST` within the `SCASet`.

```
sp1 <- split(vbeta.fa, 'Subject.ID')
show(sp1)

## SCASet of size 2
## Samples Sub01, Sub02
```

The splitting variable can either be a character vector naming column(s) of the `MAST`, or may be a `factor` or `list` of `factors`.

It's possible to combine `MAST` objects or an `SCASet` with the `combine` method.

```

combine(x=sp1[[1]],y=sp1[[2]])

## Note: method with signature 'DataLayer#DataLayer' chosen for function 'combine',
## target signature 'SingleCellAssay#SingleCellAssay'.
## "SingleCellAssay#ANY" would also be valid

## FluidigmAssay on layer Et
## 1 Layers; 456 wells; 75 features
## id: Sub01

combine(sp1)

## FluidigmAssay on layer Et
## 1 Layers; 456 wells; 75 features
## id: Sub01

```

2.2.1 Modifying the cellData or featureData

Combine also can take a `vector` or `data.frame` or `AnnotatedDataFrame` and append it to the `cellData` or `featureData`. The number of rows must match the number of wells or number of features, and determines to which component the argument will be appended.

```

newData <- data.frame(otherVariable=rnorm(nrow(vbeta.fa)))
vbetaWithNewData <- combine(vbeta.fa, newData)
head(cData(vbetaWithNewData))

##           Number.of.Cells      Population      wellKey Subject.ID
## Sub01 1 A01                1 CD154+VbetaResponsive Sub01 1 A01      Sub01
## Sub01 1 A02                1 CD154+VbetaResponsive Sub01 1 A02      Sub01
## Sub01 1 A03                1 CD154+VbetaResponsive Sub01 1 A03      Sub01
## Sub01 1 A04                1 CD154+VbetaResponsive Sub01 1 A04      Sub01
## Sub01 1 A05                1 CD154+VbetaResponsive Sub01 1 A05      Sub01
## Sub01 1 A06                1 CD154+VbetaResponsive Sub01 1 A06      Sub01
##           Chip.Number Well Stim.Condition Time ncells otherVariable
## Sub01 1 A01                1 A01      Stim(SEB)    12      1      1.9002508
## Sub01 1 A02                1 A02      Stim(SEB)    12      1      -2.3759292
## Sub01 1 A03                1 A03      Stim(SEB)    12      1      1.4444909
## Sub01 1 A04                1 A04      Stim(SEB)    12      1      -2.3648527
## Sub01 1 A05                1 A05      Stim(SEB)    12      1      -0.3063874
## Sub01 1 A06                1 A06      Stim(SEB)    12      1      0.9867860

```

2.3 Filtering

We can filter and perform some significance tests on the `MAST`. We may want to filter any wells with at least two outlier cells where the discrete and continuous parts of the signal are at least 9 standard deviations from the mean. This is a very conservative filtering criteria. We'll group the filtering by the number of cells.


We'll split the assay by the number of cells and look at the concordance plot after filtering.

```

vbeta.split<-split(vbeta.fa,"Number.of.Cells")
#see default parameters for plotSCAConcordance
plotSCAConcordance(vbeta.split[[1]],vbeta.split[[2]],
                   filterCriteria=list(nOutlier = 1, sigmaContinuous = 9,
                                       sigmaProportion = 9))

## Sum of Squares before Filtering: 14.95
## After filtering: 12.4
## Difference: 2.54

```



The filtering function has several other options, including whether the filter should be applied (thus returning a new SingleCellAssay object) or returned as a matrix of boolean values.

```

vbeta.fa

## FluidigmAssay on layer Et
## 1 Layers; 456 wells; 75 features
## id: vbeta all

## Split by 'ncells', apply to each component, then recombine
vbeta.filtered <- filter(vbeta.fa, groups='ncells')
## Returned as boolean matrix
was.filtered <- filter(vbeta.fa, apply_filter=FALSE)
## Wells filtered for being discrete outliers
head(subset(was.filtered, pctout))

##           intout null pctout
## Sub01 1 D05  FALSE TRUE  TRUE
## Sub01 1 D06  FALSE TRUE  TRUE
## Sub01 1 D07  FALSE TRUE  TRUE
## Sub01 1 D08  FALSE TRUE  TRUE
## Sub01 1 D10  FALSE TRUE  TRUE
## Sub01 1 D11  FALSE TRUE  TRUE

```


There's also some functionality for visualizing the filtering.

```

burdenOfFiltering(vbeta.fa, 'ncells', byGroup=TRUE)

```

Burden of filtering by ncells



2.4 Significance testing under the Hurdle model

There are two frameworks available in the package. The first framework `zlm` offers a full linear model to allow arbitrary comparisons and adjustment for covariates. The second framework `LRT` can be considered essentially performing t-tests (respecting the discrete/continuous nature of the data) between pairs of groups. `LRT` is subsumed by the first framework, but might be simpler for some users, so has been kept in the package.

We'll describe `zlm`. Models are specified in terms of the variable used as the measure and covariates present in the `cellData` using symbolic notation, just as the `lm` function in R.

```
vbeta.1 <- subset(vbeta.fa, ncells==1)
## Consider the first 20 genes
vbeta.1 <- vbeta.1[,1:20]
layername(vbeta.1)

## [1] "Et"

head(cData(vbeta.1))

##           Number.of.Cells      Population wellKey Subject.ID
## Sub01 1 A01                1 CD154+VbetaResponsive Sub01 1 A01      Sub01
## Sub01 1 A02                1 CD154+VbetaResponsive Sub01 1 A02      Sub01
## Sub01 1 A03                1 CD154+VbetaResponsive Sub01 1 A03      Sub01
## Sub01 1 A04                1 CD154+VbetaResponsive Sub01 1 A04      Sub01
## Sub01 1 A05                1 CD154+VbetaResponsive Sub01 1 A05      Sub01
## Sub01 1 A06                1 CD154+VbetaResponsive Sub01 1 A06      Sub01
##           Chip.Number Well Stim.Condition Time ncells
## Sub01 1 A01                1 A01      Stim(SEB) 12      1
## Sub01 1 A02                1 A02      Stim(SEB) 12      1
## Sub01 1 A03                1 A03      Stim(SEB) 12      1
## Sub01 1 A04                1 A04      Stim(SEB) 12      1
## Sub01 1 A05                1 A05      Stim(SEB) 12      1
## Sub01 1 A06                1 A06      Stim(SEB) 12      1
```

Now, for each gene, we can regress on Et the factors Population and Subject.ID.

In each gene, we'll fit a Hurdle model with a separate intercept for each population and subject. An S4 object of class "ZlmFit" is returned, containing slots with the genewise coefficients, variance-covariance matrices, etc.

```
library(ggplot2)
library(reshape)
library(abind)
zlm.output <- zlm.SingleCellAssay(~ Population + Subject.ID, vbeta.1, method='glm',
                                ebayes=TRUE)


show(zlm.output)

## Fitted zlm on 20 genes and 413 cells.
## Using GLMlike ~ Population + Subject.ID

## returns a data.table with a summary of the fit
coefAndCI <- summary(zlm.output, logFC=FALSE)
coefAndCI <- coefAndCI[contrast != '(Intercept)',]
coefAndCI[,contrast:=abbreviate(contrast)]

## Fitted zlm with top 2 genes per contrast:
## ( Wald Z-scores on discrete )
## primerid PCD154+VR PCD154+VU PCD154- PpVR PpVU S.ID
## CCR7 -6.3* -4.7* -4.0* -2.4* -3.2* 2.9*
## CD28 -1.6 -3.8* -3.2* 0.2 -0.6 -1.8
## CD3g -1.3 -1.8 0.9 2.0* 1.3* 1.5
## CD4 -0.5 -2.6 -2.2 1.3 -0.6 -3.7*
## CD40LG 5.1* -0.3 -1.1 1.7 1.2 -1.8

ggplot(coefAndCI, aes(x=contrast, y=coef, ymin=ci.lo, ymax=ci.hi, col=component))+
  geom_pointrange(position=position_dodge(width=.5)) +facet_wrap(~primerid) +
  theme(axis.text.x=element_text(angle=45, hjust=1)) + coord_cartesian(ylim=c(-3, 3))
```



Try `?ZlmFit-class` or `showMethods(classes='ZlmFit')` to see a full list of methods.

The combined test for differences in proportion expression/average expression is found by calling a likelihood ratio test on the fitted object. An array of genes, metrics and test types is returned. We'll plot the $-\log_{10}$ P values by gene and test type.

```
zlm.lr <- lrTest(zlm.output, 'Population')

## Refitting on reduced model...
## .
## Done!


dimnames(zlm.lr)

## $primerid
## [1] "B3GAT1" "BAX" "BCL2" "CCL2" "CCL3" "CCL4" "CCL5"
## [8] "CCR2" "CCR4" "CCR5" "CCR7" "CD109" "CD27" "CD28"
## [15] "CD38" "CD3d" "CD3g" "CD4" "CD40LG" "CD45"
##
## $test.type
## [1] "cont" "disc" "hurdle"
##
```



```
## $metric
## [1] "lambda"      "df"          "Pr(>Chisq)"

pvalue <- ggplot(melt(zlm.lmr[, 'Pr(>Chisq)']), aes(x=primerid, y=-log10(value)))+
  geom_bar(stat='identity')+facet_wrap(~test.type) + coord_flip()
print(pvalue)
```



In fact, the `zlm` framework is quite general, and has wrappers for a variety of modeling functions that accept `glm`-like arguments to be used, such as mixed models (using `lme4`) and Bayesian regression models (using `arm`). Multicore support is offered by setting `options(mc.cores=4)`, or however many cores your system has.

```
library(lme4)

lmer.output <- zlm.SingleCellAssay(~ Stim.Condition +(1|Subject.ID), vbeta.1,
```

```
method='glmer')
```

2.5 Two-sample Likelihood Ratio Test

Another way to test for differential expression is available through the `LRT` function, which is analogous to two-sample T tests.

```
##
## Attaching package: 'car'
##
## The following object is masked from 'package:MAST':
##
##   logit

two.sample <- LRT(vbeta.1, 'Population', referent='CD154+VbetaResponsive')
car::some(two.sample)

##           Population test.type primerid direction   lrstat
## 2    CD154-VbetaResponsive   comb     BAX         1  1.584786
## 12   CD154-VbetaResponsive   comb    CD109        -1 15.462219
## 18   CD154-VbetaResponsive   comb     CD4         1  6.623668
## 22  CD154-VbetaUnresponsive   comb     BAX        -1  2.176129
## 63      VbetaResponsive       comb    BCL2         1  8.161731
## 67      VbetaResponsive       comb    CCL5        -1  6.355926
## 69      VbetaResponsive       comb    CCR4        -1  1.730697
## 72      VbetaResponsive       comb    CD109        -1 21.365997
## 83      VbetaUnresponsive     comb    BCL2         1  6.241355
## 97      VbetaUnresponsive     comb    CD3g         1 24.266413
##           p.value
## 2    4.527601e-01
## 12   4.389569e-04
## 18   3.644927e-02
## 22   3.368679e-01
## 63   1.689284e-02
## 67   4.167045e-02
## 69   4.209049e-01
## 72   2.293151e-05
## 83   4.412726e-02
## 97   5.377934e-06
```

Here we compare each population (CD154-VbetaResponsive, CD154+VbetaUnresponsive, CD154-VbetaUnresponsive, VbetaResponsive, VbetaUnresponsive) to CD154+VbetaResponsive. The `Population` column shows which population is being compared, while `test.type` is `comb` for the combined normal theory/binomial test. Column `primerid` gives the gene being tested, `direction` shows if the comparison group mean is greater (1) or less (-1) than the referent group, and `lrstat` and `p.value` give the test statistic and χ^2 p-value (two degrees of freedom).

Other options are whether additional information about the tests are returned (`returnall=TRUE`) and if the testing should be stratified by a character vector naming columns in `cData` containing grouping variables (`groups`).

These tests have been subsumed by `zlm.SingleCellAssay` but remain in the package for user convenience.

3 Use with single cell RNA-sequencing data

In RNA-sequencing data is essentially no different than qPCR-based single cell gene expression, once it has been aligned and mapped, if one is willing to reduce the experiment to counts or count-like data for a fixed set of genes/features. We assume that suitable tools (eg, SAMseq or TopHat) have been applied to do this.

****More details on convenience functions for RNAseq data****

4 Implementation Details

Here we provide some background on the implementation of the package.

There are several fundamental new object types provided by the package. `DataLayer` is the base class, which is provides an array-like object to store tabular data that might have multiple derived representations. A `SingleCellAssay` object contains a `DataLayer`, plus cell and feature data. New types of single cell assays can be incorporated by extending `SingleCellAssay`.

Different derived classes of `MAST` require different fields to be present in the `cellData` and `featureData`. These requirements are set for each class by the slots `cmap` and `fmap`, giving required columns in cell and feature data, respectively.

We have found it useful to enforce naming conventions to reduce confusion when combining data across projects, so the constructor will rename the fields the user provides to match the values specified in `cmap` and `fmap`.

Sets of single cell assays are stored in the `SCASet` class. A constructor for `SCASet` is provided to construct an `SCASet` directly from a data frame. Alternatively, a `SingleCellAssay` or derived class can be `split` on an arbitrary variable to produce an `SCASet`.

On construction of a `SingleCellAssay` object, the package tests for completeness, and will fill in the missing data (with NA) if it is not, so assays with lots of missing data can make reading marginally slower.