

systemPipeRdata: NGS workflow templates and sample data

Author: *Daniela Cassol (danielac@ucr.edu) and Thomas Girke (thomas.girke@ucr.edu)*

Last update: 18 April, 2019

Package

systemPipeRdata 1.11.4

Contents

1	Introduction	2
2	Getting Started	2
2.1	Installation	2
2.2	Loading package and documentation	2
2.3	Generate workflow template	2
2.4	Run workflows	3
2.5	Return paths to sample data	4
3	Version information	4
4	Funding	6
	References	6

systemPipeRdata: NGS workflow templates and sample data

Note: the most recent version of this vignette can be found here and a short overview slide show [here](#).

Note: if you use `systemPipeR` and `systemPipeRdata` in published research, please cite:

Backman, T.W.H and Girke, T. (2016). *systemPipeR*: NGS Workflow and Report Generation Environment. *BMC Bioinformatics*, 17: 388. [10.1186/s12859-016-1241-0](https://doi.org/10.1186/s12859-016-1241-0).

1 Introduction

`systemPipeRdata` is a helper package to generate with a single command NGS workflow templates that are intended to be used by its parent package `systemPipeR` (H Backman and Girke 2016). The latter is an environment for building *end-to-end* analysis pipelines with automated report generation for next generation sequence (NGS) applications such as RNA-Seq, Ribo-Seq, CHIP-Seq, VAR-Seq and many others. The directory structure of the workflow templates and the sample data used by `systemPipeRdata` are described [here](#).

2 Getting Started

2.1 Installation

The R software for using `systemPipeRdata` can be downloaded from [CRAN](#). The `systemPipeRdata` package can be installed from within R as follows:

```
if (!requireNamespace("BiocManager", quietly = TRUE)) install.packages("BiocManager")
BiocManager::install("systemPipeRdata") # Installs from Bioconductor once
# available there
BiocManager::install("tgirke/systemPipeR", build_vignettes = TRUE,
  dependencies = TRUE) # Installs from github
```

2.2 Loading package and documentation

```
library("systemPipeRdata") # Loads the package
```

```
library(help = "systemPipeRdata") # Lists package info
vignette("systemPipeRdata") # Opens vignette
```

2.3 Generate workflow template

Load one of the available NGS workflows into your current working directory. The following does this for the `vaseq` template. The name of the resulting workflow directory can be specified under the `mydirname` argument. The default `NULL` uses the name of the chosen workflow. An error is issued if a directory of the same name and path exists already. Besides, it is possible to choose different version of the workflow template. Please check the available

systemPipeRdata: NGS workflow templates and sample data

options [here](#), or provide the download URL to your template. The URL can be specified under `url` argument and the file name in the `urlname` argument. The default `NULL` copies the current version available in the [systemPipeRdata](#).

```
genWorkenvir(workflow = "varseq", mydirname = NULL, url = NULL,  
             urlname = NULL)  
setwd("varseq")
```

On Linux and OS X systems the same can be achieved from the command-line of a terminal with the following commands.

```
$ Rscript -e "systemPipeRdata::genWorkenvir(workflow='varseq', mydirname=NULL, url=NULL, urlname=NULL)"
```

The workflow templates generated by `genWorkenvir` contain the following preconfigured directory structure:

- **workflow/** (e.g. *rnaseq/*)
 - This is the directory of the R session running the workflow.
 - Run script (**.Rmd* or **.Rnw*) and sample annotation (*targets.txt*) files are located here.
 - Note, this directory can have any name (e.g. *rnaseq*, *varseq*). Changing its name does not require any modifications in the run script(s).
 - Important subdirectories:
 - **param/**
 - Stores parameter files such as: **.param*, **.tmpl* and **_run.sh*.
 - **data/**
 - FASTQ samples
 - Reference FASTA file
 - Annotations
 - etc.
 - **results/**
 - Alignment, variant and peak files (BAM, VCF, BED)
 - Tabular result files
 - Images and plots
 - etc.

2.4 Run workflows

Next, run from within R the chosen sample workflow by executing the code provided in the corresponding **.Rmd* template file. If preferred the corresponding **.Rnw* or **.R* versions can be used instead. Alternatively, one can run an entire workflow from start to finish with a single command by executing from the command-line `'make -B'` within the workflow directory (here `'varseq'`). Much more detailed information on running and customizing `systemPipeR` workflows is available in its overview vignette [here](#). This vignette can also be opened from R with the following command.

```
library("systemPipeR") # Loads systemPipeR which needs to be installed via BiocManager::install() from Bioc  
  
vignette("systemPipeR", package = "systemPipeR")
```

2.5 Return paths to sample data

The location of the sample data provided by *systemPipeRdata* can be returned as a *list*.

```
pathList()
## $targets
## [1] "/tmp/Rtmpu15F4/Rinst171254e57242/systemPipeRdata/extdata/param/targets.txt"
##
## $targetsPE
## [1] "/tmp/Rtmpu15F4/Rinst171254e57242/systemPipeRdata/extdata/param/targetsPE.txt"
##
## $annotationdir
## [1] "/tmp/Rtmpu15F4/Rinst171254e57242/systemPipeRdata/extdata/annotation/"
##
## $fastqdir
## [1] "/tmp/Rtmpu15F4/Rinst171254e57242/systemPipeRdata/extdata/fastq/"
##
## $bamdir
## [1] "/tmp/Rtmpu15F4/Rinst171254e57242/systemPipeRdata/extdata/bam/"
##
## $paramdir
## [1] "/tmp/Rtmpu15F4/Rinst171254e57242/systemPipeRdata/extdata/param/"
##
## $workflows
## [1] "/tmp/Rtmpu15F4/Rinst171254e57242/systemPipeRdata/extdata/workflows/"
##
## $chipseq
## [1] "/tmp/Rtmpu15F4/Rinst171254e57242/systemPipeRdata/extdata/workflows/chipseq/"
##
## $rnaseq
## [1] "/tmp/Rtmpu15F4/Rinst171254e57242/systemPipeRdata/extdata/workflows/rnaseq/"
##
## $riboseq
## [1] "/tmp/Rtmpu15F4/Rinst171254e57242/systemPipeRdata/extdata/workflows/riboseq/"
##
## $varseq
## [1] "/tmp/Rtmpu15F4/Rinst171254e57242/systemPipeRdata/extdata/workflows/varseq/"
```

3 Version information

```
sessionInfo()
## R version 3.6.0 beta (2019-04-14 r76394)
## Platform: x86_64-pc-linux-gnu (64-bit)
## Running under: Ubuntu 18.04.2 LTS
##
## Matrix products: default
## BLAS: /home/biocbuild/bbs-3.9-bioc/R/lib/libRblas.so
## LAPACK: /home/biocbuild/bbs-3.9-bioc/R/lib/libRlapack.so
```

systemPipeRdata: NGS workflow templates and sample data

```
##
## locale:
## [1] LC_CTYPE=en_US.UTF-8      LC_NUMERIC=C
## [3] LC_TIME=en_US.UTF-8       LC_COLLATE=C
## [5] LC_MONETARY=en_US.UTF-8   LC_MESSAGES=en_US.UTF-8
## [7] LC_PAPER=en_US.UTF-8     LC_NAME=C
## [9] LC_ADDRESS=C              LC_TELEPHONE=C
## [11] LC_MEASUREMENT=en_US.UTF-8 LC_IDENTIFICATION=C
##
## attached base packages:
## [1] stats4      parallel  stats     graphics  grDevices
## [6] utils       datasets  methods   base
##
## other attached packages:
## [1] systemPipeRdata_1.11.4      systemPipeR_1.17.9
## [3] ShortRead_1.41.0           GenomicAlignments_1.19.1
## [5] SummarizedExperiment_1.13.0 DelayedArray_0.9.9
## [7] matrixStats_0.54.0         Biobase_2.43.1
## [9] BiocParallel_1.17.18       Rsamtools_1.99.6
## [11] Biostrings_2.51.5          XVector_0.23.2
## [13] GenomicRanges_1.35.1      GenomeInfoDb_1.19.3
## [15] IRanges_2.17.5             S4Vectors_0.21.23
## [17] BiocGenerics_0.29.2       BiocStyle_2.11.0
##
## loaded via a namespace (and not attached):
## [1] Category_2.49.1            bitops_1.0-6
## [3] bit64_0.9-7                RColorBrewer_1.1-2
## [5] progress_1.2.0             httr_1.4.0
## [7] Rgraphviz_2.27.0          backports_1.1.4
## [9] tools_3.6.0                R6_2.4.0
## [11] DBI_1.0.0                  lazyeval_0.2.2
## [13] colorspace_1.4-1          withr_2.1.2
## [15] tidyselect_0.2.5          prettyunits_1.0.2
## [17] bit_1.1-14                 compiler_3.6.0
## [19] graph_1.61.1               formatR_1.6
## [21] rtracklayer_1.43.3        bookdown_0.9
## [23] scales_1.0.0               checkmate_1.9.1
## [25] genefilter_1.65.0         RBGL_1.59.5
## [27] rappdirs_0.3.1            stringr_1.4.0
## [29] digest_0.6.18             rmarkdown_1.12
## [31] AnnotationForge_1.25.0    pkgconfig_2.0.2
## [33] htmltools_0.3.6          BSgenome_1.51.0
## [35] limma_3.39.15            rlang_0.3.4
## [37] RSQLite_2.1.1             GOstats_2.49.0
## [39] hwriter_1.3.2             dplyr_0.8.0.1
## [41] VariantAnnotation_1.29.25 RCurl_1.95-4.12
## [43] magrittr_1.5              GO.db_3.7.0
## [45] GenomeInfoDbData_1.2.1    Matrix_1.2-17
## [47] Rcpp_1.0.1                munsell_0.5.0
## [49] stringi_1.4.3             yaml_2.2.0
## [51] edgeR_3.25.4              zlibbioc_1.29.0
```

systemPipeRdata: NGS workflow templates and sample data

```
## [53] plyr_1.8.4          grid_3.6.0
## [55] blob_1.1.1          crayon_1.3.4
## [57] lattice_0.20-38     splines_3.6.0
## [59] GenomicFeatures_1.35.10  annotate_1.61.1
## [61] hms_0.4.2           batchtools_0.9.11
## [63] locfit_1.5-9.1      knitr_1.22
## [65] pillar_1.3.1        rjson_0.2.20
## [67] base64url_1.4       codetools_0.2-16
## [69] biomaRt_2.39.3      XML_3.98-1.19
## [71] glue_1.3.1          evaluate_0.13
## [73] latticeExtra_0.6-28 data.table_1.12.2
## [75] BiocManager_1.30.4 gtable_0.3.0
## [77] purrr_0.3.2         assertthat_0.2.1
## [79] ggplot2_3.1.1       xfun_0.6
## [81] xtable_1.8-3        survival_2.44-1.1
## [83] tibble_2.1.1        pheatmap_1.0.12
## [85] tinytex_0.12        AnnotationDbi_1.45.1
## [87] memoise_1.1.0       brew_1.0-6
## [89] GSEABase_1.45.0
```

4 Funding

This project was supported by funds from the National Institutes of Health (NIH) and the National Science Foundation (NSF).

References

H Backman, Tyler W, and Thomas Girke. 2016. "systemPipeR: NGS workflow and report generation environment." *BMC Bioinformatics* 17 (1):388. <https://doi.org/10.1186/s12859-016-1241-0>.