

Package ‘XNAString’

December 2, 2021

Title Efficient Manipulation of Modified Oligonucleotide Sequences

Version 1.2.2

Date 31.05.2021

Description The XNAString package allows for description of base sequences and associated chemical modifications in a single object. XNAString is able to capture single stranded, as well as double stranded molecules. Chemical modifications are represented as independent strings associated with different features of the molecules (base sequence, sugar sequence, backbone sequence, modifications) and can be read or written to a HELM notation. It also enables secondary structure prediction using RNAfold from ViennaRNA (distributed under its own licence{<https://github.com/ViennaRNA/ViennaRNA/blob/master/license.txt>}; \citation{<https://github.com/plucinskam/XNAString/blob/master/README.md#dependencies>}). XNAString is designed to be efficient representation of nucleic-acid based therapeutics, therefore it stores information about target sequences and provides interface for matching and alignment functions from Biostrings package.

biocViews SequenceMatching, Alignment, Sequencing, Genetics

Depends R (>= 4.1)

Imports utils, Biostrings, BSgenome, data.table, GenomicRanges, IRanges, methods, Rcpp, stringi, S4Vectors, future.apply, stringr, formattable, stats

Suggests BiocStyle, knitr, rmarkdown, markdown, testthat, BSgenome.Hsapiens.UCSC.hg38, pander

LinkingTo Rcpp

License GPL-2

Encoding UTF-8

LazyData true

Roxygen list(markdown = TRUE)

RoxygenNote 7.1.1

Collate 'RcppExports.R' 'utils.R' 'xnaStringSetClass.R' 'setterGetter.R' 'classUnion.R' 'xnaStringClass.R' 'XNAString2Helm.R' 'XNAStringFromHelm.R' 'alphabetFrequency.R' 'data.R' 'dictFromMimir.R' 'dinucleotideFrequency.R'

'globals.R' 'helm2String.R' 'matchPDict.R' 'matchPattern.R'
 'pairwiseAlignment.R' 'predictDuplexStructure.R'
 'predictMfeStructure.R' 'replaceBase.R' 'reverseComplement.R'

VignetteBuilder knitr

git_url <https://git.bioconductor.org/packages/XNAString>

git_branch RELEASE_3_14

git_last_commit 4685f4c

git_last_commit_date 2021-11-29

Date/Publication 2021-12-02

Author Anna Górska [aut],
 Marianna Plucinska [aut, cre],
 Lykke Pedersen [aut],
 Lukasz Kielpinski [aut],
 Disa Tehler [aut],
 Peter H. Hagedorn [aut]

Maintainer Marianna Plucinska <marianna.plucinska@roche.com>

R topics documented:

alphabetFrequency	3
backbone	5
base	7
changeBase	8
complementary_bases	9
compl_dictionary	9
concatDict	10
conjugate3	11
conjugate5	12
default_backbone	14
default_sugar	15
dictionary	16
dinucleotideFrequency	17
dt2Set	19
duplex_structure	20
helm2String	21
instanceOf	22
listOfLists2Dt	23
mimir2XnaDict	23
name	24
objects	26
parseRnaHelmComponent	27
predictDuplexStructure	28
predictMfeStructure	29
replaceBase	29
reverseComplementFun	30

secondary_structure	30
seqAlphabetFrequency	32
seqDinucleotideFrequency	32
seqVectorAlphabetFrequency	33
seqVectorDinucleotideFrequency	34
set2Dt	34
set2List	36
siRNA_HELM	37
sugar	37
target	39
typedListCheck	40
uniqueChars	41
XNAMatchPattern	42
XNAMatchPDict	43
xnaObj2Dt	45
XNAPairwiseAlignment	46
XNAReverseComplement	47
XNAString-class	48
XNAString2XNAStringSet	51
xnastringClassUnions	52
xnastringElementsNumber	52
XNAStringFromHelm	53
XNAStringSet-class	54
XNAStringToHelm	57
XNAVmatchPattern	57
xna_dictionary	60

Index **61**

alphabetFrequency	<i>XNAAlphabetFrequency returns letters frequency for a given object in base, sugar or backbone slot</i>
-------------------	--

Description

XNAAlphabetFrequency returns letters frequency for a given object in base, sugar or backbone slot

XNAAlphabetFrequency method returns alphabet frequency for a given object. It works for 3 slots: base, sugar and backbone. If matrix_nbr equals 1, alphabet frequency for the first elements in the slot is returned. Letters can be given as argument, otherwise unique letters in object's dictionary are in use.

Usage

```
XNAAlphabetFrequencyFun(
  obj,
  slot,
  letters = NA,
```

```

matrix_nbr = 1,
as.prob = FALSE,
base_only = FALSE
)

XNAAlphabetFrequency(
  obj,
  slot,
  letters = NA,
  matrix_nbr = 1,
  as.prob = FALSE,
  base_only = FALSE,
  ...
)

## S4 method for signature 'XNAString'
XNAAlphabetFrequency(
  obj,
  slot,
  letters = NA,
  matrix_nbr = 1,
  as.prob = FALSE,
  base_only = FALSE
)

## S4 method for signature 'XNAStringSet'
XNAAlphabetFrequency(
  obj,
  slot,
  letters = NA,
  matrix_nbr = 1,
  as.prob = FALSE,
  base_only = FALSE
)

```

Arguments

obj	XNAString or XNAStringSet class
slot	string (slot name: base, sugar or backbone)
letters	character (or character vector)
matrix_nbr	numeric (1 or 2, if 1 - first slot's element is use, if 2 - 2nd element in slot)
as.prob	logical - if TRUE frequency returned as probability of occurrence
base_only	logical - if TRUE, frequency checked for 'A', 'C', 'G', 'T', other
...	optional arguments to generic function to support additional methods

Value

matrix (frequency matrix for a given slot)

Examples

```

xnastring_obj <- XNAString(
  name = "b",
  base = c("AACCC", "GGEE"),
  sugar = c("FFOO", "OODD")
)
XNAAlphabetFrequency(obj = xnastring_obj,
  slot = "base")
XNAAlphabetFrequency(obj = xnastring_obj,
  slot = "base",
  as.prob = TRUE)
XNAAlphabetFrequency(obj = xnastring_obj,
  slot = "base",
  base_only = TRUE)
XNAAlphabetFrequency(obj = xnastring_obj,
  slot = "base",
  letters = c("A", "C"))
XNAAlphabetFrequency(obj = xnastring_obj,
  slot = "base",
  matrix_nbr = 2)

xnastring_obj_2 <- XNAString(
  base = c("ATCG"),
  sugar = c("FOOD"),
  backbone = c("SBB")
)
XNAStringSet_obj <- XNAStringSet(objects = list(
  xnastring_obj,
  xnastring_obj_2
))
XNAAlphabetFrequency(XNAStringSet_obj, "sugar")

```

backbone

*Backbone setter/getter method***Description**

Getter methods enable extraction of single slots from XNAString and XNAStringSet objects. E.g. name method extracts name slot from XNAString/XNAStringSet object.

Usage

```

backbone(x, ...)

## S4 method for signature 'XNAString'
backbone(x)

## S4 method for signature 'XNAStringSet'
backbone(x, i = 1)

```

```
backbone(x, ...) <- value

## S4 replacement method for signature 'XNAString'
backbone(x) <- value

## S4 replacement method for signature 'XNAStringSet'
backbone(x, i = 1) <- value
```

Arguments

x	XNAString/XNAStringSet object
...	optional arguments to generic function to support additional methods
i	numeric - possibilities: 1 or 2. If 1 - 1st slots elements printed out, 2nd otherwise. In case the second element is not in the object, empty char created. This parameter is only available for XNAStringSet objects.
value	character vector applied only for setter method

Details

Setter methods enable overwriting single slots from XNAString and XNAStringSet objects. E.g. `name<-` method overwrites existing name slot

Value

vector in getter method, XNAStringSet object (with replaced name slot) in setter method

Examples

```
my_dic <- data.table::data.table(
  type = c(
    rep("base", 3),
    rep("sugar", 2),
    rep("backbone", 3)
  ),
  symbol = c("G", "E", "A", "F", "O", "S", "B", "X")
)
obj <- XNAString(
  name = "b",
  base = "GGE",
  sugar = "FFO",
  dictionary = my_dic
)
backbone(obj)
```

base	<i>Base setter/getter method</i>
------	----------------------------------

Description

Getter methods enable extraction of single slots from XNAString and XNAStringSet objects. E.g. name method extracts name slot from XNAString/XNAStringSet object.

Usage

```
base(x, ...)  
  
## S4 method for signature 'XNAString'  
base(x)  
  
## S4 method for signature 'XNAStringSet'  
base(x, i = 1)  
  
base(x, ...) <- value  
  
## S4 replacement method for signature 'XNAString'  
base(x) <- value  
  
## S4 replacement method for signature 'XNAStringSet'  
base(x, i = 1) <- value
```

Arguments

x	XNAString/XNAStringSet object
...	optional arguments to generic function to support additional methods
i	numeric - possibilities: 1 or 2. If 1 - 1st slots elements printed out, 2nd otherwise. In case the second element is not in the object, empty char created. This parameter is only available for XNAStringSet objects.
value	character vector applied only for setter method

Details

Setter methods enable overwriting single slots from XNAString and XNAStringSet objects. E.g. name<- method overwrites existing name slot

Value

vector in getter method, XNAStringSet object (with replaced name slot) in setter method

Examples

```
my_dic <- data.table::data.table(  
  type = c(  
    rep("base", 3),  
    rep("sugar", 2),  
    rep("backbone", 3)  
  ),  
  symbol = c("G", "E", "A", "F", "O", "S", "B", "X")  
)  
obj <- XNAString(  
  name = "b",  
  base = "GGE",  
  sugar = "FFO",  
  dictionary = my_dic  
)  
base(obj)
```

changeBase

Translate base slot based on complementary bases dictionary. Base sequence in transformed using compl_target column.

Description

Translate base slot based on complementary bases dictionary. Base sequence in transformed using compl_target column.

Usage

```
changeBase(compl_dict, bases)
```

Arguments

compl_dict	complementary bases dictionary
bases	string, one or two-elements vector

Value

string

complementary_bases *Default XNAString complementarity dictionary*

Description

A dataset containing default internal XNAString dictionary with base complementary.

Usage

```
data(complementary_bases)
```

Format

A data.table with 6 rows and 3 variables:

base base symbol

target complementary base

compl_target complementary target

Source

RMR internal bioinformatics database (Mimir)

compl_dictionary *Compl_dictionary setter/getter method*

Description

Getter methods enable extraction of single slots from XNAString and XNAStringSet objects. E.g. name method extracts name slot from XNAString/XNAStringSet object.

Usage

```
compl_dictionary(x, ...)
```

```
## S4 method for signature 'XNAString'  
compl_dictionary(x)
```

```
compl_dictionary(x, ...) <- value
```

```
## S4 replacement method for signature 'XNAString'  
compl_dictionary(x) <- value
```

Arguments

x XNAString/XNAStringSet object
 ... optional arguments to generic function to support additional methods
 value character vector applied only for setter method

Details

Setter methods enable overwriting single slots from XNAString and XNAStringSet objects. E.g. name<- method overwrites existing name slot

Value

vector in getter method, XNAStringSet object (with replaced name slot) in setter method

Examples

```
my_dic <- data.table::data.table(
  type = c(
    rep("base", 3),
    rep("sugar", 2),
    rep("backbone", 3)
  ),
  symbol = c("G", "E", "A", "F", "O", "S", "B", "X")
)
obj <- XNAString(
  name = "b",
  base = "GGE",
  sugar = "FFO",
  dictionary = my_dic
)
compl_dictionary(obj)
```

concatDict

Concatenate HELM-symbol custom dictionary with built-in HELM-symbol dictionary (xna_dictionary)

Description

Concatenate HELM-symbol custom dictionary with built-in HELM-symbol dictionary (xna_dictionary)

Usage

```
concatDict(
  custom_dict,
  default_dict = xna_dictionary,
  helm_colname = "HELM",
  type_colname = "type",
  symbol_colname = "symbol"
)
```

Arguments

custom_dict custom HELM-symbol dictionary
 default_dict built-in HELM-symbol dictionary (xna_dictionary)
 helm_colname helm column name in custom dictionary
 type_colname type column name in custom dictionary
 symbol_colname symbol column name in custom dictionary

Value

data.table

Examples

```

my_dict <- data.table::data.table(
  HELM = c("[[B]]"),
  type = c("base"),
  symbol = c("B")
)
concatDict(my_dict)

```

conjugate3

Conjugate3 setter/getter method

Description

Getter methods enable extraction of single slots from XNAString and XNAStringSet objects. E.g. name method extracts name slot from XNAString/XNAStringSet object.

Usage

```

conjugate3(x, ...)

## S4 method for signature 'XNAString'
conjugate3(x)

## S4 method for signature 'XNAStringSet'
conjugate3(x, i = 1)

conjugate3(x, ...) <- value

## S4 replacement method for signature 'XNAString'
conjugate3(x) <- value

## S4 replacement method for signature 'XNAStringSet'
conjugate3(x, i = 1) <- value

```

Arguments

x	XNAString/XNAStringSet object
...	optional arguments to generic function to support additional methods
i	numeric - possibilities: 1 or 2. If 1 - 1st slots elements printed out, 2nd otherwise. In case the second element is not in the object, empty char created. This parameter is only available for XNAStringSet objects.
value	character vector applied only for setter method

Details

Setter methods enable overwriting single slots from XNAString and XNAStringSet objects. E.g. `name<-` method overwrites existing name slot

Value

vector in getter method, XNAStringSet object (with replaced name slot) in setter method

Examples

```
my_dic <- data.table::data.table(
  type = c(
    rep("base", 3),
    rep("sugar", 2),
    rep("backbone", 3)
  ),
  symbol = c("G", "E", "A", "F", "O", "S", "B", "X")
)
obj <- XNAString(
  name = "b",
  base = "GGE",
  sugar = "FFO",
  dictionary = my_dic
)
conjugate3(obj)
```

conjugate5

Conjugate5 setter/getter method

Description

Getter methods enable extraction of single slots from XNAString and XNAStringSet objects. E.g. `name` method extracts name slot from XNAString/XNAStringSet object.

Usage

```

conjugate5(x, ...)

## S4 method for signature 'XNAString'
conjugate5(x)

## S4 method for signature 'XNAStringSet'
conjugate5(x, i = 1)

conjugate5(x, ...) <- value

## S4 replacement method for signature 'XNAString'
conjugate5(x) <- value

## S4 replacement method for signature 'XNAStringSet'
conjugate5(x, i = 1) <- value

```

Arguments

x	XNAString/XNAStringSet object
...	optional arguments to generic function to support additional methods
i	numeric - possibilities: 1 or 2. If 1 - 1st slots elements printed out, 2nd otherwise. In case the second element is not in the object, empty char created. This parameter is only available for XNAStringSet objects.
value	character vector applied only for setter method

Details

Setter methods enable overwriting single slots from XNAString and XNAStringSet objects. E.g. name<- method overwrites existing name slot

Value

vector in getter method, XNAStringSet object (with replaced name slot) in setter method

Examples

```

my_dic <- data.table::data.table(
  type = c(
    rep("base", 3),
    rep("sugar", 2),
    rep("backbone", 3)
  ),
  symbol = c("G", "E", "A", "F", "O", "S", "B", "X")
)
obj <- XNAString(
  name = "b",
  base = "GGE",
  sugar = "FFO",

```

```
dictionary = my_dic
)
conjugate5(obj)
```

default_backbone	<i>Default_backbone setter/getter method</i>
------------------	--

Description

Getter methods enable extraction of single slots from XNAString and XNAStringSet objects. E.g. name method extracts name slot from XNAString/XNAStringSet object.

Usage

```
default_backbone(x, ...)
```

```
## S4 method for signature 'XNAString'
default_backbone(x)
```

```
## S4 method for signature 'XNAStringSet'
default_backbone(x)
```

```
default_backbone(x, ...) <- value
```

```
## S4 replacement method for signature 'XNAString'
default_backbone(x) <- value
```

Arguments

x	XNAString/XNAStringSet object
...	optional arguments to generic function to support additional methods
value	character vector applied only for setter method

Details

Setter methods enable overwriting single slots from XNAString and XNAStringSet objects. E.g. name<- method overwrites existing name slot

Value

vector in getter method, XNAStringSet object (with replaced name slot) in setter method

Examples

```
my_dic <- data.table::data.table(  
  type = c(  
    rep("base", 3),  
    rep("sugar", 2),  
    rep("backbone", 3)  
  ),  
  symbol = c("G", "E", "A", "F", "O", "S", "B", "X")  
)  
obj <- XNAString(  
  name = "b",  
  base = "GGE",  
  default_sugar = 'F',  
  default_backbone = 'X',  
  dictionary = my_dic  
)  
default_backbone(obj)
```

default_sugar

Default_sugar setter/getter method

Description

Getter methods enable extraction of single slots from XNAString and XNAStringSet objects. E.g. name method extracts name slot from XNAString/XNAStringSet object.

Usage

```
default_sugar(x, ...)
```

```
## S4 method for signature 'XNAString'  
default_sugar(x)
```

```
## S4 method for signature 'XNAStringSet'  
default_sugar(x)
```

```
default_sugar(x, ...) <- value
```

```
## S4 replacement method for signature 'XNAString'  
default_sugar(x) <- value
```

Arguments

x	XNAString/XNAStringSet object
...	optional arguments to generic function to support additional methods
value	character vector applied only for setter method

Details

Setter methods enable overwriting single slots from XNAString and XNAStringSet objects. E.g. `name<-` method overwrites existing name slot

Value

vector in getter method, XNAStringSet object (with replaced name slot) in setter method

Examples

```
my_dic <- data.table::data.table(
  type = c(
    rep("base", 3),
    rep("sugar", 2),
    rep("backbone", 3)
  ),
  symbol = c("G", "E", "A", "F", "O", "S", "B", "X")
)
obj <- XNAString(
  name = "b",
  base = "GGE",
  default_sugar = 'F',
  default_backbone = 'X',
  dictionary = my_dic
)
default_sugar(obj)
```

dictionary

Dictionary setter/getter method

Description

Getter methods enable extraction of single slots from XNAString and XNAStringSet objects. E.g. `name` method extracts name slot from XNAString/XNAStringSet object.

Usage

```
dictionary(x, ...)
```

```
## S4 method for signature 'XNAString'
dictionary(x)
```

```
dictionary(x, ...) <- value
```

```
## S4 replacement method for signature 'XNAString'
dictionary(x) <- value
```


Arguments

x	XNAString/XNAStringSet object
...	optional arguments to generic function to support additional methods
value	character vector applied only for setter method

Details

Setter methods enable overwriting single slots from XNAString and XNAStringSet objects. E.g. `name<-` method overwrites existing name slot

Value

vector in getter method, XNAStringSet object (with replaced name slot) in setter method

Examples

```
my_dic <- data.table::data.table(
  type = c(
    rep("base", 3),
    rep("sugar", 2),
    rep("backbone", 3)
  ),
  symbol = c("G", "E", "A", "F", "O", "S", "B", "X")
)
obj <- XNAString(
  name = "b",
  base = "GGE",
  sugar = "FFO",
  dictionary = my_dic
)
dictionary(obj)
```

`dinucleotideFrequency` *XNADinucleotideFrequencyFun* returns double letters frequency for a given object in base, sugar or backbone slot

Description

`XNADinucleotideFrequencyFun` returns double letters frequency for a given object in base, sugar or backbone slot

`XNADinucleotideFrequency` method returns dinucleotide frequency for a given object. It works for 3 slots: base, sugar and backbone. If `matrix_nbr` equals 1, dinucleotide frequency for the first elements in the slot is returned. Double letters can be given as argument, otherwise unique double letters in object's dictionary are in use.

Usage

```

XNADinucleotideFrequencyFun(
  obj,
  slot,
  double_letters = NA,
  matrix_nbr = 1,
  as.prob = FALSE,
  base_only = FALSE
)

XNADinucleotideFrequency(
  obj,
  slot,
  double_letters = NA,
  matrix_nbr = 1,
  as.prob = FALSE,
  base_only = FALSE,
  ...
)

## S4 method for signature 'XNAString'
XNADinucleotideFrequency(
  obj,
  slot,
  double_letters = NA,
  matrix_nbr = 1,
  as.prob = FALSE,
  base_only = FALSE
)

## S4 method for signature 'XNAStringSet'
XNADinucleotideFrequency(
  obj,
  slot,
  double_letters = NA,
  matrix_nbr = 1,
  as.prob = FALSE,
  base_only = FALSE
)

```

Arguments

obj	XNAString or XNAStringSet class
slot	string (slot name: base, sugar or backbone)
double_letters	string (or string vector) - double letters
matrix_nbr	numeric (1 or 2, if 1 - first slot's element is use, if 2 - 2nd element in slot)
as.prob	logical - if TRUE frequency returned as probability of occurrence

base_only logical - if TRUE, frequency checked for 'A', 'C', 'G', 'T', other
 ... optional arguments to generic function to support additional methods

Value

matrix (frequency matrix for a given slot)

Examples

```
my_dic <-
data.table::data.table(
  type = c(rep("base", 3), rep("sugar", 2), rep("backbone", 3)),
  symbol = c("G", "E", "A", "F", "O", "S", "B", "X")
)
xnastring_obj <- XNAString(
  name = "b",
  base = c("GGEG"),
  sugar = c("FFO"),
  dictionary = my_dic
)
XNAString::XNADinucleotideFrequency(
  obj = xnastring_obj,
  slot = "base",
  matrix_nbr = 1
)
```

dt2Set	<i>Function which creates XNAStringSet object from table with base, sugar and backbone columns.</i>
--------	---

Description

Function which creates XNAStringSet object from table with base, sugar and backbone columns.

Usage

```
dt2Set(
  table,
  col.base = "base",
  col.sugar = "sugar",
  col.backbone = "backbone",
  col.target = "target",
  col.conjugate3 = "conjugate3",
  col.conjugate5 = "conjugate5",
  col.name = "name",
  default_sugar = NA,
  default_backbone = NA,
  compl_dict = complementary_bases
)
```

Arguments

table	data.table or data.frame (must include base, sugar and backbone columns)
col.base	character (name of base column)
col.sugar	character (name of sugar column)
col.backbone	character (name of backbone column)
col.target	character (name of target column)
col.conjugate3	character (name of target column). In use only when objects argument is empty.
col.conjugate5	character (name of target column). In use only when objects argument is empty.
col.name	character (name of target column). In use only when objects argument is empty.
default_sugar	character - only one letter. Will be replicated nchar(base) times
default_backbone	character - only one letter. Will be replicated nchar(base)-1 times
compl_dict	data.table with following columns: "base", "target". By default internal XNAS-tring dictionary is used

Value

XNAStringSet object

Examples

```
dt <- data.table::data.table(
  base = c("TT", "GG"),
  sugar = c("FF", "FO"),
  backbone = c("S", "S")
)
dt2Set(dt)
```

duplex_structure

Duplex_structure setter/getter method

Description

Getter methods enable extraction of single slots from XNAString and XNAStringSet objects. E.g. name method extracts name slot from XNAString/XNAStringSet object.

Usage

```
duplex_structure(x, ...)
```

S4 method for signature 'XNAString'

```
duplex_structure(x)
```

S4 method for signature 'XNAStringSet'

```
duplex_structure(x)

duplex_structure(x, ...) <- value

## S4 replacement method for signature 'XNAString'
duplex_structure(x) <- value
```

Arguments

x	XNAString/XNAStringSet object
...	optional arguments to generic function to support additional methods
value	character vector applied only for setter method

Details

Setter methods enable overwriting single slots from XNAString and XNAStringSet objects. E.g. name<- method overwrites existing name slot

Value

vector in getter method, XNAStringSet object (with replaced name slot) in setter method

Examples

```
my_dic <- data.table::data.table(
  type = c(
    rep("base", 3),
    rep("sugar", 2),
    rep("backbone", 3)
  ),
  symbol = c("G", "E", "A", "F", "O", "S", "B", "X")
)
obj <- XNAString(
  name = "b",
  base = "GGE",
  sugar = "FFO",
  dictionary = my_dic
)
duplex_structure(obj)
```

helm2String

Translate RNA from HELM notation to multi-string notation

Description

This function translates RNA molecules encoded in HELM notation into multi-string notation. It uses dictionary which links HELM code for base, sugar and backbone elements with symbols used in multi-string notation.

Usage

```
helm2String(helm, dictionary = xna_dictionary, remove_linker = TRUE)
```

Arguments

helm string with HELM sequence, which contains one RNA polymer and optionally CHEM element

dictionary data.table with following columns: "HELM", "type", "symbol". By default internal XNAString dictionary is used.

remove_linker logical defines if linker should be clipped from RNA

Value

named list of strings with following elements: base, sugar, backbone, conjugate5, conjugate3

Author(s)

Marianna Plucinska

Examples

```
helm2String("RNA1{[dR](A)P.[dR](A)P.[dR](A)}$$$$V2.0")
```

instanceOf *Check on an object type*

Description

Check on an object type

Usage

```
instanceOf(object, type)
```

Arguments

object an object of any class

type class of an object

Value

logical information. TRUE if object class equals type

Examples

```
instanceOf(1, "numeric")
```

listOflists2Dt	<i>Save list of lists as data.table</i>
----------------	---

Description

Save list of lists as data.table

Usage

```
listOflists2Dt(list_of_lists)
```

Arguments

list_of_lists list of lists that will be saved as data.table.

Value

data.table

Examples

```
nested_list <- list(  
  list(base = c("T"), sugar = c("G")),  
  list(base = c("U"), sugar = c("G"))  
)  
listOflists2Dt(nested_list)
```

mimir2XnaDict	<i>Reformat mimir table to XNA dictionary standards</i>
---------------	---

Description

Reformat mimir table to XNA dictionary standards

Usage

```
mimir2XnaDict(table, base.col, sugar.col, backbone.col)
```

Arguments

table	data.table or data.frame (must include "HELM", "TS_BASE_SEQ", "TS_SUGAR_SEQ" and "TS_BACKBONE_SEQ" columns)
base.col	character (base column name)
sugar.col	character (sugar column name)
backbone.col	character (backbone column name)

Value

data.table (written in the xna_dictionary format)

Examples

```
dt <- data.table::data.table(HELM = c("[PPG]", "[fR]", "[srP]"),
  TS_BASE_SEQ = c("F", NA, NA),
  TS_SUGAR_SEQ = c(NA, NA, 'F'),
  TS_BACKBONE_SEQ = c(NA, 'S', NA))
mimir2XnaDict(dt, 'TS_BASE_SEQ', 'TS_SUGAR_SEQ', 'TS_BACKBONE_SEQ')
```

name	<i>Name setter/getter method</i>
------	----------------------------------

Description

Getter methods enable extraction of single slots from XNAString and XNAStringSet objects. E.g. name method extracts name slot from XNAString/XNAStringSet object.

Usage

```
name(x, ...)

## S4 method for signature 'XNAString'
name(x)

## S4 method for signature 'XNAStringSet'
name(x, i = 1)

name(x, ...) <- value

## S4 replacement method for signature 'XNAString'
name(x) <- value

## S4 replacement method for signature 'XNAStringSet'
name(x) <- value
```

Arguments

x	XNAString/XNAStringSet object
...	optional arguments to generic function to support additional methods
i	numeric - possibilities: 1 or 2. If 1 - 1st slots elements printed out, 2nd otherwise. In case the second element is not in the object, empty char created. This parameter is only available for XNAStringSet objects.
value	character vector applied only for setter method

Details

Setter methods enable overwriting single slots from XNAString and XNAStringSet objects. E.g. `name<-` method overwrites existing name slot

Value

vector in getter method, XNAStringSet object (with replaced name slot) in setter method

Examples

```
my_dic <- data.table::data.table(
  type = c(
    rep("base", 3),
    rep("sugar", 2),
    rep("backbone", 3)
  ),
  symbol = c("G", "E", "A", "F", "O", "S", "B", "X")
)
obj <- XNAString(
  name = "b",
  base = "GGE",
  sugar = "FFO",
  dictionary = my_dic
)
name(obj)
my_dic <- data.table::data.table(
  type = c(
    rep("base", 3),
    rep("sugar", 2),
    rep("backbone", 3)
  ),
  symbol = c("G", "E", "A", "F", "O", "S", "B", "X")
)
obj1 <- XNAString(
  name = "b",
  base = "GGE",
  sugar = "FFO",
  dictionary = my_dic
)
obj2 <- XNAString(
  name = "b",
  base = c("GGE", "EEE"),
  sugar = c("FFO", "OOO"),
  dictionary = my_dic
)
XNAStringSetObj <- XNAStringSet(objects = list(obj1, obj2))
name(XNAStringSetObj)
my_dic <- data.table::data.table(
  type = c(
    rep("base", 3),
    rep("sugar", 2),
    rep("backbone", 3)
  ),
  symbol = c("G", "E", "A", "F", "O", "S", "B", "X")
)
```

```

    ),
    symbol = c("G", "E", "A", "F", "O", "S", "B", "X")
  )
obj <- XNAString(
  name = "b",
  base = "GGE",
  sugar = "FFO",
  dictionary = my_dic
)
name(obj) <- "new_name"
my_dic <- data.table::data.table(
  type = c(
    rep("base", 3),
    rep("sugar", 2),
    rep("backbone", 3)
  ),
  symbol = c("G", "E", "A", "F", "O", "S", "B", "X")
)
obj1 <- XNAString(
  name = "b",
  base = "GGE",
  sugar = "FFO",
  dictionary = my_dic
)
obj2 <- XNAString(
  name = "b",
  base = c("GGE", "EEE"),
  sugar = c("FFO", "OOO"),
  dictionary = my_dic
)
XNAStringSetObj <- XNAStringSet(objects = list(obj1, obj2))
name(XNAStringSetObj) <- c("new1", "new2")

```

objects

Objects getter method for XNAStringSet class

Description

Getter methods enable extraction of single slots from XNAStringSet objects. E.g. objects method extracts objects slot from XNAStringSet object. It is a list of XNAString objects.

Usage

```
objects(x, ...)
```

```
## S4 method for signature 'XNAStringSet'
objects(x)
```

Arguments

x XNAStringSet object
... optional arguments to generic function to support additional methods

Value

list of XNAString objects

Examples

```
my_dic <- data.table::data.table(type = c(rep('base',3),
                                         rep('sugar',2),
                                         rep('backbone',3)),
                                symbol = c('G', 'E', 'A', 'F',
                                           'O', 'S', 'B', 'X'))

obj2 <- XNAString(name = 'b',
                  base = 'GGE',
                  sugar = 'FFO',
                  dictionary = my_dic)
obj3 <- XNAString(name = 'b',
                  base = c('GGE', 'EEE'),
                  sugar = c('FFO', 'OOO'),
                  dictionary = my_dic)
XNAStringSetObj <- XNAStringSet(objects=list(obj2, obj3))
objects(XNAStringSetObj)
```

parseRnaHelmComponent *Parse monomers from HELM to multi-string notation*

Description

Parse monomers from HELM to multi-string notation

Usage

```
parseRnaHelmComponent(rna_component, dictionary = xna_dictionary)
```

Arguments

rna_component list of monomers building RNA
dictionary data.table with following columns: "HELM", "type", "symbol". By default internal XNAString dictionary is used.

Value

list of three strings: base, sugar, backbone

Author(s)

Marianna Plucinska

Examples

```
parseRnaHelmComponent(c("[dR](A)P", "[dR](A)P", "[dR](A)"))
```

predictDuplexStructure

Compute Minimum Free Energy (MFE), and a corresponding secondary structure for two dimerized RNA sequences.

Description

This function is a wrapper for RNAcifold from ViennaRNA package.

Usage

```
predictDuplexStructureFun(obj)

predictDuplexStructure(obj, ...)

## S4 method for signature 'XNAString'
predictDuplexStructure(obj)
```

Arguments

obj	XNAString object
...	optional arguments to generic function to support additional methods

Value

list (structure and mfe)

Examples

```
obj1 <- XNAString(
  base = "ATCG",
  sugar = "FODD",
  conjugate3 = "TAG"
)
predictDuplexStructure(obj1)
```

predictMfeStructure *Prediction of MFE structure with ViennaRNA package*

Description

This function is a wrapper for RNAfold from ViennaRNA package.

Usage

```
predictMfeStructureFun(obj)

predictMfeStructure(obj, ...)

## S4 method for signature 'XNAString'
predictMfeStructure(obj)
```

Arguments

obj XNAString object
... optional arguments to generic function to support additional methods

Value

character, secondary structure in dot-bracket notation

Examples

```
obj1 <- XNAString(
  base = "ATCG",
  sugar = "FODD",
  conjugate3 = "TAG"
)
predictMfeStructure(obj1)
```

replaceBase *Fuction for replacing bases in XNAString object*

Description

replaceBase function replace one base for another in positions with specified sugar

Usage

```
replaceBase(xnastring_obj, base_to_replace, base_replacement, sugar)
```

Arguments

xnasttring_obj XNAString object
base_to_replace string of bases that should be replaced
base_replacement string of bases that will be introduced
sugar string of sugars for which base will be replaced

Value

XNADtring object

reverseComplementFun *Reverse complement sequence based on dictionary*

Description

Reverse complement sequence based on dictionary

Usage

reverseComplementFun(obj)

Arguments

obj XNAString object

Value

string with reverse complement sequence

secondary_structure *Secondary_structure setter/getter method*

Description

Getter methods enable extraction of single slots from XNAString and XNAStringSet objects. E.g. name method extracts name slot from XNAString/XNAStringSet object.

Usage

```

secondary_structure(x, ...)

## S4 method for signature 'XNAString'
secondary_structure(x)

## S4 method for signature 'XNAStringSet'
secondary_structure(x)

secondary_structure(x, ...) <- value

## S4 replacement method for signature 'XNAString'
secondary_structure(x) <- value

```

Arguments

x	XNAString/XNAStringSet object
...	optional arguments to generic function to support additional methods
value	character vector applied only for setter method

Details

Setter methods enable overwriting single slots from XNAString and XNAStringSet objects. E.g. `name<-` method overwrites existing name slot

Value

vector in getter method, XNAStringSet object (with replaced name slot) in setter method

Examples

```

my_dic <- data.table::data.table(
  type = c(
    rep("base", 3),
    rep("sugar", 2),
    rep("backbone", 3)
  ),
  symbol = c("G", "E", "A", "F", "O", "S", "B", "X")
)
obj <- XNAString(
  name = "b",
  base = "GGE",
  sugar = "FFO",
  dictionary = my_dic
)
secondary_structure(obj)

```

seqAlphabetFrequency *Create set of functions and methods to calculate alphabet frequency in base, sugar and backbone slots*

Description

Create set of functions and methods to calculate alphabet frequency in base, sugar and backbone slots

Usage

```
seqAlphabetFrequency(unique_letters, seq, as.prob)
```

Arguments

unique_letters string (or character) - these letters pose column names
seq string (or character) - frequency is calculated for this string
as.prob logical - if TRUE frequency returned as probability of occurrence

Value

numeric - named numeric vector

Examples

```
seqAlphabetFrequency(c("A", "B", "C"), c("AABA"), as.prob = FALSE)
```

seqDinucleotideFrequency

Create set of functions and methods to calculate dinucleotide frequency in base, sugar and backbone slots

Description

Create set of functions and methods to calculate dinucleotide frequency in base, sugar and backbone slots

Usage

```
seqDinucleotideFrequency(unique_sets, seq, as.prob)
```

Arguments

unique_sets string vector of double letters -these letters pose column names
seq string (or character) - frequency is calculated for this string
as.prob logical - if TRUE frequency returned as probability of occurrence

Value

numeric - named numeric vector

Examples

```
seqDinucleotideFrequency(c("AB", "BA", "CD"),
                          "ABABAB",
                          as.prob = FALSE)
seqDinucleotideFrequency(c("GC", "CG", "CC"),
                          "GCCG",
                          as.prob = FALSE)
```

seqVectorAlphabetFrequency

seqVectorAlphabetFrequency function calculates frequency for strings vector

Description

seqVectorAlphabetFrequency function calculates frequency for strings vector

Usage

```
seqVectorAlphabetFrequency(unique_letters, seq_vec, as.prob)
```

Arguments

`unique_letters` string (or character) - these letters pose column names
`seq_vec` vector of strings (or characters) - frequency will be calculated for this vector
`as.prob` logical - if TRUE frequency returned as probability of occurrence

Value

matrix - each row denotes frequency for a specific string of vector

Examples

```
seqVectorAlphabetFrequency(c("A", "B", "C"),
                           c("AABA", "BBBCCC"),
                           as.prob = FALSE
)
```

```
seqVectorDinucleotideFrequency
    seqVectorDinucleotideFrequency function calculates frequency for
    strings vector
```

Description

seqVectorDinucleotideFrequency function calculates frequency for strings vector

Usage

```
seqVectorDinucleotideFrequency(unique_sets, seq_vec, as.prob)
```

Arguments

unique_sets	string vector of double letters -these letters pose column names
seq_vec	vector of strings (or characters) - frequency will be calculated for this vector
as.prob	logical - if TRUE frequency returned as probability of occurrence

Value

matrix - each row denotes frequency for a specific string of vector

Examples

```
seqVectorDinucleotideFrequency(c("AB", "BA", "CD"),
                                c("ABABAB", "ABABCD"),
                                as.prob = FALSE)
```

```
set2Dt          set2Dt function - changes XNAStringSet object to data.table
```

Description

set2Dt function - changes XNAStringSet object to data.table

Usage

```
set2Dt(
  obj,
  slots = c("name", "base", "sugar", "backbone", "target", "secondary_structure",
            "conjugate5", "conjugate3")
)
```

Arguments

`obj` XNAStringSet object

`slots` slots that are saved as column names (possibilities: "name", "base", "sugar", "backbone", "target", "conjugate5", "conjugate3" and "dictionary")

Value

data.table

Examples

```
my_dic <- data.table::data.table(type = c(rep('base',3),
                                         rep('sugar',2),
                                         rep('backbone',3)),
                               symbol = c('G', 'E', 'A', 'F',
                                          'O', 'S', 'B', 'X'))

obj2 <- XNAString(name = 'b',
                  base = 'GGE',
                  sugar = 'FFO',
                  dictionary = my_dic)
obj3 <- XNAString(name = 'b',
                  base = c('GGE', 'EEE'),
                  sugar = c('FFO', '000'),
                  dictionary = my_dic)
XNAStringSetObj <- XNAStringSet(objects=list(obj2, obj3))
set2Dt(XNAStringSetObj, c('base', 'sugar'))

my_dic <- data.table::data.table(
  type = c(
    rep("base", 3),
    rep("sugar", 2),
    rep("backbone", 3)
  ),
  symbol = c("G", "E", "A", "F", "O", "S", "B", "X")
)
obj2 <- XNAString(
  name = "b",
  base = "GGE",
  sugar = "FFO",
  dictionary = my_dic
)
obj3 <- XNAString(
  name = "b",
  base = c("GGE", "EEE"),
  sugar = c("FFO", "000"),
  dictionary = my_dic
)
XNAStringSetObj <- XNAStringSet(objects = list(obj2, obj3))
set2Dt(XNAStringSetObj, c("base", "sugar"))
```

set2List	<i>Define method to save XNAStringSet object as a list of XNAString objects</i>
----------	---

Description

Define method to save XNAStringSet object as a list of XNAString objects

Usage

```
set2List(obj)

## S4 method for signature 'XNAStringSet'
set2List(obj)
```

Arguments

obj XNAStringSet object

Value

list of XNAString objects

Examples

```
my_dic <- data.table::data.table(type = c(rep('base',3),
                                         rep('sugar',2),
                                         rep('backbone',3)),
                                symbol = c('G', 'E', 'A', 'F',
                                           'O', 'S', 'B', 'X'))

obj2 <- XNAString(name = 'b',
                 base = 'GGE',
                 sugar = 'FFO',
                 dictionary = my_dic)
obj3 <- XNAString(name = 'b',
                 base = c('GGE','EEE'),
                 sugar = c('FFO', '000'),
                 dictionary = my_dic)
XNAStringSetObj <- XNAStringSet(objects=list(obj2, obj3))
set2List(XNAStringSetObj)
```

siRNA_HELM	<i>siRNA_HELM function takes XNAString object and returns pairing information for base slot. Works only for double stranded molecules.</i>
------------	--

Description

siRNA_HELM function takes XNAString object and returns pairing information for base slot. Works only for double stranded molecules.

Usage

```
siRNA_HELM(xnastring_obj)
```

Arguments

xnastring_obj XNAString object

Value

string

Examples

```
obj1 <- XNAString(
  base = c("CCCCUGCCGUGGUUCAUAA", "UUAUGAACCCACGGCAGGGGCG"),
  sugar = c("00F0F0F0F0F0F0F0F0", "FF0F0F0F0F0F0F0F0F0"),
  backbone = c("000000000000000000", "000000000000000000"),
  conjugate3 = c("")
)

siRNA_HELM(obj1)
```

sugar	<i>Sugar setter/getter method</i>
-------	-----------------------------------

Description

Getter methods enable extraction of single slots from XNAString and XNAStringSet objects. E.g. name method extracts name slot from XNAString/XNAStringSet object.

Usage

```
sugar(x, ...)
```

```
## S4 method for signature 'XNAString'
```

```
sugar(x)
```

```
## S4 method for signature 'XNAStringSet'
```

```
sugar(x, i = 1)
```

```
sugar(x, ...) <- value
```

```
## S4 replacement method for signature 'XNAString'
```

```
sugar(x) <- value
```

```
## S4 replacement method for signature 'XNAStringSet'
```

```
sugar(x, i = 1) <- value
```

Arguments

x	XNAString/XNAStringSet object
...	optional arguments to generic function to support additional methods
i	numeric - possibilities: 1 or 2. If 1 - 1st slots elements printed out, 2nd otherwise. In case the second element is not in the object, empty char created. This parameter is only available for XNAStringSet objects.
value	character vector applied only for setter method

Details

Setter methods enable overwriting single slots from XNAString and XNAStringSet objects. E.g. name<- method overwrites existing name slot

Value

vector in getter method, XNAStringSet object (with replaced name slot) in setter method

Examples

```
my_dic <- data.table::data.table(
  type = c(
    rep("base", 3),
    rep("sugar", 2),
    rep("backbone", 3)
  ),
  symbol = c("G", "E", "A", "F", "O", "S", "B", "X")
)
obj <- XNAString(
  name = "b",
  base = "GGE",
  sugar = "FFO",
```

```

    dictionary = my_dic
  )
  sugar(obj)

```

target

Target setter/getter method

Description

Getter methods enable extraction of single slots from XNAString and XNAStringSet objects. E.g. name method extracts name slot from XNAString/XNAStringSet object.

Usage

```

target(x, ...)

## S4 method for signature 'XNAString'
target(x)

## S4 method for signature 'XNAStringSet'
target(x, i = 1)

target(x, ...) <- value

## S4 replacement method for signature 'XNAString'
target(x) <- value

## S4 replacement method for signature 'XNAStringSet'
target(x, i = 1) <- value

```

Arguments

x	XNAString/XNAStringSet object
...	optional arguments to generic function to support additional methods
i	numeric - possibilities: 1 or 2. If 1 - 1st slots elements printed out, 2nd otherwise. In case the second element is not in the object, empty char created. This parameter is only available for XNAStringSet objects.
value	character vector applied only for setter method

Details

Setter methods enable overwriting single slots from XNAString and XNAStringSet objects. E.g. name<- method overwrites existing name slot

Value

vector in getter method, XNAStringSet object (with replaced name slot) in setter method

Examples

```
my_dic <- data.table::data.table(  
  type = c(  
    rep("base", 3),  
    rep("sugar", 2),  
    rep("backbone", 3)  
  ),  
  symbol = c("G", "E", "A", "F", "O", "S", "B", "X")  
)  
obj <- XNAString(  
  name = "b",  
  base = "GGE",  
  sugar = "FFO",  
  dictionary = my_dic  
)  
target(obj)
```

typedListCheck

Check if all objects are of XNAString class and dictionaries are the same

Description

Check if all objects are of XNAString class and dictionaries are the same

Usage

```
typedListCheck(object)
```

Arguments

object an object of any class. An object must contain 'objects' (list type) slot

Value

logical information. Checks the whole list of objects, TRUE if class of all objects equals 'XNAString' and their dictionaries are the same.

Examples

```
my_dic <- data.table::data.table(  
  type = c(  
    rep("base", 3),  
    rep("sugar", 2),  
    rep("backbone", 3)  
  ),  
  symbol = c("G", "E", "A", "F", "O", "S", "B", "X")  
)  
obj2 <- XNAString(  
  name = "b",  
  base = "GGE",  
  sugar = "FFO",  
  dictionary = my_dic  
)  
target(obj2)
```



```
    name = "b",
    base = "GGE",
    sugar = "FFO",
    dictionary = my_dic
  )
obj3 <- XNAString(
  name = "b",
  base = c("GGE", "EEE"),
  sugar = c("FFO", "000"),
  dictionary = my_dic
)
XNAStringSetObj <- XNAStringSet(objects = list(obj2, obj3))
typedListCheck(XNAStringSetObj)
```

uniqueChars

Utility functions useful when programming and developing XNAString class

Description

Utility functions useful when programming and developing XNAString class

Usage

```
uniqueChars(x)
```

Arguments

x A string vector

Value

A list of vectors with unique characters found in x string

Examples

```
uniqueChars("TRGFFTR")
uniqueChars(c("TRGFFTR", "AATGRC"))
```

XNAMatchPattern

Finds pattern in reference sequence

Description

This is function finding all the occurrences of a given pattern (typically short) in a (typically long) reference sequence

Usage

```
XNAMatchPattern(
  pattern,
  subject,
  target.number = 1,
  max.mismatch = 0,
  min.mismatch = 0,
  with.indels = FALSE,
  fixed = TRUE,
  algorithm = "auto"
)
```

```
## S4 method for signature 'XNAString,character'
```

```
XNAMatchPattern(
  pattern,
  subject,
  target.number = 1,
  max.mismatch = 0,
  min.mismatch = 0,
  with.indels = FALSE,
  fixed = TRUE,
  algorithm = "auto"
)
```

```
## S4 method for signature 'XNAString,XString'
```

```
XNAMatchPattern(
  pattern,
  subject,
  target.number = 1,
  max.mismatch = 0,
  min.mismatch = 0,
  with.indels = FALSE,
  fixed = TRUE,
  algorithm = "auto"
)
```

Arguments

pattern XNAString object with non-empty target slot

subject	string or DNAString object
target.number	numeric - if target is a multi-element vector, then specify which element in use. 1 is the default
max.mismatch	The maximum number of mismatching letters allowed. If non-zero, an algorithm that supports inexact matching is used.
min.mismatch	The minimum number of mismatching letters allowed. If non-zero, an algorithm that supports inexact matching is used.
with.indels	If TRUE then indels are allowed. In that case, min.mismatch must be 0 and max.mismatch is interpreted as the maximum "edit distance" allowed between the pattern and a match. Note that in order to avoid pollution by redundant matches, only the "best local matches" are returned. Roughly speaking, a "best local match" is a match that is locally both the closest (to the pattern P) and the shortest.
fixed	If TRUE (the default), an IUPAC ambiguity code in the pattern can only match the same code in the subject, and vice versa. If FALSE, an IUPAC ambiguity code in the pattern can match any letter in the subject that is associated with the code, and vice versa.
algorithm	One of the following: "auto", "naive-exact", "naive-inexact", "boyer-moore", "shift-or" or "indels".

Value

an [XStringViews](#) object for matchPattern.

Examples

```
s1 <-
XNAString::XNAString(
  base = Biostrings::DNAString("GCGGAGAGAGCACAGATACA"),
  sugar = "FOODDDDDDDDDDDDDDDDD",
  target = Biostrings::DNAStringSet("GCGGAGAGAGCACAGATACA")
)
XNAString::XNAMatchPattern(
s1,
"GCGGAGAGAGCACAGATACAGCGGAGAGAGCACAGATACA"
)
```

XNAMatchPDict

Find set of patterns in reference sequence

Description

This is function finding all the occurrences of a given set of patterns (typically short) in a (typically long) reference sequence

Usage

```

XNAMatchPDict(
  pdict,
  subject,
  max.mismatch = 0,
  min.mismatch = 0,
  with.indels = FALSE,
  fixed = TRUE,
  algorithm = "auto",
  verbose = FALSE
)

## S4 method for signature 'XNAString,character'
XNAMatchPDict(
  pdict,
  subject,
  max.mismatch = 0,
  min.mismatch = 0,
  with.indels = FALSE,
  fixed = TRUE,
  algorithm = "auto",
  verbose = FALSE
)

## S4 method for signature 'XNAString,XString'
XNAMatchPDict(
  pdict,
  subject,
  max.mismatch = 0,
  min.mismatch = 0,
  with.indels = FALSE,
  fixed = TRUE,
  algorithm = "auto",
  verbose = FALSE
)

```

Arguments

<code>pdict</code>	XNAString object, target slot taken as pdict object from Biostrings
<code>subject</code>	string containing sequence
<code>max.mismatch</code>	The maximum number of mismatching letters allowed. If non-zero, an algorithm that supports inexact matching is used.
<code>min.mismatch</code>	The minimum number of mismatching letters allowed. If non-zero, an algorithm that supports inexact matching is used.
<code>with.indels</code>	If TRUE then indels are allowed. In that case, <code>min.mismatch</code> must be 0 and <code>max.mismatch</code> is interpreted as the maximum "edit distance" allowed between the pattern and a match. Note that in order to avoid pollution by redundant

	matches, only the "best local matches" are returned. Roughly speaking, a "best local match" is a match that is locally both the closest (to the pattern P) and the shortest.
fixed	If TRUE (the default), an IUPAC ambiguity code in the pattern can only match the same code in the subject, and vice versa. If FALSE, an IUPAC ambiguity code in the pattern can match any letter in the subject that is associated with the code, and vice versa.
algorithm	One of the following: "auto", "naive-exact", "naive-inexact", "boyer-moore", "shift-or" or "indels".
verbose	TRUE or FALSE.

Value

an [MIndex](#) object of length M, and countPDict an integer vector of length M.

Examples

```
s2 <-
XNAString::XNAString(
  base = "GCGGAGAGACACAGATACA",
  sugar = "FOODDDDDDDDDDDDDDDDD",
  target = Biostrings::DNAStrSet(c(
    "GCGGAGAGACACAGATACA", "GGCGGAGAGACACAGATACA"
  ))
)
o <- XNAString::XNAMatchPDict(
  s2,
  "GGCGGAGAGACACAGATACAGGGCGGAGAGACACAGATACCGGAGAGACACAGATACA"
)
```

xnaObj2Dt

xnaObj2Dt function - changes XNAString object to data.table

Description

xnaObj2Dt function - changes XNAString object to data.table

Usage

```
xnaObj2Dt(obj, slots)
```

Arguments

obj	XNAString object
slots	slots that are saved as column names (possibilities: "name", "base", "sugar", "backbone", "target", "conjugate5", "conjugate3" and "dictionary")

Value

data.table

XNAPairwiseAlignment *Pairwise alignment methods for XNAString object*

Description

This function performs pairwise alignment for sequences stored in target slot of XNAString object with subject

Usage

```
XNAPairwiseAlignment(pattern, subject, ...)

## S4 method for signature 'XNAString,character'
XNAPairwiseAlignment(
  pattern,
  subject,
  type = "global",
  substitutionMatrix = NULL,
  fuzzyMatrix = NULL,
  gapOpening = 10,
  gapExtension = 4,
  scoreOnly = FALSE
)
```

Arguments

pattern	XNAString object, pattern taken from target slot.
subject	a character vector of length 1, an XString, or an XStringSet object of length 1.
...	optional arguments to generic function to support additional methods
type	type of alignment. One of "global", "local", "overlap", "global-local", and "local-global" where "global" = align whole strings with end gap penalties, "local" = align string fragments, "overlap" = align whole strings without end gap penalties, "global-local" = align whole strings in pattern with consecutive subsequence of subject, "local-global" = align consecutive subsequence of pattern with whole strings in subject.
substitutionMatrix	substitution matrix representing the fixed substitution scores for an alignment. It cannot be used in conjunction with patternQuality and subjectQuality arguments.
fuzzyMatrix	fuzzy match matrix for quality-based alignments. It takes values between 0 and 1; where 0 is an unambiguous mismatch, 1 is an unambiguous match, and values in between represent a fraction of "matchiness".

gapOpening	the cost for opening a gap in the alignment.
gapExtension	the incremental cost incurred along the length of the gap in the alignment.
scoreOnly	logical to denote whether or not to return just the scores of the optimal pairwise alignment.

Value

an instance of class [PairwiseAlignments](#)

Examples

```
mat <-
  Biostrings::nucleotideSubstitutionMatrix(
    match = 1,
    mismatch = -3,
    baseOnly = TRUE
  )
s1 <-
  XNAString::XNAString(
    base = "GCGGAGAGACACAGATACA",
    sugar = "FODDDDDDDDDDDDDDDD",
    target = Biostrings::DNAStrSet("GCGGAGAGACACAGATACA")
  )

  XNAString::XNAPairwiseAlignment(s1,
                                   "ACCCACACACACACACACAC",
                                   "global",
                                   substitutionMatrix = mat
  )
```

XNAReverseComplement *Reverse complement sequence based on dictionary*

Description

Reverse complement sequence based on dictionary

Usage

```
XNAReverseComplement(obj, ...)
```

S4 method for signature 'XNAString'

```
XNAReverseComplement(obj)
```

Arguments

obj	XNAString object
...	optional arguments to generic function to support additional methods

Value

string with reverse complement sequence

Examples

```
my_dic <- data.table::data.table(
  type = c(
    rep("base", 3),
    rep("sugar", 2),
    rep("backbone", 3)
  ),
  symbol = c("G", "E", "A", "F", "O", "S", "B", "X")
)
obj <- XNAString(
  name = "b",
  base = "GGE",
  sugar = "FFO",
  dictionary = my_dic
)
XNAReverseComplement(obj)
```

XNAString-class

Development of XNAString class aims at enabling efficient manipulation of modified oligonucleotide sequences. The class consists of the following slots: name, base, sugar, backbone, target, conjugate5, conjugate3, secondary_structure, duplex_structure, dictionary (HELM-string dictionary), compl_dictionary.

Description

The package inherits some of the functionalities from Biostrings package. In contrary to Biostrings sequences, XNAString classes allow for description of base sequence, sugar and backbone in a single object. XNAString is able to capture single stranded oligonucleotides, siRNAs, PNAs, shRNAs, gRNAs and synthetic mRNAs, and enable users to apply sequence-manipulating Bioconductor packages to their analysis. XNAString can read and write a HELM notation, compute alphabet frequency, align and match targets.

Usage

```
XNAString(
  name,
  base,
  sugar,
  backbone,
  target,
  conjugate5,
  conjugate3,
  secondary_structure,
```



```

    duplex_structure,
    dictionary,
    compl_dictionary,
    default_sugar,
    default_backbone
)

## S4 method for signature 'XNAString'
show(object)

## S4 method for signature 'XNAString'
initialize(
  .Object,
  name,
  base,
  sugar,
  backbone,
  target,
  conjugate5,
  conjugate3,
  secondary_structure,
  duplex_structure,
  dictionary,
  compl_dictionary,
  default_sugar,
  default_backbone
)

seqtype(x)

## S4 method for signature 'XNAString'
seqtype(x)

```

Arguments

name	string (or character)
base	string (or character), RNAString, RNAStringSet, DNAString or DNAStringSet
sugar	string (or character)
backbone	string (or character)
target	DNAStringSet, DNAString or character
conjugate5	string (or character)
conjugate3	string (or character)
secondary_structure	list
duplex_structure	list

dictionary	data.table with following columns: "HELM", "type", "symbol". By default internal XNAString dictionary is used.
compl_dictionary	data.table with following columns: "base", "target". By default internal XNAString dictionary is used
default_sugar	character, a single letter which will be replicated in sugar slot as default value
default_backbone	character, a single letter which will be replicated in backbone slot as default value
object	XNAString object
.Object	XNAString object
x	A single string specifying the type of sequences

Value

Object which consists of name, base, sugar, backbone, target, conjugate5, conjugate3, secondary_structure, duplex_structure, dictionary, compl_dictionary.

Author(s)

Anna Gorska

Examples

```
obj1 <- XNAString(
  base = "ATCG",
  sugar = "FODD",
  conjugate3 = "TAG"
)
obj2 <- XNAString(
  base = "ATCG",
  sugar = "FODD",
  backbone = "SBB"
)
str(obj2)
name(obj2) <- 'a'
base(obj2) <- 'ATTT'
sugar(obj2) <- 'LMFF'
backbone(obj2) <- 'BAB'
conjugate5(obj2) <- 'TFJSJG'
conjugate3(obj2) <- 'ARTSS'
my_dic <- data.table::data.table(type = c(rep('base',3),
                                         rep('sugar',2),
                                         rep('backbone',3)),
                                symbol = c('G', 'E', 'A', 'F',
                                           'O', 'S', 'B', 'X'))
obj1 <- XNAString(base = 'AAE',
                 sugar = 'FFO',
                 backbone='SB',
                 dictionary = my_dic)
```

```
obj2 <- XNAString(base = c('EAA', 'AAAA'),
                 sugar = c('FF0', '0000'),
                 name = c('a'),
                 conjugate5 = c('TTT'),
                 dictionary = my_dic)

my_dic <- data.table::data.table(
  type = c(
    rep("base", 3),
    rep("sugar", 2),
    rep("backbone", 3)
  ),
  symbol = c("G", "E", "A", "F", "O", "S", "B", "X")
)
obj1 <- XNAString(
  base = "AAE",
  sugar = "FF0",
  backbone = "SB",
  dictionary = my_dic
)
obj2 <- XNAString(
  base = c("EAA", "AAAA"),
  sugar = c("FF0", "0000"),
  name = c("a"),
  conjugate5 = c("TTT"),
  dictionary = my_dic
)
```

XNAString2XNAStringSet

XNAString2XNAStringSet function - changes XNAString object to XNAStringSet

Description

XNAString2XNAStringSet function - changes XNAString object to XNAStringSet

Usage

```
XNAString2XNAStringSet(XNAString_obj)
```

Arguments

XNAString_obj XNAString object

Value

XNAStringSet object

xnastringClassUnions *setClassUnion definitions*

Description

setClassUnion definitions used in XNAString class. charOrDNAOrRNA consists of character, DNAString, RNAString, DNAStringSet, RNAStringSet. charOrDNA consists of character, DNAString, DNAStringSet

xnastringElementsNumber

Function which checks if XNAString object satisfies predefined slots length

Description

Function which checks if XNAString object satisfies predefined slots length

Usage

```
xnastringElementsNumber(
  xnastring_obj,
  cond_name = "==1",
  cond_base,
  cond_sugar,
  cond_backbone,
  cond_target = ">0",
  cond_conj5 = "==1",
  cond_conj3 = "==1"
)
```

Arguments

xnastring_obj	XNAString object
cond_name	allowed name elements in object
cond_base	allowed base elements in object
cond_sugar	allowed sugar elements in object
cond_backbone	allowed backbone elements in object
cond_target	allowed target elements in object
cond_conj5	allowed conj5 elements in object
cond_conj3	allowed conj3 elements in object

Value

logical

Examples

```
obj <- XNAString(
  base = c("EAA", "AAA"),
  sugar = c("FF0", "000"),
  name = c("a"),
  conjugate5 = c("TTT")
)
xnastringElementsNumber(obj,
  cond_name = "==" ,
  cond_base = "%in% c(1,2)",
  cond_sugar = "%in% c(1,2)",
  cond_backbone = "%in% c(1,2)",
  cond_target = ">0",
  cond_conj5 = "==" ,
  cond_conj = "==" )
```

XNAStringFromHelm *Create XNAString object from HELM - user interface*

Description

Create XNAString object from HELM - user interface

Usage

```
XNAStringFromHelm(
  helm,
  name = NA_character_,
  dictionary = xna_dictionary,
  compl_dictionary = complementary_bases,
  remove_linker = TRUE
)
```

Arguments

helm	string (or strings vector) with HELM sequence, which contains one RNA polymer and optionally CHEM element
name	character (or character vector)
dictionary	data.table with following columns: "HELM", "type", "symbol". By default internal XNAString dictionary is used.
compl_dictionary	data.table with following columns: "base", "target". By default internal XNAString dictionary is used
remove_linker	logical defines if linker should be clipped from RNA

Value

XNAString object if single helm, XNAStringSet object otherwise

Author(s)

Marianna Plucinska

Examples

```
XNAStringFromHelm("RNA1{[dR](A)P.[dR](A)P.[dR](A)}$$$$V2.0")
XNAStringFromHelm("RNA1{[dR](A)P.[dR](A)P.[dR](A)}$$$$V2.0", 'name')
XNAStringFromHelm(c("RNA1{[dR](A)P.[dR](A)P.[dR](A)}$$$$V2.0",
                    "RNA1{[dR](T)P.[dR](T)P.[dR](A)}$$$$V2.0"),
                  c('name1', 'name2'))
```

XNAStringSet-class *Create class which consists of XNAString objects given as a list*

Description

Create class which consists of XNAString objects given as a list

Create XNAStringSet object

Define show method

Method to extract a row/rows (either by row index or by 'name' slot) XNAStringSet object is returned.

Method to extract a single row (either by row index or by 'name' slot) XNAString object is returned.

Method to add/replace a single row (either by row index or by 'name' slot) XNAStringSet object is returned.

Usage

```
XNAStringSet(
  objects = NA,
  base = NA,
  sugar = NA,
  backbone = NA,
  target = NA,
  name = NA,
  conjugate3 = NA,
  conjugate5 = NA,
  col.base = "base",
  col.sugar = "sugar",
  col.backbone = "backbone",
  col.target = "target",
  col.conjugate3 = "conjugate3",
```

```

    col.conjugate5 = "conjugate5",
    col.name = "name",
    default_sugar = NA,
    default_backbone = NA,
    compl_dict = complementary_bases
)

## S4 method for signature 'XNAStringSet'
show(object)

## S4 method for signature 'XNAStringSet,ANY,ANY,ANY'
x[i]

## S4 method for signature 'XNAStringSet,ANY,ANY'
x[[i]]

## S4 replacement method for signature 'XNAStringSet,ANY,ANY'
x[[i]] <- value

```

Arguments

objects	list of XNAString objects
base	string (or character), RNAString, RNAStringSet, DNAString or DNAStringSet. In use only when objects argument is empty.
sugar	string (or character). In use only when objects argument is empty.
backbone	string (or character). In use only when objects argument is empty.
target	DNAStringSet, DNAString or character. In use only when objects argument is empty.
name	string (or character). In use only when objects argument is empty.
conjugate3	string (or character). In use only when objects argument is empty.
conjugate5	string (or character). In use only when objects argument is empty.
col.base	character (name of base column). In use only when objects argument is empty.
col.sugar	character (name of sugar column). In use only when objects argument is empty.
col.backbone	character (name of backbone column). In use only when o bjects argument is empty.
col.target	character (name of target column). In use only when objects argument is empty.
col.conjugate3	character (name of target column). In use only when objects argument is empty.
col.conjugate5	character (name of target column). In use only when objects argument is empty.
col.name	character (name of target column). In use only when objects argument is empty.
default_sugar	character - only one letter. Will be replicated nchar(base) times. In use only when objects argument is empty.
default_backbone	character - only one letter. Will be replicated nchar(base)-1 times. In use only when objects argument is empty.

compl_dict	data.table with following columns: "base", "target". By default internal XNAS-tring dictionary is used. In use only when objects argument is empty.
object	XNAStringSet object
x	XNAStringSet object
i	numeric, integer, character, logical - filter needed for extraction method
value	XNAString object

Value

XNAStringSet object

Author(s)

Anna Gorska

Examples

```
my_dic <- data.table::data.table(  
  type = c(  
    rep("base", 3),  
    rep("sugar", 2),  
    rep("backbone", 3)  
  ),  
  symbol = c("G", "E", "A", "F", "O", "S", "B", "X")  
)  
obj1 <- XNAString(  
  name = "a",  
  base = "GGE",  
  sugar = "FFO",  
  backbone = "SB",  
  dictionary = my_dic  
)  
obj2 <- XNAString(  
  name = "b",  
  base = "GGE",  
  sugar = "FFO",  
  dictionary = my_dic  
)  
obj3 <- XNAString(  
  name = "b",  
  base = c("GGE", "EEE"),  
  sugar = c("FFO", "OOO"),  
  dictionary = my_dic  
)  
XNAStringSetObj <- XNAStringSet(objects = list(obj1, obj2, obj3))
```

XNAStringToHelm	<i>XNAStringToHelmFun function takes XNAString object and translates base, sugar and backbone to HELM notation</i>
-----------------	--

Description

XNAStringToHelmFun function takes XNAString object and translates base, sugar and backbone to HELM notation

Usage

```
XNAStringToHelm(xnastring_obj, dictionary = xna_dictionary)
```

Arguments

xnastring_obj	XNAString object
dictionary	HELM-symbol dictionary

Value

string (HELM notation)

Examples

```
obj <- XNAString(  
  base = "AAA",  
  sugar = "DDD",  
  backbone = "00"  
)  
XNAStringToHelm(obj)
```

XNAVmatchPattern	<i>This is function finding all the occurrences of a given pattern (typically short) in a (typically long) set of reference sequences.</i>
------------------	--

Description

This is function finding all the occurrences of a given pattern (typically short) in a (typically long) set of reference sequences.

Implementation of this method is based on vmatchPatterrm method from BSgenome

Usage

```
XNAVmatchPattern(  
  pattern,  
  subject,  
  target.number = 1,  
  max.mismatch = 0,  
  min.mismatch = 0,  
  with.indels = FALSE,  
  fixed = TRUE,  
  algorithm = "auto",  
  exclude = "",  
  maskList = logical(0),  
  userMask = IRanges::IRangesList(),  
  invertUserMask = FALSE  
)  
  
## S4 method for signature 'XNAString,character'  
XNAVmatchPattern(  
  pattern,  
  subject,  
  target.number = 1,  
  max.mismatch = 0,  
  min.mismatch = 0,  
  with.indels = FALSE,  
  fixed = TRUE,  
  algorithm = "auto"  
)  
  
## S4 method for signature 'XNAString,XStringSet'  
XNAVmatchPattern(  
  pattern,  
  subject,  
  target.number = 1,  
  max.mismatch = 0,  
  min.mismatch = 0,  
  with.indels = FALSE,  
  fixed = TRUE,  
  algorithm = "auto"  
)  
  
## S4 method for signature 'XNAString,BSgenome'  
XNAVmatchPattern(  
  pattern,  
  subject,  
  target.number = 1,  
  max.mismatch = 0,  
  min.mismatch = 0,  
  with.indels = FALSE,
```

```

    fixed = TRUE,
    algorithm = "auto",
    exclude = "",
    maskList = logical(0),
    userMask = IRanges::IRangesList(),
    invertUserMask = FALSE
)

```

Arguments

pattern	XNAString object with non-empty target slot
subject	string, string vector or DNASTring / DNASTringSet / chromosome from BSgenome object
target.number	numeric - if target is a multi-element vector, then specify which element in use. 1 is the default
max.mismatch	The maximum number of mismatching letters allowed. If non-zero, an algorithm that supports inexact matching is used.
min.mismatch	The minimum number of mismatching letters allowed. If non-zero, an algorithm that supports inexact matching is used.
with.indels	If TRUE then indels are allowed. In that case, min.mismatch must be 0 and max.mismatch is interpreted as the maximum "edit distance" allowed between the pattern and a match. Note that in order to avoid pollution by redundant matches, only the "best local matches" are returned. Roughly speaking, a "best local match" is a match that is locally both the closest (to the pattern P) and the shortest.
fixed	If TRUE (the default), an IUPAC ambiguity code in the pattern can only match the same code in the subject, and vice versa. If FALSE, an IUPAC ambiguity code in the pattern can match any letter in the subject that is associated with the code, and vice versa.
algorithm	One of the following: "auto", "naive-exact", "naive-inexact", "boyer-moore", "shift-or" or "indels".
exclude	A character vector with strings that will be used to filter out chromosomes whose names match these strings. Needed for BSParams object if subject is a chromosome object from BSgenome
maskList	A named logical vector of maskStates preferred when used with a BSgenome object. When using the bsapply function, the masks will be set to the states in this vector.
userMask	An IntegerRangesList, containing a mask to be applied to each chromosome.
invertUserMask	Whether the userMask should be inverted.

Value

An [MIndex](#) object for vmatchPattern.

Examples

```
s3 <-
XNAString::XNAString(
  base = "GCGGAGAGAGCACAGATACA",
  sugar = "FODDDDDDDDDDDDDDDD",
  target = Biostrings::DNASTringSet(
    c("AAAAGCTTTACAAAATCCAAGATC", "GCGGAGAGAGCACAGATACA")
  )
)
chrom <- BSgenome.Hsapiens.UCSC.hg38::BSgenome.Hsapiens.UCSC.hg38$chr1
result <- XNAString::XNAMatchPattern(s3, chrom)
```

xna_dictionary

Default XNAString dictionary

Description

A dataset containing default internal XNAString dictionary with HELM to string translation.

Usage

```
data(xna_dictionary)
```

Format

A data.table with 20 rows and 3 variables:

HELM HELM sequence coding monomer

type if element is coding base, sugar, backbone

symbol single string translation of HELM

Source

RMR internal bioinformatics database (Mimir)

Index

- * **datasets**
 - complementary_bases, [9](#)
 - xna_dictionary, [60](#)
- [, XNAStringSet, ANY, ANY, ANY-method (XNAStringSet-class), [54](#)
- [[, XNAStringSet, ANY, ANY-method (XNAStringSet-class), [54](#)
- [[<-, XNAStringSet, ANY, ANY-method (XNAStringSet-class), [54](#)

- alphabetFrequency, [3](#)

- backbone, [5](#)
- backbone, XNAString-method (backbone), [5](#)
- backbone, XNAStringSet-method (backbone), [5](#)
- backbone<- (backbone), [5](#)
- backbone<-, XNAString-method (backbone), [5](#)
- backbone<-, XNAStringSet-method (backbone), [5](#)

- base, [7](#)
- base, XNAString-method (base), [7](#)
- base, XNAStringSet-method (base), [7](#)
- base<- (base), [7](#)
- base<-, XNAString-method (base), [7](#)
- base<-, XNAStringSet-method (base), [7](#)

- changeBase, [8](#)
- charOrDNA-class (xnastringClassUnions), [52](#)
- compl_dictionary, [9](#)
- compl_dictionary, XNAString-method (compl_dictionary), [9](#)
- compl_dictionary<- (compl_dictionary), [9](#)
- compl_dictionary<-, XNAString-method (compl_dictionary), [9](#)
- complementary_bases, [9](#)
- concatDict, [10](#)
- conjugate3, [11](#)
- conjugate3, XNAString-method (conjugate3), [11](#)
- conjugate3, XNAStringSet-method (conjugate3), [11](#)
- conjugate3<- (conjugate3), [11](#)
- conjugate3<-, XNAString-method (conjugate3), [11](#)
- conjugate3<-, XNAStringSet-method (conjugate3), [11](#)
- conjugate5, [12](#)
- conjugate5, XNAString-method (conjugate5), [12](#)
- conjugate5, XNAStringSet-method (conjugate5), [12](#)
- conjugate5<- (conjugate5), [12](#)
- conjugate5<-, XNAString-method (conjugate5), [12](#)
- conjugate5<-, XNAStringSet-method (conjugate5), [12](#)

- default_backbone, [14](#)
- default_backbone, XNAString-method (default_backbone), [14](#)
- default_backbone, XNAStringSet-method (default_backbone), [14](#)
- default_backbone<- (default_backbone), [14](#)
- default_backbone<-, XNAString-method (default_backbone), [14](#)
- default_sugar, [15](#)
- default_sugar, XNAString-method (default_sugar), [15](#)
- default_sugar, XNAStringSet-method (default_sugar), [15](#)
- default_sugar<- (default_sugar), [15](#)
- default_sugar<-, XNAString-method (default_sugar), [15](#)

- dictionary, [16](#)
- dictionary, XNAString-method (dictionary), [16](#)

- dictionary<- (dictionary), 16
- dictionary<-, XNString-method (dictionary), 16
- dinucleotideFrequency, 17
- dt2Set, 19
- duplex_structure, 20
- duplex_structure, XNString-method (duplex_structure), 20
- duplex_structure, XNStringSet-method (duplex_structure), 20
- duplex_structure<- (duplex_structure), 20
- duplex_structure<-, XNString-method (duplex_structure), 20
- extractionMethods (XNStringSet-class), 54
- helm2String, 21
- initialize (XNString-class), 48
- initialize, XNString-method (XNString-class), 48
- instanceOf, 22
- listOflists2Dt, 23
- mimir2XnaDict, 23
- MIndex, 45, 59
- name, 24
- name, XNString-method (name), 24
- name, XNStringSet-method (name), 24
- name<- (name), 24
- name<-, XNString-method (name), 24
- name<-, XNStringSet-method (name), 24
- objects, 26
- objects, XNStringSet-method (objects), 26
- PairwiseAlignments, 47
- parseRnaHelmComponent, 27
- predictDuplexStructure, 28
- predictDuplexStructure, XNString-method (predictDuplexStructure), 28
- predictDuplexStructureFun (predictDuplexStructure), 28
- predictMfeStructure, 29
- predictMfeStructure, XNString-method (predictMfeStructure), 29
- predictMfeStructureFun (predictMfeStructure), 29
- replaceBase, 29
- reverseComplementFun, 30
- secondary_structure, 30
- secondary_structure, XNString-method (secondary_structure), 30
- secondary_structure, XNStringSet-method (secondary_structure), 30
- secondary_structure<- (secondary_structure), 30
- secondary_structure<-, XNString-method (secondary_structure), 30
- seqAlphabetFrequency, 32
- seqDinucleotideFrequency, 32
- seqtype (XNString-class), 48
- seqtype, XNString-method (XNString-class), 48
- seqVectorAlphabetFrequency, 33
- seqVectorDinucleotideFrequency, 34
- set2Dt, 34
- set2List, 36
- set2List, XNStringSet-method (set2List), 36
- show, XNString-method (XNString-class), 48
- show, XNStringSet-method (XNStringSet-class), 54
- showMethod (XNString-class), 48
- siRNA_HELM, 37
- sugar, 37
- sugar, XNString-method (sugar), 37
- sugar, XNStringSet-method (sugar), 37
- sugar<- (sugar), 37
- sugar<-, XNString-method (sugar), 37
- sugar<-, XNStringSet-method (sugar), 37
- target, 39
- target, XNString-method (target), 39
- target, XNStringSet-method (target), 39
- target<- (target), 39
- target<-, XNString-method (target), 39
- target<-, XNStringSet-method (target), 39
- typedListCheck, 40

- uniqueChars, [41](#)
- xna_dictionary, [60](#)
- XNAAlphabetFrequency
 - (alphabetFrequency), [3](#)
- XNAAlphabetFrequency, XNAString-method
 - (alphabetFrequency), [3](#)
- XNAAlphabetFrequency, XNAStringSet-method
 - (alphabetFrequency), [3](#)
- XNAAlphabetFrequencyFun
 - (alphabetFrequency), [3](#)
- XNADinucleotideFrequency
 - (dinucleotideFrequency), [17](#)
- XNADinucleotideFrequency, XNAString-method
 - (dinucleotideFrequency), [17](#)
- XNADinucleotideFrequency, XNAStringSet-method
 - (dinucleotideFrequency), [17](#)
- XNADinucleotideFrequencyFun
 - (dinucleotideFrequency), [17](#)
- XNAMatchPattern, [42](#)
- XNAMatchPattern, XNAString, character-method
 - (XNAMatchPattern), [42](#)
- XNAMatchPattern, XNAString, XString-method
 - (XNAMatchPattern), [42](#)
- XNAMatchPDict, [43](#)
- XNAMatchPDict, XNAString, character-method
 - (XNAMatchPDict), [43](#)
- XNAMatchPDict, XNAString, XString-method
 - (XNAMatchPDict), [43](#)
- xnaObj2Dt, [45](#)
- XNAPairwiseAlignment, [46](#)
- XNAPairwiseAlignment, XNAString, character-method
 - (XNAPairwiseAlignment), [46](#)
- XNARreverseComplement, [47](#)
- XNARreverseComplement, XNAString-method
 - (XNARreverseComplement), [47](#)
- XNAString (XNAString-class), [48](#)
- XNAString-class, [48](#)
- XNAString2XNAStringSet, [51](#)
- xnastringClass (XNAString-class), [48](#)
- xnastringClassUnions, [52](#)
- xnastringElementsNumber, [52](#)
- XNAStringFromHelm, [53](#)
- XNAStringMethod (XNAString-class), [48](#)
- XNAStringSet (XNAStringSet-class), [54](#)
- XNAStringSet-class, [54](#)
- XNAStringSetMethod
 - (XNAStringSet-class), [54](#)
- XNAStringToHelm, [57](#)
- XNAVmatchPattern, [57](#)
- XNAVmatchPattern, XNAString, BSgenome-method
 - (XNAVmatchPattern), [57](#)
- XNAVmatchPattern, XNAString, character-method
 - (XNAVmatchPattern), [57](#)
- XNAVmatchPattern, XNAString, XStringSet-method
 - (XNAVmatchPattern), [57](#)
- XStringViews, [43](#)