

Package ‘sigPathway’

June 23, 2022

Type Package

Title Pathway Analysis

Version 1.64.0

Date 2008-10-19

Author Weil Lai (optimized R and C code), Lu Tian and Peter Park
(algorithm development and initial R code)

Maintainer Weil Lai <wlai@alum.mit.edu>

Depends R (>= 2.10)

Suggests hgu133a.db (>= 1.10.0), XML (>= 1.6-3), AnnotationDbi (>= 1.3.12)

Description Conducts pathway analysis by calculating the NT_k and NE_k statistics as described in Tian et al. (2005)

License GPL-2

URL <http://www.pnas.org/cgi/doi/10.1073/pnas.0506577102>,
<http://www.chip.org/~ppark/Supplements/PNAS05.html>

biocViews DifferentialExpression, MultipleComparison

git_url <https://git.bioconductor.org/packages/sigPathway>

git_branch RELEASE_3_15

git_last_commit 68f60c1

git_last_commit_date 2022-04-26

Date/Publication 2022-06-23

R topics documented:

| | |
|--------------------------------------|----|
| calcTNullFast | 2 |
| calcTStatFast | 3 |
| calculate.GSEA | 4 |
| calculate.NGSK | 5 |
| calculatePathwayStatistics | 7 |
| estimateNumPerm | 10 |

| | |
|-------------------------------------|----|
| getPathwayStatistics | 11 |
| getPathwayStatistics.NGSk | 12 |
| importGeneSets | 13 |
| MuscleExample | 14 |
| rankPathways | 15 |
| rankPathways.NGSk | 16 |
| runSigPathway | 17 |
| selectGeneSets | 19 |
| writeSigPathway | 21 |

| | |
|--------------|-----------|
| Index | 23 |
|--------------|-----------|

| | |
|---------------|--|
| calcTNullFast | <i>Compute Null T Distribution for Each Gene</i> |
|---------------|--|

Description

Computes a null t distribution for each gene by permuting the phenotypes.

Usage

```
calcTNullFast(tab, phenotype, nsim, ngroups = 2, allphenotypes = FALSE)
```

Arguments

| | |
|---------------|--|
| tab | a numeric matrix of expression values, with the rows and columns representing probe sets and sample arrays, respectively |
| phenotype | a numeric (or character if ngroups >= 2) vector indicating the phenotype |
| nsim | an integer indicating the number of permutations to use |
| ngroups | an integer indicating the number of groups in the expression matrix |
| allphenotypes | a boolean indicating whether the function should consider all possible permutations of the phenotype, including the original, non-permuted phenotype |

Details

Similar to calcTStatFast but calculates t-statistics over permuted phenotypes. If allphenotypes == FALSE, then any permutation that has a permuted phenotype equal to the original phenotype will be repermuted. For example, all the possible permutations for phenotype == c(0, 0, 1, 1) are c(0, 0, 1, 1), c(0, 1, 0, 1), c(1, 0, 1, 0), c(1, 0, 0, 1), c(0, 1, 1, 0), and c(1, 1, 0, 0). If allphenotypes == FALSE, then the results will not include values from the c(0, 0, 1, 1) case.

The help file of calcTStatFast has more details on the different statistics one can calculate based on the value specified for ngroups.

Value

A matrix with nsim rows and nrow(tab) columns.

Author(s)

Weil Lai

calcTStatFast

*Compute T-Statistics and Corresponding P-Values***Description**

Computes t-statistics and corresponding p-values.

Usage

```
calcTStatFast(tab, phenotype, ngroups = 2)
```

Arguments

| | |
|-----------|--|
| tab | a numeric matrix of expression values, with the rows and columns representing probe sets and sample arrays, respectively |
| phenotype | a numeric (or character if ngroups >= 2) vector indicating the phenotype |
| ngroups | an integer indicating the number of groups in the expression matrix |

Details

If there are two groups in the matrix, it is recommended to use 0 and 1 to denote which sample columns belong to which group. If the phenotype is a character vector, then the phenotype ranked first in the alphabet is considered as 0.

If ngroups = 2, the t-test done here is equivalent to a unpaired two-sample t-test, assuming unequal variances. Please note that as of version 1.1.6, the sign of the t-statistic is positive when the mean of group 1 is greater than the mean of group 0.

If there is only one group in the matrix (e.g., Alzheimer's data set as reanalyzed in Tian et al. (2005)), then the phenotype vector should consist of continuous values. In this case, the association between phenotype and expression values is first calculated as Pearson correlation coefficients, transformed to Fisher's z, and then rescaled so that its variance is 1:

$$z = 0.5 * \log((1 + \rho) / (1 - \rho)) * \sqrt{n - 3}$$
, where n is the number of phenotypes.

If ngroups > 2, the f-statistics (from 1-way ANOVA) are calculated. The user will need to check that the data have similar variances among the groups.

Value

| | |
|-------|---|
| pval | A vector of unadjusted p-values |
| tstat | A vector of t-statistics (ngroups = 2) or rescaled Fisher's z (ngroups = 1) |
| rho | (Also returned when ngroups = 1) A vector of Pearson correlation coefficients |

Author(s)

Weil Lai

Examples

```
## Load inflammatory myopathy data set
data(MuscleExample)
statList <- calcTStatFast(tab, phenotype, ngroups = 2)

## Generate histogram of p-values
hist(statList$pval, xlab = "Unadjusted p-values", ylab = "Frequency")
```

 calculate.GSEA

Calculate 2-sided statistics based on the GSEA algorithm

Description

Calculates the 2-sided statistics based on the GSEA algorithm.

Usage

```
calculate.GSEA(tab, phenotype, gsList, nsim = 1000,
               verbose = FALSE, alwaysUseRandomPerm = FALSE)
```

Arguments

| | |
|---------------------|---|
| tab | a numeric matrix of expression values, with the rows and columns representing probe sets and sample arrays, respectively |
| phenotype | a numeric or character vector indicating the phenotype |
| gsList | a list containing three vectors from the output of the selectGeneSets function |
| nsim | an integer indicating the number of permutations to use |
| verbose | a boolean to indicate whether to print debugging messages to the R console |
| alwaysUseRandomPerm | a boolean to indicate whether the algorithm can use complete permutations for cases where nsim is greater than the total number of unique permutations possible with the phenotype vector |

Details

This function assumes 2 distinct types of phenotypes in the data. It calculates a variant of the GSEA statistics (Mootha et al.) with the following modifications: (a) GSEA was changed from a 1-sided to a 2-sided approach. (b) The 2-group t-statistics is used as the difference metric.

The function also normalizes the GSEA statistic and calculates the corresponding q-values for each gene set as described in Tian et al. (2005) The function's output can be used for further analysis in other functions such as rankPathways.NGSK or getPathwayStatistics.NGSK.

Value

A list containing

| | |
|-----------|------------------------------------|
| ngs | number of gene sets |
| nsim | number of permutations performed |
| t.set | a numeric vector of Tk statistics |
| t.set.new | a numeric vector of NTk statistics |
| p.null | the proportion of nulls |
| p.value | a numeric vector of p-values |
| q.value | a numeric vector of q-values |

Author(s)

Lu Tian, Peter Park, and Weil Lai

References

Mootha V.K., Lindgren C.M., Eriksson K.F., Subramanian A., Sihag S., Lehar J., Puigserver P., Carlsson E., Ridderstrale M., Laurila E., Houstis N., Daily M.J., Patterson N., Mesirov J.P., Golub T.R., Tamayo P., Spiegelman B., Lander E.S., Hirshhorn J.N., Altshuler D., Groop L.C. (2003) PGC-1alpha-responsive genes involved in oxidative phosphorylation are coordinately downregulated in human diabetes. *Nature Genetics*, **34**, 267-73.

Tian L., Greenberg S.A., Kong S.W., Altschuler J., Kohane I.S., Park P.J. (2005) Discovering statistically significant pathways in expression profiling studies. *Proceedings of the National Academy of Sciences of the USA*, **102**, 13544-9.

<http://www.pnas.org/cgi/doi/10.1073/pnas.0506577102>

calculate.NGsk

Calculate NGSk (NTk-like) statistics with gene label permutation

Description

Calculates the NGSk (NTk-like) statistics with gene label permutation and the corresponding p-values and q-values for each selected pathway.

Usage

```
calculate.NGsk(statV, gsList, nsim = 1000, verbose = FALSE,
              alwaysUseRandomPerm = FALSE)
```

Arguments

| | |
|---------------------|---|
| statV | a numeric vector of test statistic (not p-values) for each individual probe/gene |
| gsList | a list containing three vectors from the output of the selectGeneSets function |
| nsim | an integer indicating the number of permutations to use |
| verbose | a boolean to indicate whether to print debugging messages to the R console |
| alwaysUseRandomPerm | a boolean to indicate whether the algorithm can use complete permutations for cases where nsim is greater than the total number of unique permutations possible with the phenotype vector |

Details

This function is a generalized version of NTK calculations; calculate.NTk calls this function internally. To use this function, the user must specify a vector of test statistics (e.g., t-statistic, Wilcoxon). Pathways from this function can be ranked with rankPathways.NGsk or with rankPathways when combined with results from another pathway analysis algorithm (e.g., calculate.NEk).

Value

A list containing

| | |
|-----------|--|
| ngs | number of gene sets |
| nsim | number of permutations performed |
| t.set | a numeric vector of Tk/Ek statistics |
| t.set.new | a numeric vector of NTK/NEk statistics |
| p.null | the proportion of nulls |
| p.value | a numeric vector of p-values |
| q.value | a numeric vector of q-values |

Author(s)

Lu Tian, Peter Park, and Weil Lai

References

Tian L., Greenberg S.A., Kong S.W., Altschuler J., Kohane I.S., Park P.J. (2005) Discovering statistically significant pathways in expression profiling studies. *Proceedings of the National Academy of Sciences of the USA*, **102**, 13544-9.

<http://www.pnas.org/cgi/doi/10.1073/pnas.0506577102>

Examples

```
## Load in filtered, expression data
data(MuscleExample)

## Prepare the pathways to analyze
```

```

probeID <- rownames(tab)
gsList <- selectGeneSets(G, probeID, 20, 500)

nsim <- 1000
ngroups <- 2
verbose <- TRUE
weightType <- "constant"
methodName <- "NGSk"
npath <- 25
allpathways <- FALSE
annotpkg <- "hgu133a.db"

statV <- calcTStatFast(tab, phenotype, ngroups)$tstat
res.NGsk <- calculate.NGsk(statV, gsList, nsim, verbose)

## Summarize top pathways from NGSk
res.pathways.NGsk <-
  rankPathways.NGsk(res.NGsk, G, gsList, methodName, npath)
print(res.pathways.NGsk)

## Get more information about the probe sets' means and other statistics
## for the top pathway in res.pathways.NGsk
gpsList <-
  getPathwayStatistics.NGsk(statV, probeID, G, res.pathways.NGsk$IndexG,
    FALSE, annotpkg)
print(gpsList[[1]])

## Write table of top-ranked pathways and their associated probe sets to
## HTML files
parameterList <-
  list(nprobes = nrow(tab), nsamples = ncol(tab),
    phenotype = phenotype, ngroups = ngroups,
    minNPS = 20, maxNPS = 500, ngs = res.NGsk$ngs,
    nsim.NGsk = res.NGsk$nsim,
    annotpkg = annotpkg, npath = npath, allpathways = allpathways)

writeSP(res.pathways.NGsk, gpsList, parameterList, tempdir(),
  "sigPathway_cNGSk", "TopPathwaysTable.html")

```

calculatePathwayStatistics

Calculate the NTK and NEk statistics

Description

Calculates the NTK and NEk statistics and the corresponding p-values and q-values for each selected pathway.

Usage

```

calculate.NTk(tab, phenotype, gsList, nsim = 1000,
              ngroups = 2, verbose = FALSE, alwaysUseRandomPerm = FALSE)
calculate.NEk(tab, phenotype, gsList, nsim = 1000,
              weightType = c("constant", "variable"),
              ngroups = 2, verbose = FALSE, alwaysUseRandomPerm = FALSE)

```

Arguments

| | |
|---------------------|---|
| tab | a numeric matrix of expression values, with the rows and columns representing probe sets and sample arrays, respectively |
| phenotype | a numeric (or character if ngroups >= 2) vector indicating the phenotype |
| gsList | a list containing three vectors from the output of the selectGeneSets function |
| nsim | an integer indicating the number of permutations to use |
| weightType | a character string specifying the type of weight to use when calculating NEk statistics |
| ngroups | an integer indicating the number of groups in the matrix |
| verbose | a boolean to indicate whether to print debugging messages to the R console |
| alwaysUseRandomPerm | a boolean to indicate whether the algorithm can use complete permutations for cases where nsim is greater than the total number of unique permutations possible with the phenotype vector |

Details

These functions calculate the NTk and NEk statistics and the corresponding p-values and q-values for each selected pathway. The output of both functions should be together to rank top pathways with the rankPathways function.

Value

A list containing

| | |
|-----------|--|
| ngs | number of gene sets |
| nsim | number of permutations performed |
| t.set | a numeric vector of Tk/Ek statistics |
| t.set.new | a numeric vector of NTk/NEk statistics |
| p.null | the proportion of nulls |
| p.value | a numeric vector of p-values |
| q.value | a numeric vector of q-values |

Author(s)

Lu Tian, Peter Park, and Weil Lai

References

Tian L., Greenberg S.A., Kong S.W., Altschuler J., Kohane I.S., Park P.J. (2005) Discovering statistically significant pathways in expression profiling studies. *Proceedings of the National Academy of Sciences of the USA*, **102**, 13544-9.

<http://www.pnas.org/cgi/doi/10.1073/pnas.0506577102>

Examples

```
## Load in filtered, expression data
data(MuscleExample)

## Prepare the pathways to analyze
probeID <- rownames(tab)
gsList <- selectGeneSets(G, probeID, 20, 500)

## Calculate Ntk and weighted NEK for each gene set
## * Use a higher nsim (e.g., 2500) value for more reproducible results
nsim <- 1000
ngroups <- 2
verbose <- TRUE
weightType <- "constant"
methodNames <- c("Ntk", "NEk")
npath <- 25
allpathways <- FALSE
annotpkg <- "hgu133a.db"

res.Ntk <- calculate.Ntk(tab, phenotype, gsList, nsim, ngroups, verbose)
res.NEk <- calculate.NEk(tab, phenotype, gsList, nsim, weightType,
                        ngroups, verbose)

## Summarize results
res.pathways <- rankPathways(res.Ntk, res.NEk, G, tab, phenotype,
                            gsList, ngroups, methodNames, npath, allpathways)
print(res.pathways)

## Get more information about the probe sets' means and other statistics
## for the top pathway in res.pathways
statList <- calcTStatFast(tab, phenotype, ngroups)
gpsList <-
  getPathwayStatistics(tab, phenotype, G, res.pathways$IndexG,
                      ngroups, statList, FALSE, annotpkg)
print(gpsList[[1]])

## Write table of top-ranked pathways and their associated probe sets to
## HTML files
parameterList <-
  list(nprobes = nrow(tab), nsamples = ncol(tab),
       phenotype = phenotype, ngroups = ngroups,
       minNPS = 20, maxNPS = 500, ngs = res.Ntk$ngs,
       nsim.Ntk = res.Ntk$nsim, nsim.NEk = res.NEk$nsim,
       weightType = weightType,
```

```

annotpkg = annotpkg, npath = npath, allpathways = allpathways)

writeSP(res.pathways, gpsList, parameterList, tempdir(), "sigPathway_cPS",
        "TopPathwaysTable.html")

```

| | |
|-----------------|---|
| estimateNumPerm | <i>Compute the Number of Unique Permutations for a Phenotype Vector</i> |
|-----------------|---|

Description

Computes the number of unique permutations based on a vector of phenotypes and the number of groups.

Usage

```
estimateNumPerm(phenotype, ngroups)
```

Arguments

| | |
|-----------|--|
| phenotype | a numeric (or character if ngroups >= 2) vector indicating the phenotype |
| ngroups | an integer indicating the number of groups in the phenotype |

Details

This function calculates the number of unique permutations based on the given phenotype and the number of groups present in the phenotype. This function is used internally in sigPathway and attempts to avoid numeric overflow associated with multiplying out large factorials.

Value

A numeric with length 1.

Author(s)

Weil Lai

Examples

```

## One group: continuous observations
ptype1 <- c(24,25,17,26,25,16,14,17,12,15,19,20)
print(estimateNumPerm(ptype1, 1))

## Two groups
ptype2 <- c(0,1,1,0,1,0,1)
print(estimateNumPerm(ptype2, 2))

## Three groups
ptype3a <- c(2,0,1,2,0,1,2,0,0,1,1,2)

```

```
print(estimateNumPerm(ptype3a, 3))

ptype3b <- c("Banana", "Apple", "Lemon", "Lemon", "Lemon",
            "Apple", "Lemon", "Banana", "Banana")
print(estimateNumPerm(ptype3b, 3))
```

getPathwayStatistics *Give the statistics for the probe sets in a pathway*

Description

Gives the statistics for the probe sets associated with a pathway.

Usage

```
getPathwayStatistics(tab, phenotype, G, index, ngroups = 2,
                   statList = NULL, keepUnknownProbes = FALSE,
                   annotpkg = NULL)
```

Arguments

| | |
|-------------------|---|
| tab | a numeric matrix of expression values, with the rows and columns representing probe sets and sample arrays, respectively |
| phenotype | a numeric (or character if ngroups >= 2) vector indicating the phenotype |
| G | a list containing the source, title, and probe sets associated with each curated pathway |
| index | an integer vector specifying the pathway(s) to summarize in G |
| ngroups | an integer indicating the number of groups in the expression matrix |
| statList | a list containing results from calcTStatFast |
| keepUnknownProbes | a boolean indicating whether to keep the names of probe sets not represented in tab in the summary data frame |
| annotpkg | a character vector specifying the name of the BioConductor annotation package to use to fetch accession numbers, Entrez Gene IDs, gene name, and gene symbols |

Details

This function gives the mean, standard deviation, and test statistic for each probe in the pathway as indicated in G[[index]].

Value

A list containing data frames (1 per pathway) with the probes' name, mean, standard deviation, the test statistic (e.g., t-test), and the corresponding unadjusted p-value.

If `ngroups = 1`, the Pearson correlation coefficient is also returned.

If a valid `annotpkg` is specified, the probes' accession numbers, Entrez Gene IDs, gene name, and gene symbols are also returned. This option only works if the probes in the gene set list `G` are manufacturer IDs corresponding to those used in making the BioConductor annotation package.

Note

See the help page of `calculate.NTk` or `calculate.NEK` for example code that uses `getPathwayStatistics`

Author(s)

Weil Lai

`getPathwayStatistics.NGSK`

Give the statistics for the probe sets in a pathway

Description

Gives the statistics for the probe sets associated with a pathway.

Usage

```
getPathwayStatistics.NGSK(statV, probeID, G, index,
                          keepUnknownProbes = FALSE, annotpkg = NULL)
```

Arguments

| | |
|--------------------------------|---|
| <code>statV</code> | a numeric vector of test statistic (not p-values) for each individual probe/gene |
| <code>probeID</code> | a character vector containing the names of probe sets associated with a matrix of expression values |
| <code>G</code> | a list containing the source, title, and probe sets associated with each curated pathway |
| <code>index</code> | an integer vector specifying the pathway(s) to summarize in <code>G</code> |
| <code>keepUnknownProbes</code> | a boolean indicating whether to keep the names of probe sets not represented in <code>tab</code> in the summary data frame |
| <code>annotpkg</code> | a character vector specifying the name of the BioConductor annotation package to use to fetch accession numbers, Entrez Gene IDs, gene name, and gene symbols |

Details

This function gives the test statistic for each probe in the pathway as indicated in `G[[index]]`.

Value

A list containing data frames (1 per pathway) with the probes' name and the corresponding test statistic.

If a valid `annotpkg` is specified, the probes' accession numbers, Entrez Gene IDs, gene name, and gene symbols are also returned. This option only works if the probes in the gene set list `G` are manufacturer IDs corresponding to those used in making the BioConductor annotation package.

Note

See the help page for `calculate.NGSk` for example code that uses `getPathwayStatistics.NGSk`

Author(s)

Weil Lai

importGeneSets

Import gene sets stored in GMT, GMX, GRP, and XML file formats

Description

Imports gene sets stored in GMT, GMX, GRP, and XML file formats and converts them to `sigPathway`'s preferred format.

Usage

```
importGeneSets(fileNames, verbose = TRUE)
gmtToG(fileNames, verbose = TRUE)
gmxToG(fileNames, verbose = TRUE)
grpToG(fileNames, verbose = TRUE)
xmlToG(fileNames, verbose = TRUE)
```

Arguments

| | |
|------------------------|--|
| <code>fileNames</code> | a character vector specifying the file(s) containing the gene sets of interest |
| <code>verbose</code> | a boolean to indicate whether to print debugging messages to the R console |

Details

These functions read in gene sets stored in GMT, GMX, GRP, and XML file formats and converts them to a list format that `sigPathway` can use. Redundant gene IDs in each gene set are removed during conversion. The `importGeneSets` function can read in GMT, GMX, GRP, and XML files in one pass. The `gmtToG`, `gmxToG`, `grpToG`, and `xmlToG` functions are specific to reading in their respective file formats.

Value

A list containing sublists representing each imported gene set. The vignette contains more details about the list structure.

Note

These functions do not check whether the files are in the correct format and will give spurious output when given files in the wrong format. The `xmlToG` function requires the XML package, which is available on CRAN. The `xmlToG` function also requires XML files to be formatted based on the MSigDB Document Type Definition.

Author(s)

Weil Lai

References

http://www.broad.mit.edu/cancer/software/gsea/wiki/index.php/Data_formats

MuscleExample

Subset of Inflammatory Myopathy Dataset to Demonstrate sigPathway

Description

MuscleExample is an R workspace containing the following objects: (1) `tab`: a matrix of 5000 rows and 15 columns (2) `phenotype`: a indicator vector which denotes which columns in `tab` are arrays from normal (NORM) and inclusion body myositis (IBM) (3) `G`: a list containing the source, title, and the probe set IDs associated with 626 pathways

The full inflammatory myopathy dataset (which includes all probe sets and samples, including more NORM, IBM, and dermatomyositis arrays) and a more comprehensive pathway annotation list for the HG-U133A and other selected array platforms are available at <http://www.chip.org/~ppark/PNAS05/>

Although the objects contained in MuscleExample are subsets of the full dataset, the results obtained from running pathway analysis with MuscleExample are comparable to those obtained using the full dataset. This example dataset contains 8 IBM and 7 NORM arrays. The 5000 probe sets were selected by considering the variance of the expression values of each probe set among the 15 arrays.

Usage

```
data(MuscleExample)
```

Format

1 integer matrix, 1 numeric vector, and 1 list

Source

<http://www.chip.org/~ppark/PNAS05/>

References

Tian L., Greenberg S.A., Kong S.W., Altschuler J., Kohane I.S., Park P.J. (2005) Discovering statistically significant pathways in expression profiling studies. *Proceedings of the National Academy of Sciences of the USA*, **102**, 13544-9.

<http://www.pnas.org/cgi/doi/10.1073/pnas.0506577102>

rankPathways

Summarizes Top Pathways from Pathway Analyses

Description

Summarizes top pathways from pathway analyses.

Usage

```
rankPathways(res.A, res.B, G, tab, phenotype, gsList, ngroups,
             methodNames = NULL, npath = 25, allpathways = FALSE)
```

Arguments

| | |
|-------------|---|
| res.A | a list from the output of calculate.NTk or calculate.NEK |
| res.B | a list from the output of calculate.NTk or calculate.NEK |
| G | a list containing the source, title, and probe sets associated with each curated pathway |
| tab | a numeric matrix of expression values, with the rows and columns representing probe sets and sample arrays, respectively |
| phenotype | a numeric (or character if ngroups >= 2) vector indicating the phenotype |
| gsList | a list containing three vectors from the output of the selectGeneSets function |
| ngroups | an integer indicating the number of groups in the matrix |
| methodNames | a character vector of length 2 giving the names for res.A and res.B |
| npath | an integer indicating the number of top gene sets to consider from each statistic when ranking the top pathways |
| allpathways | a boolean to indicate whether to include the top npath pathways from each statistic or just consider the top npath pathways (sorted by the sum of ranks of both statistics) when generating the summary table |

Details

This function ranks together the statistics given in res.A and res.B and summarizes the top gene sets in a tabular format similar to Table 2 in Tian et al. (2005)

Value

A data frame showing the pathways' indices in G, gene set category, pathway title, set size, res.A's statistics, res.B's statistics, the corresponding q-values, and the ranks for the top gene sets.

Note

See the help page for calculate.NTk or calculate.NEK for example code that uses rankPathways

Author(s)

Lu Tian, Peter Park, and Weil Lai

References

Tian L., Greenberg S.A., Kong S.W., Altschuler J., Kohane I.S., Park P.J. (2005) Discovering statistically significant pathways in expression profiling studies. *Proceedings of the National Academy of Sciences of the USA*, **102**, 13544-9.

<http://www.pnas.org/cgi/doi/10.1073/pnas.0506577102>

rankPathways.NGSk

Summarizes Top Pathways from One of the Pathway Analyses

Description

Summarizes top pathways from one of the pathway analyses (i.e., calculate.NTk, calculate.NEK, calculate.NGSk, or calculate.GSEA)

Usage

```
rankPathways.NGSk(res.NGSk, G, gsList, methodName = "NGSk",
                  npath = 25)
```

Arguments

| | |
|------------|--|
| res.NGSk | a list from the output of calculate.NGSk, calculate.NTk, calculate.NEK, or calculate.GSEA |
| G | a list containing the source, title, and probe sets associated with each curated pathway |
| gsList | a list containing three vectors from the output of the selectGeneSets function |
| methodName | a character vector of length 1 giving the name of the pathway analysis used in making res.NGSk |
| npath | an integer indicating the number of top gene sets to consider when ranking the top pathways |

Details

This function ranks the statistics given in `res.NGSK` and summarizes the top gene sets in a tabular format similar to Table 2 in Tian et al. (2005)

Value

A data frame showing the pathways' indices in `G`, gene set category, pathway title, set size, `res.NGSK`'s statistics, the corresponding `q`-values, and the numerical ranks for the top gene sets.

Note

See the help page for `calculate.NGSK` for example code that uses `rankPathways.NGSK`

Author(s)

Lu Tian, Peter Park, and Weil Lai

References

Tian L., Greenberg S.A., Kong S.W., Altschuler J., Kohane I.S., Park P.J. (2005) Discovering statistically significant pathways in expression profiling studies. *Proceedings of the National Academy of Sciences of the USA*, **102**, 13544-9.

<http://www.pnas.org/cgi/doi/10.1073/pnas.0506577102>

runSigPathway

Perform pathway analysis

Description

Performs pathway analysis

Usage

```
runSigPathway(G, minNPS = 20, maxNPS = 500,  
              tab, phenotype, nsim = 1000,  
              weightType = c("constant", "variable"), ngroups = 2,  
              npath = 25, verbose = FALSE, allpathways = FALSE,  
              annotpkg = NULL, alwaysUseRandomPerm = FALSE)
```

Arguments

| | |
|---------------------|---|
| <code>G</code> | a list containing the source, title, and probe sets associated with each curated pathway |
| <code>minNPS</code> | an integer specifying the minimum number of probe sets in <code>tab</code> that should be in a gene set |
| <code>maxNPS</code> | an integer specifying the maximum number of probe sets in <code>tab</code> that should be in a gene set |

| | |
|---------------------|---|
| tab | a numeric matrix of expression values, with the rows and columns representing probe sets and sample arrays, respectively |
| phenotype | a numeric (or character if <code>ngroups >= 2</code>) vector indicating the phenotype |
| nsim | an integer indicating the number of permutations to use |
| weightType | a character string specifying the type of weight to use when calculating NEK statistics |
| ngroups | an integer indicating the number of groups in the matrix |
| npath | an integer indicating the number of top gene sets to consider from each statistic when ranking the top pathways |
| verbose | a boolean to indicate whether to print debugging messages to the R console |
| allpathways | a boolean to indicate whether to include the top <code>npath</code> pathways from each statistic or just consider the top <code>npath</code> pathways (sorted by the sum of ranks of both statistics) when generating the summary table |
| annotpkg | a character vector specifying the name of the BioConductor annotation package to use to fetch accession numbers, Entrez Gene IDs, gene name, and gene symbols |
| alwaysUseRandomPerm | a boolean to indicate whether the algorithm can use complete permutations for cases where <code>nsim</code> is greater than the total number of unique permutations possible with the phenotype vector |

Details

`runSigPathway` is a wrapper function that

- (1) Selects the gene sets to analyze using `selectGeneSets`
- (2) Calculates NTK and NEK statistics using `calculate.NTk` and `calculate.NEK`
- (3) Ranks the top `npath` pathways from each statistic using `rankPathways`
- (4) Summarizes the means, standard deviation, and individual statistics of each probe set in each of the above pathways using `getPathwayStatistics`

Value

A list containing

| | |
|--------------------------|--|
| <code>gsList</code> | a list containing three vectors from the output of the <code>selectGeneSets</code> function |
| <code>list.NTk</code> | a list from the output of <code>calculate.NTk</code> |
| <code>list.NEK</code> | a list from the output of <code>calculate.NEK</code> |
| <code>df.pathways</code> | a data frame from <code>rankPathways</code> which contains the top pathways' indices in <code>G</code> , gene set category, pathway title, set size, NTK statistics, NEK statistics, the corresponding q-values, and the ranks. |
| <code>list.gPS</code> | a list from <code>getPathwayStatistics</code> containing <code>nrow(df.pathways)</code> data frames corresponding to the pathways listed in <code>df.pathways</code> . Each data frame contains the name, mean, standard deviation, the test statistic (e.g., t-test), and the corresponding unadjusted p-value. If <code>ngroups = 1</code> , the Pearson correlation coefficient is also returned. If a valid <code>annotpkg</code> is specified, the probes' accession numbers, Entrez Gene IDs, gene name, and gene symbols are also returned. |

parameters a list of parameters (e.g., nsim) used in the analysis

Author(s)

Lu Tian, Peter Park, and Weil Lai

References

Tian L., Greenberg S.A., Kong S.W., Altschuler J., Kohane I.S., Park P.J. (2005) Discovering statistically significant pathways in expression profiling studies. *Proceedings of the National Academy of Sciences of the USA*, **102**, 13544-9.

<http://www.pnas.org/cgi/doi/10.1073/pnas.0506577102>

Examples

```
## Load in filtered, expression data
data(MuscleExample)

## Prepare the pathways to analyze and run analysis with 1 wrapper function

nsim <- 1000
ngroups <- 2
verbose <- TRUE
weightType <- "constant"
npath <- 25
allpathways <- FALSE
annotpkg <- "hgu133a.db"

res.muscle <- runSigPathway(G, 20, 500, tab, phenotype, nsim,
                           weightType, ngroups, npath, verbose,
                           allpathways, annotpkg)

## Summarize results
print(res.muscle$df.pathways)

## Get more information about the probe sets' means and other statistics
## for the top pathway in res.pathways
print(res.muscle$list.gPS[[1]])

## Write table of top-ranked pathways and their associated probe sets to
## HTML files
writeSigPathway(res.muscle, tempdir(), "sigPathway_rSP",
                "TopPathwaysTable.html")
```

Description

Selects gene sets to be analyzed in pathway analysis based on minimum and maximum number of probe sets to consider per pathway.

Usage

```
selectGeneSets(G, probeID, minNPS = 20, maxNPS = 500)
```

Arguments

| | |
|---------|---|
| G | a list containing the source, title, and probe sets associated with each curated pathway |
| probeID | a character vector containing the names of probe sets associated with a matrix of expression values |
| minNPS | an integer specifying the minimum number of probe sets in probeID that should be in a gene set |
| maxNPS | an integer specifying the maximum number of probe sets in probeID that should be in a gene set |

Details

This function selects the appropriate pathways from a large, curated list based on the minimum and maximum number of probe sets that should be considered in a gene set. It creates three vectors: `nprobesV` and `indexV` representing a sparse indicator matrix and `indGused` indicating which gene sets were selected from G.

Value

A list containing

| | |
|-----------------------|--|
| <code>nprobesV</code> | an integer vector indicating the number of probe sets in probeID that is in each selected gene set |
| <code>indexV</code> | an integer vector containing positions for each 1s in the sparse indicator matrix |
| <code>indGused</code> | an integer vector indicating which pathways in G were chosen |

Note

See the help page for `calculate.NTk` or `calculate.NEk` for example code that uses `getPathwayStatistics`

Author(s)

Lu Tian, Peter Park, and Weil Lai

References

Tian L., Greenberg S.A., Kong S.W., Altschuler J., Kohane I.S., Park P.J. (2005) Discovering statistically significant pathways in expression profiling studies. *Proceedings of the National Academy of Sciences of the USA*, **102**, 13544-9.

<http://www.pnas.org/cgi/doi/10.1073/pnas.0506577102>

| | |
|-----------------|---|
| writeSigPathway | <i>Write results of pathway analysis to HTML format</i> |
|-----------------|---|

Description

Writes the table of top-ranked pathways and their associated probe set to HTML files.

Usage

```
writeSigPathway(splList, resDir = getwd(),
                outputDirName = "sigPathway_results",
                topIndexFileName = "TopPathwaysTable.html")
writeSP(rpDF, gpsList, parameterList = NULL, resDir = getwd(),
        outputDirName = "sigPathway_results",
        topIndexFileName = "TopPathwaysTable.html")
```

Arguments

| | |
|------------------|---|
| splList | a list containing the output from the runSigPathway function |
| rpDF | a data frame of top-ranked pathways from rankPathways or rankPathways.NGSK |
| gpsList | a list containing data frames of probes represented in gene sets from getPathwayStatistics or getPathwayStatistics.NGSK |
| parameterList | a list containing the values of parameters used in the analysis |
| resDir | a character string specifying the file directory to write the results |
| outputDirName | a character string specifying the folder to write the results within resDir |
| topIndexFileName | a character string specifying the name for the HTML file containing the table of top-ranked pathways |

Details

These functions export the results of the pathway analysis (e.g., runSigPathway) to several HTML files. The user can then quickly browse through the files for genes of interest within the top-ranked genes.

Value

None returned

Note

This function only uses the output of runSigPathway to generate the HTML files. Please see the help page of runSigPathway for example usage. The writeSP function should be used for those who have taken calculated the pathway statistics separately as shown in the help file of calculate.NTK, calculate.NEK, and calculate.NGSK

Author(s)

Weil Lai

Index

* array

- calcTNullFast, 2
- calcTStatFast, 3
- calculate.GSEA, 4
- calculate.NGsk, 5
- calculatePathwayStatistics, 7
- estimateNumPerm, 10
- getPathwayStatistics, 11
- getPathwayStatistics.NGsk, 12
- rankPathways, 15
- rankPathways.NGsk, 16
- runSigPathway, 17
- selectGeneSets, 19
- writeSigPathway, 21

* datagen

- importGeneSets, 13

* datasets

- MuscleExample, 14

* file

- importGeneSets, 13

* htest

- calcTNullFast, 2
- calcTStatFast, 3
- calculate.GSEA, 4
- calculate.NGsk, 5
- calculatePathwayStatistics, 7
- estimateNumPerm, 10
- getPathwayStatistics, 11
- getPathwayStatistics.NGsk, 12
- rankPathways, 15
- rankPathways.NGsk, 16
- runSigPathway, 17
- selectGeneSets, 19
- writeSigPathway, 21

- calcTNullFast, 2
- calcTStatFast, 3
- calculate.GSEA, 4
- calculate.NEk
 - (calculatePathwayStatistics), 7

- calculate.NGsk, 5
- calculate.NTk
 - (calculatePathwayStatistics), 7
- calculatePathwayStatistics, 7

- estimateNumPerm, 10

- G (MuscleExample), 14
 - getPathwayStatistics, 11
 - getPathwayStatistics.NGsk, 12
 - gmtToG (importGeneSets), 13
 - gmxToG (importGeneSets), 13
 - grpToG (importGeneSets), 13

- importGeneSets, 13

- MuscleExample, 14

- phenotype (MuscleExample), 14

- rankPathways, 15
- rankPathways.NGsk, 16
- runSigPathway, 17

- selectGeneSets, 19

- tab (MuscleExample), 14

- writeSigPathway, 21
- writeSP (writeSigPathway), 21

- xmlToG (importGeneSets), 13