

Package ‘brgedata’

June 16, 2019

Title Exposures, Gene Expression and Methylation data for illustration purposes

Version 1.6.0

Description This package contains several sets of omics data including Gene Expression (ExpressionSet), Methylation (GenomicRatioSet), Proteome and Exposome (ExposomeSet). This data is used in vignettes and examples at MEAL, MultiDataSet and omicRexposome.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

RoxygenNote 6.0.1

VignetteBuilder knitr

Depends R (>= 3.4), Biobase

Imports SummarizedExperiment

Suggests minfi, MultiAssayExperiment, knitr, rexposome

biocViews ExperimentData,Homo_sapiens_Data,MicroarrayData,MethylationArrayData

git_url <https://git.bioconductor.org/packages/brgedata>

git_branch RELEASE_3_9

git_last_commit c002547

git_last_commit_date 2019-05-02

Date/Publication 2019-06-16

Author Carlos Ruiz-Arenas [aut, cre],
Carles Hernandez-Ferrer [aut],
Juan R. Gonzalez [aut]

Maintainer Carlos Ruiz-Arenas <carlos.ruiz@isglobal.org>

R topics documented:

| | |
|----------------------|----------|
| brgedata | 2 |
| brge_expo | 2 |
| brge_gexp | 2 |
| brge_methy | 3 |
| brge_prot | 3 |
| Index | 4 |

| | |
|----------|-----------------|
| brgedata | <i>brgedata</i> |
|----------|-----------------|

Description

brgedata

| | |
|-----------|-----------------------------------------|
| brge_expo | <i>ExposomeSet for testing purposes</i> |
|-----------|-----------------------------------------|

Description

ExposomeSet with full set of 15 exposures grouped in 3 families for 110 individuals.

Usage

```
data("brge_expo")
```

Format

An object of class `ExposomeSet` of dimension 15 x 110 x 6.

Value

An `ExposomeSet` object.

| | |
|-----------|-------------------------------------------|
| brge_gexp | <i>ExpressionSet for testing purposes</i> |
|-----------|-------------------------------------------|

Description

ExpressionSet with full set of 67528 features from Affymetrix HTA 2.0 for 100 simulated samples.

Usage

```
data("brge_gexp")
```

Format

An object of class `ExpressionSet` with 67528 rows and 100 columns.

Value

An `ExpressionSet` object.

Examples

```
data("brge_gexp")
dim(brge_gexp)
sampleNames(brge_gexp)
```

| | |
|------------|---------------------------------------------|
| brge_methy | GenomicRatioSet <i>for testing purposes</i> |
|------------|---------------------------------------------|

Description

GenomicRatioSet with 476946 features from Illumina 450k methylation array and 115 simulated samples.

Usage

```
data("brge_methy")
```

Format

An object of class GenomicRatioSet with 476946 rows and 20 columns.

Value

An GenomicRatioSet object.

Examples

```
data("brge_methy")
dim(brge_methy)
sampleNames(brge_methy)
```

| | |
|-----------|-------------------------------------------|
| brge_prot | ExpressionSet <i>for testing purposes</i> |
|-----------|-------------------------------------------|

Description

ExpressionSet with full set of 47 proteines for 90 simulated samples.

Usage

```
data("brge_prot")
```

Format

An object of class ExpressionSet with 47 rows and 90 columns.

Value

An ExpressionSet object.

Examples

```
data("brge_prot")
dim(brge_prot)
sampleNames(brge_prot)
```

Index

*Topic **datasets**

- brge_expo, [2](#)
- brge_gexp, [2](#)
- brge_methy, [3](#)
- brge_prot, [3](#)

- brge_expo, [2](#)
- brge_gexp, [2](#)
- brge_methy, [3](#)
- brge_prot, [3](#)
- brgedata, [2](#)
- brgedata-package (brgedata), [2](#)