

Package ‘omada’

February 6, 2024

Type Package

Title Machine learning tools for automated transcriptome clustering analysis

Version 1.5.0

Description Symptomatic heterogeneity in complex diseases reveals differences in molecular states that need to be investigated. However, selecting the numerous parameters of an exploratory clustering analysis in RNA profiling studies requires deep understanding of machine learning and extensive computational experimentation. Tools that assist with such decisions without prior field knowledge are nonexistent and further gene association analyses need to be performed independently. We have developed a suite of tools to automate these processes and make robust unsupervised clustering of transcriptomic data more accessible through automated machine learning based functions. The efficiency of each tool was tested with four datasets characterised by different expression signal strengths. Our toolkit’s decisions reflected the real number of stable partitions in datasets where the subgroups are discernible. Even in datasets with less clear biological distinctions, stable subgroups with different expression profiles and clinical associations were found.

Depends pdfCluster (>= 1.0-3), kernlab (>= 0.9-29), R (>= 4.2), fpc (>= 2.2-9), Rcpp (>= 1.0.7), diceR (>= 0.6.0), ggplot2 (>= 3.3.5), reshape (>= 0.8.8), genieclust (>= 1.1.3), clValid (>= 0.7), glmnet (>= 4.1.3), dplyr (>= 1.0.7), stats (>= 4.1.2), clValid (>= 0.7)

Suggests rmarkdown, knitr, testthat

License GPL-3

Encoding UTF-8

RoxygenNote 7.2.0

VignetteBuilder knitr

biocViews Software, Clustering, RNASeq, GeneExpression

LazyData true

git_url <https://git.bioconductor.org/packages/omada>

git_branch devel
git_last_commit a0b9496
git_last_commit_date 2023-10-24
Repository Bioconductor 3.19
Date/Publication 2024-02-05
Author Sokratis Kariotis [aut, cre] (<<https://orcid.org/0000-0001-9993-6017>>)
Maintainer Sokratis Kariotis <sokratiskariotis@gmail.com>

Contents

clusteringMethodSelection	3
clusterVoting	4
feasibilityAnalysis	4
feasibilityAnalysisDataBased	5
featureSelection	6
geneSignatures	6
get_agreement_scores	7
get_average_feature_k_stabilities	8
get_average_stabilities_per_k	8
get_average_stability	9
get_cluster_memberships_k	9
get_cluster_voting_k_votes	10
get_cluster_voting_memberships	10
get_cluster_voting_metric_votes	11
get_cluster_voting_scores	11
get_coefficient_dataset	12
get_feature_selection_optimal_features	13
get_feature_selection_optimal_number_of_features	13
get_feature_selection_scores	14
get_generated_dataset	14
get_internal_metric_scores	15
get_max_stability	15
get_metric_votes_k	16
get_optimal_features	16
get_optimal_memberships	17
get_optimal_number_of_features	17
get_optimal_parameter_used	18
get_optimal_stability_score	18
get_partition_agreement_scores	19
get_sample_memberships	20
get_signature_feature_coefs	20
get_top30percent_coefficients	21
get_vote_frequencies_k	21
omada	22
optimalClustering	22
partitionAgreement	23

clusteringMethodSelection 3

plot_average_stabilities	24
plot_cluster_voting	25
plot_feature_selection	25
plot_partition_agreement	26
plot_signature_feature	26
plot_top30percent_coefficients	27
plot_vote_frequencies	28
toy_genes	28
toy_gene_memberships	29

Index 30

clusteringMethodSelection
Method Selection through intra-method Consensus Partition Consistency

Description

Method Selection through intra-method Consensus Partition Consistency

Usage

```
clusteringMethodSelection(data, method.upper.k = 5, number.of.comparisons = 3)
```

Arguments

`data` A dataframe, where columns are features and rows are data points
`method.upper.k` The number of clusters, k, up to which the average agreements will be calculated
`number.of.comparisons`
The number of comparisons to average over per k

Value

An object of class "methodSelection" containing a dataframe of partition agreement scores for a set of random parameters clustering runs across different methods and the corresponding plot

Examples

```
clusteringMethodSelection(toy_genes, method.upper.k = 3,  
number.of.comparisons = 2)
```

clusterVoting	<i>Estimating number of clusters through internal exhaustive ensemble majority voting</i>
---------------	---

Description

Estimating number of clusters through internal exhaustive ensemble majority voting

Usage

```
clusterVoting(data, min.k, max.k, algorithm)
```

Arguments

data	A dataframe, where columns are features and rows are data points
min.k	Minimum number of clusters for which we calculate stabilities
max.k	Maximum number of clusters for which we calculate stabilities
algorithm	The clustering algorithm to use for the multiple clustering runs to be measured

Value

An object of class "clusterVoting" containing a matrix with metric scores for every k and internal index, cluster memberships for every k, a dataframe with the k votes for every index, k vote frequencies and the frequency barplot of the k votes

Examples

```
clusterVoting(toy_genes, 4,14,"sc")
```

feasibilityAnalysis	<i>Simulating dataset and calculate stabilities over different number of clusters</i>
---------------------	---

Description

Simulating dataset and calculate stabilities over different number of clusters

Usage

```
feasibilityAnalysis(classes = 3, samples = 320, features = 400)
```

Arguments

classes	The number of classes of samples to be reflected in the simulated dataset. Also determines the ks to be considered (classes-2, classes+2)
samples	The number of samples in the simulated dataset
features	The number of features in the simulated dataset

Value

An object of class "feasibilityAnalysis" containing the average stabilities for all number of clusters(k), the average (over all k) and maximum stabilities observed and the generated dataset

Examples

```
feasibilityAnalysis(classes = 2, samples = 20, features = 30)
```

```
feasibilityAnalysisDataBased
```

Simulating dataset based on existing dataset's dimensions, mean and standard deviation

Description

Simulating dataset based on existing dataset's dimensions, mean and standard deviation

Usage

```
feasibilityAnalysisDataBased(data, classes = 3)
```

Arguments

data	The dataset to base the simulation extracting the number of samples, features and numeric
classes	The number of classes of samples to be reflected in the simulated dataset. Also determines the ks to be considered (classes-2, classes+2)

Value

An object of class "feasibilityAnalysis" containing the average stabilities for all numbers of clusters(k), the average (over all k) and maximum stabilities observed and the generated dataset

Examples

```
feasibilityAnalysisDataBased(data = toy_genes, classes = 2)
```

featureSelection	<i>Predictor variable subsampling sets and bootstrapping stability set selection</i>
------------------	--

Description

Predictor variable subsampling sets and bootstrapping stability set selection

Usage

```
featureSelection(data, min.k = 2, max.k = 4, step = 5)
```

Arguments

data	A dataframe, where columns are features and rows are data points
min.k	Minimum number of clusters for which we calculate stabilities
max.k	Maximum number of clusters for which we calculate stabilities
step	The number for additional features each feature set will contain

Value

An object of class "featureSelection" containing the dataframe of average bootstrap stabilities, where rows represent feature sets and columns number of clusters, the corresponding line plot, the number and the names of the selected features

Examples

```
featureSelection(toy_genes, min.k = 2, max.k = 4, step = 10)
```

geneSignatures	<i>Generating the feature/gene signature per cluster</i>
----------------	--

Description

Generating the feature/gene signature per cluster

Usage

```
geneSignatures(data, memberships)
```

Arguments

data	A dataframe, where columns are features and rows are data points.
memberships	A dataframe with column "id" (same samples ids as above) and column "membership" containing the cluster membership of each sample. The memberships must be strings

Value

An object of class "geneSignature" containing a list of LASSO (regression analysis) coefficients of each gene and a plot of the highest 30

Examples

```
geneSignatures(toy_genes, toy_gene_memberships)
```

get_agreement_scores *Get a dataframe of partition agreement scores for a set of random parameters clustering runs across different methods*

Description

Get a dataframe of partition agreement scores for a set of random parameters clustering runs across different methods

Usage

```
get_agreement_scores(object)
```

Arguments

object An object of class "partitionAgreement"

Value

A dataframe of partition agreement scores for a set of random parameters clustering runs across different methods

Examples

```
pa.object <- partitionAgreement(toy_genes, algorithm.1 = "spectral",  
measure.1 = "rbfdot", algorithm.2 = "kmeans", measure.2 = "Lloyd",  
number.of.clusters = 3)  
get_agreement_scores(pa.object)
```

`get_average_feature_k_stabilities`*Get a dataframe of average bootstrap stabilities*

Description

Get a dataframe of average bootstrap stabilities

Usage

```
get_average_feature_k_stabilities(object)
```

Arguments

object An object of class "featureSelection"

Value

A dataframe of average bootstrap stabilities

Examples

```
fs.object <- featureSelection(toy_genes, min.k = 3, max.k = 4, step = 10)
get_average_feature_k_stabilities(fs.object)
```

`get_average_stabilities_per_k`*Get average stabilities for all numbers of clusters(k)*

Description

Get average stabilities for all numbers of clusters(k)

Usage

```
get_average_stabilities_per_k(object)
```

Arguments

object An object of class "feasibilityAnalysis"

Value

Average stabilities for all numbers of clusters(k)

Examples

```
fa.object <- feasibilityAnalysis(classes = 2, samples = 10, features = 15)
average.sts.k <- get_average_stabilities_per_k(fa.object)
```

get_average_stability *Get the average stability(over all k)*

Description

Get the average stability(over all k)

Usage

```
get_average_stability(object)
```

Arguments

object An object of class "feasibilityAnalysis"

Value

The average stability(over all k)

Examples

```
fa.object <- feasibilityAnalysis(classes = 2, samples = 10, features = 15)
average.st <- get_average_stability(fa.object)
```

get_cluster_memberships_k
Get cluster memberships for every k

Description

Get cluster memberships for every k

Usage

```
get_cluster_memberships_k(object)
```

Arguments

object An object of class "clusterVoting"

Value

Cluster memberships for every k

Examples

```
cv.object <- clusterVoting(toy_genes, 4,6,"sc")
get_cluster_memberships_k(cv.object)
```

```
get_cluster_voting_k_votes
Get k vote frequencies
```

Description

Get k vote frequencies

Usage

```
get_cluster_voting_k_votes(object)
```

Arguments

object An object of class "clusterAnalysis"

Value

Matrix with k vote frequencies

Examples

```
oa.object <- omada(toy_genes, method.upper.k = 4)
get_cluster_voting_k_votes(oa.object)
```

```
get_cluster_voting_memberships
Get cluster memberships for every k
```

Description

Get cluster memberships for every k

Usage

```
get_cluster_voting_memberships(object)
```

Arguments

object An object of class "clusterAnalysis"

Value

Cluster memberships for every k

Examples

```
oa.object <- omada(toy_genes, method.upper.k = 4)
get_cluster_voting_memberships(oa.object)
```

get_cluster_voting_metric_votes
Get a dataframe with the k votes for every index

Description

Get a dataframe with the k votes for every index

Usage

```
get_cluster_voting_metric_votes(object)
```

Arguments

object An object of class "clusterAnalysis"

Value

Dataframe with the k votes for every index

Examples

```
oa.object <- omada(toy_genes, method.upper.k = 4)
get_cluster_voting_metric_votes(oa.object)
```

get_cluster_voting_scores
Get a matrix with metric scores for every k and internal index

Description

Get a matrix with metric scores for every k and internal index

Usage

```
get_cluster_voting_scores(object)
```

Arguments

object An object of class "clusterAnalysis"

Value

A matrix with metric scores for every k and internal index

Examples

```
oa.object <- omada(toy_genes, method.upper.k = 4)
get_cluster_voting_scores(oa.object)
```

get_coefficient_dataset

Get a list of LASSO (regression analysis) coefficients of each gene

Description

Get a list of LASSO (regression analysis) coefficients of each gene

Usage

```
get_coefficient_dataset(object)
```

Arguments

object An object of class "geneSignature"

Value

A list of LASSO (regression analysis) coefficients of each gene

Examples

```
gs.object <- geneSignatures(toy_genes, toy_gene_memberships)
get_coefficient_dataset(gs.object)
```

`get_feature_selection_optimal_features`
Get the optimal features

Description

Get the optimal features

Usage

```
get_feature_selection_optimal_features(object)
```

Arguments

object An object of class "clusterAnalysis"

Value

The list of optimal features

Examples

```
oa.object <- omada(toy_genes, method.upper.k = 4)
get_feature_selection_optimal_features(oa.object)
```

`get_feature_selection_optimal_number_of_features`
Get the optimal number of features

Description

Get the optimal number of features

Usage

```
get_feature_selection_optimal_number_of_features(object)
```

Arguments

object An object of class "clusterAnalysis"

Value

The optimal number of features

Examples

```
oa.object <- omada(toy_genes, method.upper.k = 6)
get_feature_selection_optimal_number_of_features(oa.object)
```

```
get_feature_selection_scores
```

Get a dataframe of average bootstrap stabilities

Description

Get a dataframe of average bootstrap stabilities

Usage

```
get_feature_selection_scores(object)
```

Arguments

object An object of class "clusterAnalysis"

Value

A dataframe of average bootstrap stabilities

Examples

```
oa.object <- omada(toy_genes, method.upper.k = 6)
get_feature_selection_scores(oa.object)
```

```
get_generated_dataset
```

Get the simulated dataset

Description

Get the simulated dataset

Usage

```
get_generated_dataset(object)
```

Arguments

object An object of class "feasibilityAnalysis"

Value

Simulated dataset

Examples

```
fa.object <- feasibilityAnalysis(classes = 4, samples = 50, features = 15)
generated.ds <- get_generated_dataset(fa.object)
```

`get_internal_metric_scores`

Get a matrix with metric scores for every k and internal index

Description

Get a matrix with metric scores for every k and internal index

Usage

```
get_internal_metric_scores(object)
```

Arguments

object An object of class "clusterVoting"

Value

A matrix with metric scores for every k and internal index

Examples

```
cv.object <- clusterVoting(toy_genes, 4,6,"sc")
get_internal_metric_scores(cv.object)
```

`get_max_stability`

Get the maximum stability

Description

Get the maximum stability

Usage

```
get_max_stability(object)
```

Arguments

object An object of class "feasibilityAnalysis"

Value

The maximum stability

Examples

```
fa.object <- feasibilityAnalysis(classes = 2, samples = 10, features = 15)
maximum.st <- get_max_stability(fa.object)
```

get_metric_votes_k *Get a dataframe with the k votes for every index*

Description

Get a dataframe with the k votes for every index

Usage

```
get_metric_votes_k(object)
```

Arguments

object An object of class "clusterVoting"

Value

Dataframe with the k votes for every index

Examples

```
cv.object <- clusterVoting(toy_genes, 4,6,"sc")
get_metric_votes_k(cv.object)
```

get_optimal_features *Get the optimal features*

Description

Get the optimal features

Usage

```
get_optimal_features(object)
```

Arguments

object An object of class "featureSelection"

Value

The list of optimal features

Examples

```
fs.object <- featureSelection(toy_genes, min.k = 3, max.k = 6, step = 10)
get_optimal_features(fs.object)
```

`get_optimal_memberships`

Get a dataframe with the memberships of the samples found in the input data

Description

Get a dataframe with the memberships of the samples found in the input data

Usage

```
get_optimal_memberships(object)
```

Arguments

`object` An object of class "optimalClustering"

Value

A dataframe with the memberships of the samples found in the input data

Examples

```
oc.object <- optimalClustering(toy_genes, 4, "spectral")
get_optimal_memberships(oc.object)
```

`get_optimal_number_of_features`

Get the optimal number of features

Description

Get the optimal number of features

Usage

```
get_optimal_number_of_features(object)
```

Arguments

`object` An object of class "featureSelection"

Value

The optimal number of features

Examples

```
fs.object <- featureSelection(toy_genes, min.k = 3, max.k = 6, step = 10)
get_optimal_number_of_features(fs.object)
```

`get_optimal_parameter_used`

Get the optimal parameter used

Description

Get the optimal parameter used

Usage

```
get_optimal_parameter_used(object)
```

Arguments

`object` An object of class "optimalClustering"

Value

The optimal parameter used

Examples

```
oc.object <- optimalClustering(toy_genes, 4, "spectral")
get_optimal_parameter_used(oc.object)
```

`get_optimal_stability_score`

Get the optimal stability score

Description

Get the optimal stability score

Usage

```
get_optimal_stability_score(object)
```

Arguments

object An object of class "optimalClustering"

Value

The optimal stability score

Examples

```
oc.object <- optimalClustering(toy_genes, 4, "spectral")
get_optimal_stability_score(oc.object)
```

get_partition_agreement_scores

Get a dataframe of partition agreement scores for a set of random parameters clustering runs across different methods

Description

Get a dataframe of partition agreement scores for a set of random parameters clustering runs across different methods

Get a dataframe of partition agreement scores

Usage

```
get_partition_agreement_scores(object)
```

```
get_partition_agreement_scores(object)
```

Arguments

object An object of class "clusterAnalysis"

Value

A dataframe of partition agreement scores for a set of random parameters clustering runs across different methods

A dataframe of partition agreement scores parameters clustering runs across different methods

Examples

```
ms.object <- clusteringMethodSelection(toy_genes, method.upper.k = 3,
number.of.comparisons = 2)
get_partition_agreement_scores(ms.object)
oa.object <- omada(toy_genes, method.upper.k = 4)
get_partition_agreement_scores(oa.object)
```

`get_sample_memberships`

Get a dataframe with the memberships of the samples found in the input data

Description

Get a dataframe with the memberships of the samples found in the input data

Usage

```
get_sample_memberships(object)
```

Arguments

object An object of class "clusterAnalysis"

Value

A dataframe with the memberships of the samples found in the input data

Examples

```
oa.object <- omada(toy_genes, method.upper.k = 4)
get_sample_memberships(oa.object)
```

`get_signature_feature_coefs`

Get a list of LASSO (regression analysis) coefficients of each gene

Description

Get a list of LASSO (regression analysis) coefficients of each gene

Usage

```
get_signature_feature_coefs(object)
```

Arguments

object An object of class "clusterAnalysis"

Value

A list of LASSO (regression analysis) coefficients of each gene

Examples

```
oa.object <- omada(toy_genes, method.upper.k = 4)
lasso.coefs <- get_signature_feature_coefs(oa.object)
```

`get_top30percent_coefficients`

Plot of the highest 30 percentage of coefficients per cluster

Description

Plot of the highest 30 percentage of coefficients per cluster

Usage

```
get_top30percent_coefficients(object)
```

Arguments

object An object of class "geneSignature"

Value

A plot of the highest 30 percentage of coefficients per cluster

`get_vote_frequencies_k`

Get k vote frequencies

Description

Get k vote frequencies

Usage

```
get_vote_frequencies_k(object)
```

Arguments

object An object of class "clusterVoting"

Value

Matrix with k vote frequencies

Examples

```
cv.object <- clusterVoting(toy_genes, 4,6,"sc")
get_vote_frequencies_k(cv.object)
```

omada	<i>A wrapper function that utilizes all tools to produce the optimal sample memberships</i>
-------	---

Description

A wrapper function that utilizes all tools to produce the optimal sample memberships

Usage

```
omada(data, method.upper.k = 5)
```

Arguments

data A dataframe, where columns are features and rows are data points
method.upper.k The upper limit of clusters, k, to be considered. Must be more than 2

Value

An object of class "clusterAnalysis" containing partition.agreement.scores,partition.agreement.plot,feature.selection.scores, feature.selection.plot, feature.selection.optimal.features, feature.selection.optimal.number.of.features, cluster.voting.scores, cluster.voting.cluster.memberships,cluster.voting.metric.votes, cluster.voting.k.votes,cluster.voting.plot, signature.feature.coefs and signature.feature.plot

Examples

```
omada(toy_genes, method.upper.k = 3)
```

optimalClustering	<i>Clustering with the optimal parameters estimated by these tools</i>
-------------------	--

Description

Clustering with the optimal parameters estimated by these tools

Usage

```
optimalClustering(data, clusters, algorithm)
```

Arguments

data A dataframe, where columns are features and rows are data points
clusters Number of clusters to be generated by this clustering
algorithm The clustering algorithm to be used

Value

An object of class "optimalClustering" containing a dataframe with the memberships of the samples found in the input data, the optimal stability score and parameter used

Examples

```
optimalClustering(toy_genes, 2, "kmeans")
```

partitionAgreement	<i>Partition Agreement calculation between two clustering runs</i>
--------------------	--

Description

Calculate the agreement (0,1) between two partitioning generated by two clustering runs using the adjust Rand Index. We can use three clustering algorithms (spectral, kmeans and hierarchical) along with the following parameters for each:

Usage

```
partitionAgreement(
  data,
  algorithm.1 = "hierarchical",
  measure.1 = "canberra",
  hier.agglo.algorithm.1 = "average",
  algorithm.2 = "hierarchical",
  measure.2 = "manhattan",
  hier.agglo.algorithm.2 = "average",
  number.of.clusters = 5
)
```

Arguments

data	A dataframe, where columns are features and rows are data points
algorithm.1	Second algorithm to be used (spectral/kmeans/hierarchical)
measure.1	Concerns the first algorithm to be used and represents a kernel for Spectral/kmeans or a distance measure for hierarchical clustering
hier.agglo.algorithm.1	Concerns the first algorithm to be used and represents the agglomerative method for hierarchical clustering (not used in spectral/kmeans clustering)
algorithm.2	First algorithm to be used (spectral/kmeans/hierarchical)
measure.2	Concerns the second algorithm to be used and represents a kernel for Spectral/kmeans or a distance measure for hierarchical clustering
hier.agglo.algorithm.2	Concerns the second algorithm to be used and represents the agglomerative method for hierarchical clustering (not used in spectral/kmeans clustering)

number.of.clusters

The upper limit of clusters to form starting from 2

Details

Spectral kernels: rbfdot, polydot, vanilladot, tanhdot, laplacedot, besseldot, anovadot, splinedot

K-means kernels: "Hartigan-Wong", Lloyd, Forgy, MacQueen

Hierarchical Agglomeration methods: average, ward.D, ward.D2, single, complete, mcquitty, median, centroid

Distance measures: euclidean, manhattan, canberra, minkowski, maximum

Value

An object of class "partitionAgreement" containing agreements (Rand Indexes) from 1 cluster (ARI=0) up to the number of clusters requested

Examples

```
partitionAgreement(toy_genes, algorithm.1 = "hierarchical",
  measure.1 = "canberra", hier.agglo.algorithm.1 = "average",
  algorithm.2 = "hierarchical", measure.2 = "manhattan",
  hier.agglo.algorithm.2 = "average", number.of.clusters = 3)
```

```
partitionAgreement(toy_genes, algorithm.1 = "spectral", measure.1 = "rbfdot",
  algorithm.2 = "kmeans", measure.2 = "Lloyd", number.of.clusters = 5)
```

plot_average_stabilities

Plot the average bootstrap stabilities

Description

Plot the average bootstrap stabilities

Usage

```
plot_average_stabilities(object)
```

Arguments

object An object of class "featureSelection"

Value

Line plot of average bootstrap stabilities

Examples

```
fs.object <- featureSelection(toy_genes, min.k = 3, max.k = 6, step = 10)
plot_average_stabilities(fs.object)
```

plot_cluster_voting *Plot k vote frequencies*

Description

Plot k vote frequencies

Usage

```
plot_cluster_voting(object)
```

Arguments

object An object of class "clusterAnalysis"

Value

Plot k vote frequencies

Examples

```
oa.object <- omada(toy_genes, method.upper.k = 3)
plot_cluster_voting(oa.object)
```

plot_feature_selection *Plot the average bootstrap stabilities*

Description

Plot the average bootstrap stabilities

Usage

```
plot_feature_selection(object)
```

Arguments

object An object of class "clusterAnalysis"

Value

Line plot of average bootstrap stabilities

Examples

```
oa.object <- omada(toy_genes, method.upper.k = 4)
plot_feature_selection(oa.object)
```

plot_partition_agreement

Plot of partition agreement scores

Description

Plot of partition agreement scores

Plot of partition agreement scores

Usage

```
plot_partition_agreement(object)
```

```
plot_partition_agreement(object)
```

Arguments

object An object of class "clusterAnalysis"

Value

Plot of partition agreement scores

Plot of partition agreement scores

Examples

```
ms.object <- clusteringMethodSelection(toy_genes, method.upper.k = 3,  
number.of.comparisons = 2)  
plot_partition_agreement(ms.object)  
oa.object <- omada(toy_genes, method.upper.k = 4)  
plot_partition_agreement(oa.object)
```

plot_signature_feature

Plot of the highest 30 percentage of coefficients per cluster

Description

Plot of the highest 30 percentage of coefficients per cluster

Usage

```
plot_signature_feature(object)
```

Arguments

object An object of class "clusterAnalysis"

Value

A plot of the highest 30 percentage of coefficients per cluster

Examples

```
oa.object <- omada(toy_genes, method.upper.k = 4)
plot_signature_feature(oa.object)
```

`plot_top30percent_coefficients`

Plot of the highest 30 percentage of coefficients per cluster

Description

Plot of the highest 30 percentage of coefficients per cluster

Usage

```
plot_top30percent_coefficients(object)
```

Arguments

object An object of class "geneSignature"

Value

A plot of the highest 30 percentage of coefficients per cluster

Examples

```
gs.object <- geneSignatures(toy_genes, toy_gene_memberships)
plot_top30percent_coefficients(gs.object)
```

plot_vote_frequencies *Plot k vote frequencies*

Description

Plot k vote frequencies

Usage

```
plot_vote_frequencies(object)
```

Arguments

object An object of class "clusterVoting"

Value

Plot k vote frequencies

Examples

```
cv.object <- clusterVoting(toy_genes, 4,6,"sc")
plot_vote_frequencies(cv.object)
```

toy_genes *Toy gene data for package examples*

Description

Columns are genes and rows are samples

Usage

```
data(toy_genes)
```

Format

An object of class "cross"; see [qtl::read.cross()].

Source

nope

References

nothing

Examples

```
data(toy_genes)
```

toy_gene_memberships *Cluster memberships for toy gene data for package examples*

Description

Column "id" represents genes and column "memberships" represents their respective clusters. Rows are samples

Usage

```
data(toy_gene_memberships)
```

Format

An object of class "cross"; see [qtl::read.cross()].

Source

nope

References

nothing

Examples

```
data(toy_gene_memberships)
```

Index

* datasets

- toy_gene_memberships, 29
- toy_genes, 28

- clusteringMethodSelection, 3
- clusterVoting, 4

- feasibilityAnalysis, 4
- feasibilityAnalysisDataBased, 5
- featureSelection, 6

- geneSignatures, 6
- get_agreement_scores, 7
- get_average_feature_k_stabilities, 8
- get_average_stabilities_per_k, 8
- get_average_stability, 9
- get_cluster_memberships_k, 9
- get_cluster_voting_k_votes, 10
- get_cluster_voting_memberships, 10
- get_cluster_voting_metric_votes, 11
- get_cluster_voting_scores, 11
- get_coefficient_dataset, 12
- get_feature_selection_optimal_features, 13
- get_feature_selection_optimal_number_of_features, 13
- get_feature_selection_scores, 14
- get_generated_dataset, 14
- get_internal_metric_scores, 15
- get_max_stability, 15
- get_metric_votes_k, 16
- get_optimal_features, 16
- get_optimal_memberships, 17
- get_optimal_number_of_features, 17
- get_optimal_parameter_used, 18
- get_optimal_stability_score, 18
- get_partition_agreement_scores, 19
- get_sample_memberships, 20
- get_signature_feature_coefs, 20
- get_top30percent_coefficients, 21

- get_vote_frequencies_k, 21

- omada, 22
- optimalClustering, 22

- partitionAgreement, 23
- plot_average_stabilities, 24
- plot_cluster_voting, 25
- plot_feature_selection, 25
- plot_partition_agreement, 26
- plot_signature_feature, 26
- plot_top30percent_coefficients, 27
- plot_vote_frequencies, 28

- toy_gene_memberships, 29
- toy_genes, 28