

# Package ‘sechm’

June 30, 2022

**Type** Package

**Title** sechm: Complex Heatmaps from a SummarizedExperiment

**Version** 1.5.1

**Depends** R (>= 4.0)

**Description** sechm provides a simple interface between SummarizedExperiment objects and the ComplexHeatmap package.

It enables plotting annotated heatmaps from SE objects, with easy access to rowData and colData columns,

and implements a number of features to make the generation of heatmaps easier and more flexible. These functionalities used to be part of the STools package.

**Imports** S4Vectors, SummarizedExperiment, seriation, ComplexHeatmap, circlize, methods, randomcoloR, stats, grid, grDevices, matrixStats

**Suggests** BiocStyle, knitr, rmarkdown

**biocViews** GeneExpression, Visualization

**VignetteBuilder** knitr

**License** GPL-3

**Encoding** UTF-8

**RoxygenNote** 7.1.2

**BugReports** <https://github.com/plger/sechm>

**git\_url** <https://git.bioconductor.org/packages/sechm>

**git\_branch** master

**git\_last\_commit** 256f681

**git\_last\_commit\_date** 2022-04-29

**Date/Publication** 2022-06-30

**Author** Pierre-Luc Germain [cre, aut] (<<https://orcid.org/0000-0003-3418-4218>>)

**Maintainer** Pierre-Luc Germain <pierre-luc.germain@hest.ethz.ch>

## R topics documented:

crossHm . . . . .	2
data . . . . .	4
getBreaks . . . . .	4
meltSE . . . . .	5
qualitativeColors . . . . .	6
resetAllSechmOptions . . . . .	6
safescale . . . . .	7
sechm . . . . .	7
setSechmOption . . . . .	10
sortRows . . . . .	10

<b>Index</b>	<b>12</b>
--------------	-----------

---

crossHm	<i>crossHm</i>
---------	----------------

---

### Description

Plot a multi-panel heatmap from a list of [SummarizedExperiment-class](#).

### Usage

```
crossHm(
  ses,
  features,
  do.scale = TRUE,
  uniqueScale = FALSE,
  assayName = .getDef("assayName"),
  sortBy = seq_along(ses),
  only.common = TRUE,
  cluster_cols = FALSE,
  cluster_rows = is.null(sortBy),
  toporder = NULL,
  hmcols = NULL,
  breaks = .getDef("breaks"),
  gaps_at = .getDef("gaps_at"),
  gaps_row = NULL,
  name = NULL,
  top_annotation = .getDef("anno_columns"),
  left_annotation = .getDef("anno_rows"),
  anno_colors = list(),
  show_rownames = NULL,
  merge_legends = FALSE,
  show_colnames = FALSE,
  rel.width = NULL,
  ...
)
```

**Arguments**

ses	A (named) list of <a href="#">SummarizedExperiment-class</a> objects, with some matching row.names between them.
features	A vector of features (i.e. row.names) to plot.
do.scale	Logical; whether to scale rows in each SE (default TRUE).
uniqueScale	Logical; whether to force the same colorscale for each heatmap.
assayName	The name of the assay to use; if multiple names are given, the first available will be used. Defaults to "logcpm", "lognorm".
sortBy	Names or indexes of 'ses' to use for sorting rows (default all)
only.common	Logical; whether to plot only rows common to all SEs (default TRUE).
cluster_cols	Logical; whether to cluster columns (default FALSE).
cluster_rows	Logical; whether to cluster rows (default TRUE if 'do.sortRows=FALSE', FALSE otherwise).
toporder	Optional vector of categories on which to supra-order when sorting rows, or name of a 'rowData' column to use for this purpose.
hmcols	Colors for the heatmap.
breaks	Breaks for the heatmap colors. Alternatively, symmetrical breaks can be generated automatically by setting 'breaks' to a numerical value between 0 and 1. The value is passed as the 'split.prop' argument to the <a href="#">getBreaks</a> function, and indicates the proportion of the points to map to a linear scale, while the more extreme values will be plotted on a quantile scale. 'breaks=FALSE' will disable symmetrical scale and quantile capping, while retaining automatic breaks. 'breaks=1' will produce a symmetrical scale without quantile capping.
gaps_at	Columns of 'colData' to use to establish gaps between columns.
gaps_row	A named vector according to which rows will be split.
name	The title of the heatmap key.
top_annotation	Columns of 'colData' to use for top annotation.
left_annotation	Columns of 'rowData' to use for left annotation.
anno_colors	List of colors to use for annotation.
show_rownames	Whether to show row names (default TRUE if 50 rows or less).
merge_legends	Logical; passed to <a href="#">draw-HeatmapList-method</a>
show_colnames	Whether to show column names (default FALSE).
rel.width	Relative width of the heatmaps
...	Any other parameter passed to each call of <a href="#">Heatmap</a> .

**Value**

A Heatmap list.

**Examples**

```
data("Chen2017", package="sechm")
se1 <- Chen2017[,1:6]
se2 <- Chen2017[,7:15]
se3 <- crossHm(list(se1=se1, se2=se2), row.names(se1)[1:10] )
```

---

data	<i>Example dataset</i>
------	------------------------

---

**Description**

A [SummarizedExperiment-class](#) containing (a subset of) hippocampus RNAseq of mice treated with Forskolin.

**Value**

a [SummarizedExperiment-class](#).

**References**

Chen et al. 2017. Mapping Gene Expression in Excitatory Neurons during Hippocampal Late-Phase Long-Term Potentiation *Frontiers in Molecular Neuroscience*. DOI: 10.3389/fnmol.2017.00039

---

getBreaks	<i>getBreaks</i>
-----------	------------------

---

**Description**

Produces symmetrical breaks for a color scale, with the scale steps increasing for large values, which is useful to avoid outliers influencing too much the color scale.

**Usage**

```
getBreaks(x, n, split.prop = 0.98, symmetric = TRUE)
```

**Arguments**

x	A matrix of log2FC (or any numerical values centered around 0)
n	The desired number of breaks.
split.prop	The proportion of the data points to plot on a linear scale; the remaining will be plotted on a scale with regular frequency per step (quantile).
symmetric	Logical; whether breaks should be symmetric around 0 (default TRUE)

**Value**

A vector of breaks of length = 'n'

**Examples**

```
dat <- rnorm(100, sd = 10)
getBreaks(dat, 10)
```

---

meltSE

*meltSE*


---

**Description**

Melts a SE object into a [ggplot](#)-ready long data.frame.

**Usage**

```
meltSE(
  x,
  features,
  assayName = NULL,
  colDat.columns = NULL,
  rowDat.columns = NULL
)
```

**Arguments**

x	An object of class <a href="#">SummarizedExperiment-class</a>
features	A vector of features (i.e. row.names) to include. Use 'features=NULL' to include all.
assayName	The name(s) of the assay(s) to use. If NULL and the assays are named, all of them will be included.
colDat.columns	The colData columns to include (defaults includes all). Use 'colDat.columns=NA' in order not to include any.
rowDat.columns	The rowData columns to include (default all). Use 'rowData=NA' to not include any.

**Value**

A data.frame.

**Examples**

```
data("Chen2017", package="sechm")
head(meltSE(Chen2017, "Fos"))
```

---

qualitativeColors      *qualitativeColors*

---

**Description**

qualitativeColors

**Usage**

qualitativeColors(names, ...)

**Arguments**

names	The names to which the colors are to be assigned, or an integer indicating the desired number of colors
...	passed to 'randomcoloR::distinctColorPalette'

**Value**

A vector (eventually named) of colors

---

resetAllSechmOptions      *resetAllSechmOptions*

---

**Description**

Resets all package options

**Usage**

resetAllSechmOptions()

**Value**

None

**Examples**

resetAllSechmOptions()

---

safescale	<i>safescale</i>
-----------	------------------

---

**Description**

Equivalent to 'base::scale', but handling missing values and null variance a bit more elegantly.

**Usage**

```
safescale(x, center = TRUE, byRow = FALSE)
```

**Arguments**

x	A matrix.
center	Logical, whether to center values.
byRow	Logical, whether to scale by rows instead of columns.

**Value**

A scaled matrix.

**Examples**

```
m <- matrix(rnorm(100), nrow=10)
m.scaled <- safescale(m)
```

---

sechm	<i>sechm</i>
-------	--------------

---

**Description**

ComplexHeatmap wrapper for [SummarizedExperiment-class](#).

**Usage**

```
sechm(
  se,
  features,
  do.scale = FALSE,
  assayName = NULL,
  name = NULL,
  sortRowsOn = seq_len(ncol(se)),
  cluster_cols = FALSE,
  cluster_rows = is.null(sortRowsOn),
  toporder = NULL,
```

```

hmcpls = NULL,
breaks = .getDef("breaks"),
gaps_at = .getDef("gaps_at"),
gaps_row = NULL,
left_annotation = NULL,
right_annotation = NULL,
top_annotation = NULL,
bottom_annotation = NULL,
anno_colors = list(),
show_rownames = NULL,
show_colnames = FALSE,
isMult = FALSE,
show_heatmap_legend = !isMult,
show_annotation_legend = TRUE,
mark = NULL,
na_col = "white",
annorow_title_side = ifelse(show_colnames, "bottom", "top"),
includeMissing = FALSE,
sort.method = "MDS_angle",
...
)

```

## Arguments

se	A <a href="#">SummarizedExperiment-class</a> .
features	An optional vector of features (i.e. row names of 'se')
do.scale	Logical; whether to scale rows (default FALSE).
assayName	An optional vector of assayNames to use. The first available will be used, or the first assay if NULL.
name	The name of the heatmap, eventually appearing as title of the color scale.
sortRowsOn	Sort rows by MDS polar order using the specified columns (default all)
cluster_cols	Whether to cluster columns (default F)
cluster_rows	Whether to cluster rows; default FALSE if 'do.sortRows=TRUE'.
toporder	Optional vector of categories on which to supra-order when sorting rows, or name of a 'rowData' column to use for this purpose.
hmcpls	Colors for the heatmap.
breaks	Breaks for the heatmap colors. Alternatively, symmetrical breaks can be generated automatically by setting 'breaks' to a numerical value between 0 and 1. The value is passed as the 'split.prop' argument to the <a href="#">getBreaks</a> function, and indicates the proportion of the points to map to a linear scale, while the more extreme values will be plotted on a quantile scale. 'breaks=FALSE' will disable symmetrical scale and quantile capping, while retaining automatic breaks. 'breaks=1' will produce a symmetrical scale without quantile capping.
gaps_at	Columns of 'colData' to use to establish gaps between columns.
gaps_row	Passed to the heatmap function; if missing, will be set automatically according to toporder.



<code>left_annotation</code>	Columns of <code>'rowData'</code> to use for left annotation. Alternatively, an <code>'HeatmapAnnotation'</code> object.
<code>right_annotation</code>	Columns of <code>'rowData'</code> to use for left annotation. Alternatively, an <code>'HeatmapAnnotation'</code> object.
<code>top_annotation</code>	Columns of <code>'colData'</code> to use for top annotation. Alternatively, an <code>'HeatmapAnnotation'</code> object. To disable (overriding defaults), use <code>'top_annotation=character()'</code> .
<code>bottom_annotation</code>	Columns of <code>'colData'</code> to use for bottom annotation. Alternatively, an <code>'HeatmapAnnotation'</code> object.
<code>anno_colors</code>	List of colors to use for annotation.
<code>show_rownames</code>	Whether to show row names (default TRUE if less than 50 rows to plot).
<code>show_colnames</code>	Whether to show column names (default FALSE).
<code>isMult</code>	Logical; used to silence labels when plotting multiple heatmaps
<code>show_heatmap_legend</code>	Logical; whether to show heatmap legend
<code>show_annotation_legend</code>	Logical; whether to show the annotation legend.
<code>mark</code>	An optional vector of gene names to highlight.
<code>na_col</code>	Color of NA values
<code>annorow_title_side</code>	Side (top or bottom) of row annotation names
<code>includeMissing</code>	Logical; whether to include missing features (default FALSE)
<code>sort.method</code>	Row sorting method (see <a href="#">sortRows</a> )
<code>...</code>	Further arguments passed to <code>'Heatmap'</code>

**Value**

A a [Heatmap-class](#).

**Examples**

```
data("Chen2017", package="sechm")
sechm(Chen2017, row.names(Chen2017)[1:10], do.scale=TRUE)
```

---

setSechmOption	<i>setSechmOption</i>
----------------	-----------------------

---

**Description**

Sets a package-wide option for 'sechm'

**Usage**

```
setSechmOption(variable, value)
```

**Arguments**

variable	The name of the variable to set
value	The parameter value to save

**Value**

None

**Examples**

```
setSechmOption("hmcCols", value=c("blue","black","yellow"))
```

---

sortRows	<i>sortRows</i>
----------	-----------------

---

**Description**

sortRows

**Usage**

```
sortRows(  
  x,  
  z = FALSE,  
  toporder = NULL,  
  na.rm = FALSE,  
  method = "MDS_angle",  
  toporder.meth = "before"  
)
```

**Arguments**

x	A numeric matrix or data.frame.
z	Whether to scale rows for the purpose of calculating order.
toporder	Optional vector of categories (length=nrow(x)) on which to supra-order when sorting rows.
na.rm	Whether to remove missing values and invariant rows.
method	Sortation method; 'MDS_angle' (default) or 'R2E' recommended.
toporder.meth	Whether to perform higher-order sorting 'before' (default) or 'after' the lower-order sorting.

**Value**

A reordered matrix or data.frame.

**Examples**

```
# random data
m <- matrix( round(rnorm(100,mean=10, sd=2)), nrow=10,
             dimnames=list(LETTERS[1:10], letters[11:20]) )
m
sortRows(m)
```

# Index

Chen2017 (data), [4](#)  
crossHm, [2](#)

data, [4](#)

getBreaks, [3](#), [4](#), [8](#)  
ggplot, [5](#)

Heatmap, [3](#)

meltSE, [5](#)

qualitativeColors, [6](#)

resetAllSechmOptions, [6](#)

safescale, [7](#)

sechm, [7](#)

setSechmOption, [10](#)

sortRows, [9](#), [10](#)