

Package ‘MeasurementError.cor’

March 29, 2023

Title Measurement Error model estimate for correlation coefficient

Version 1.70.0

Author Beiying Ding

Description Two-stage measurement error model for correlation estimation with smaller bias than the usual sample correlation

Maintainer Beiying Ding <bding@amgen.com>

License LGPL

biocViews StatisticalMethod

git_url <https://git.bioconductor.org/packages/MeasurementError.cor>

git_branch RELEASE_3_16

git_last_commit 5799041

git_last_commit_date 2022-11-01

Date/Publication 2023-03-29

R topics documented:

cor.me.matrix	1
cor.me.vector	2

Index	4
--------------	----------

cor.me.matrix	<i>A function to calculate measurement error estimates for all pairs of genes given by the matrix</i>
---------------	---

Description

Given a matrix ($p \times n$) for observed values of p variables and a corresponding matrix for their standard errors, the all pairwise measurement error estimates for true correlations are returned

Usage

```
cor.me.matrix(exp, se)
```

Arguments

exp	observed value matrix
se	standard error matrix

Value

The final estimates for true correlation (i.e. `cor.true`) from the measurement error model

Note

The function involves using quasi-newton for linear optimization, "BFGS" is the only implemented method now. Refer to `cor.me.vector` for more details.

Author(s)

Beiyong Ding

References

Ding, B.Y. and Gentleman, R.(2003) Measurement error model for correlation coefficient estimation and its application in microarray analysis

See Also

`cor.me.vector`

Examples

```
exp <- matrix(abs(rnorm(200,1000,20)),ncol=10)
se <- matrix(abs(rnorm(200,50,5)),ncol=10)
cor.me.matrix(exp,se)
```

<code>cor.me.vector</code>	<i>A function to calculate measurement error model estimates for correlation coefficient between two variables</i>
----------------------------	--

Description

Given the observed value of two variables and their respective standard error, the measurement error estimate for their correlation coefficient is returned

Usage

```
cor.me.vector(exp1, se1, exp2, se2)
```

Arguments

exp1	observed value for vector 1
se1	estimated standard error for vector 1
exp2	observed value for vector 2
se2	estimated standard error for vector 2

Value

estimate	Vecotr containing the estimates from the measurement error model, i.e. cor.me, cor.true, mu1, mu2, s1, s2 which are correlation for the measurement error distribution of the two variables, true correlation between the two variables, and true mean and standard deviation estimates for the two variables respectively
count	numer of function and gradient evaluation
convergence	0 if converged. See optim() for details

Note

Most applicable for microarray expression data where standard errors are readily estimated by most low level analysis softwares. Hence variables can be thought of as genes. One also need to differentiate between cor.me and cor.true: the first one being the correlation between the measurement error distributions of the two genes whereas the second one is the quantity of interest, i.e true correlation between the two gene expression profiles.\

The function involves using quasi-newton for linear optimization, "BFGS" is the only implemented method now.

Author(s)

Beiyong Ding

References

Ding, B.Y. and Gentleman, R. (2003) Measurement Error Model for correlation coefficient estimation and its application in microarray analysis

See Also

cor.me.matrix

Examples

```
exp <- matrix(abs(rnorm(200,1000,20)),ncol=10)
se <- matrix(abs(rnorm(200,50,5)),ncol=10)
cor.me.vector(exp[1,],se[1,],exp[2,],se[2,])
```

Index

* **multivariate**

cor.me.matrix, [1](#)

cor.me.vector, [2](#)

cor.me.matrix, [1](#)

cor.me.vector, [2](#)