

Package ‘cmapR’

March 29, 2023

Type Package

Title CMap Tools in R

Date 2021-09-22

Version 1.10.0

Description The Connectivity Map (CMap) is a massive resource of perturbational gene expression profiles built by researchers at the Broad Institute and funded by the NIH Library of Integrated Network-Based Cellular Signatures (LINCS) program. Please visit <https://clue.io> for more information. The cmapR package implements methods to parse, manipulate, and write common CMap data objects, such as annotated matrices and collections of gene sets.

License file LICENSE

Depends R (>= 4.0)

Imports methods, rhdf5, data.table, flowCore, SummarizedExperiment, matrixStats

Suggests knitr, testthat, BiocStyle, rmarkdown

VignetteBuilder knitr

biocViews DataImport, DataRepresentation, GeneExpression

URL <https://github.com/cmap/cmapR>

BugReports <https://github.com/cmap/cmapR/issues>

LazyData true

RoxygenNote 7.1.1

git_url <https://git.bioconductor.org/packages/cmapR>

git_branch RELEASE_3_16

git_last_commit d7752f6

git_last_commit_date 2022-11-01

Date/Publication 2023-03-29

Author Ted Natoli [aut, cre] (<<https://orcid.org/0000-0002-0953-0206>>)

Maintainer Ted Natoli <ted.e.natoli@gmail.com>

R topics documented:

align_matrices	3
annotate.gct	4
cdesc_char	5
check_colnames	5
check_dups	6
distil	6
ds	7
extract.gct	7
GCT	9
GCT-class	10
gene_set	10
ids	11
is.wholenumber	12
kd_gct	12
lxb2mat	13
mat	14
melt.gct	15
merge.gct	16
meta	17
na_pad_matrix	18
parse.gctx	19
parse.gmt	20
parse.gmx	21
parse.grp	22
rank.gct	22
read.gctx.ids	23
read.gctx.meta	24
robust_zscore	25
subset.gct	26
threshold	27
transpose.gct	27
update.gctx	28
write.gct	29
write.gctx	30
write.tbl	31
write_gmt	32
write_grp	33

align_matrices	<i>Align the rows and columns of two (or more) matrices</i>
----------------	---

Description

Align the rows and columns of two (or more) matrices

Usage

```
align_matrices(m1, m2, ..., L = NULL, na.pad = TRUE, as.3D = TRUE)
```

Arguments

m1	a matrix with unique row and column names
m2	a matrix with unique row and column names
...	additional matrices with unique row and column names
L	a list of matrix objects. If this is given, m1, m2, and ... are ignored
na.pad	boolean indicating whether to pad the combined matrix with NAs for rows/columns that are not shared by m1 and m2.
as.3D	boolean indicating whether to return the result as a 3D array. If FALSE, will return a list.

Value

an object containing the aligned matrices. Will either be a list or a 3D array

Examples

```
# construct some example matrices
m1 <- matrix(rnorm(20), nrow=4)
rownames(m1) <- letters[1:4]
colnames(m1) <- LETTERS[1:5]
m2 <- matrix(rnorm(20), nrow=5)
rownames(m2) <- letters[1:5]
colnames(m2) <- LETTERS[1:4]
m1
m2

# align them, padding with NA and returning a 3D array
align_matrices(m1, m2)

# align them, not padding and returning a list
align_matrices(m1, m2, na.pad=FALSE, as.3D=FALSE)
```

annotate.gct	<i>Add annotations to a GCT object</i>
--------------	--

Description

Given a GCT object and either a [data.frame](#) or a path to an annotation table, apply the annotations to the gct using the given keyfield.

Usage

```
annotate.gct(...)  
  
annotate_gct(g, annot, dim = "row", keyfield = "id")  
  
## S4 method for signature 'GCT'  
annotate_gct(g, annot, dim = "row", keyfield = "id")
```

Arguments

...	arguments passed on to <code>annotate_gct</code>
<code>g</code>	a GCT object
<code>annot</code>	a data.frame or path to text table of annotations
<code>dim</code>	either 'row' or 'column' indicating which dimension of <code>g</code> to annotate
<code>keyfield</code>	the character name of the column in <code>annot</code> that matches the row or column identifiers in <code>g</code>

Value

a GCT object with annotations applied to the specified dimension

See Also

Other GCT utilities: [melt.gct\(\)](#), [merge.gct\(\)](#), [rank.gct\(\)](#), [subset.gct\(\)](#)

Examples

```
gct_path <- system.file("extdata", "modzs_n25x50.gctx", package="cmapR")  
# read the GCT file, getting the matrix only  
g <- parse_gctx(gct_path, matrix_only=TRUE)  
# separately, read the column annotations and then apply them using  
# annotate_gct  
cdesc <- read_gctx_meta(gct_path, dim="col")  
g <- annotate_gct(g, cdesc, dim="col", keyfield="id")
```

cdesc_char	<i>An example table of metadata, as would be parsed from or parse.gctx. Initially all the columns are of type character.</i>
------------	--

Description

An example table of metadata, as would be parsed from or parse.gctx. Initially all the columns are of type character.

Usage

```
cdesc_char
```

Format

An object of class `data.frame` with 368 rows and 8 columns.

check_colnames	<i>Check whether test_names are columns in the <code>data.frame</code> df</i>
----------------	---

Description

Check whether test_names are columns in the `data.frame` df

Usage

```
check_colnames(test_names, df, throw_error = TRUE)
```

Arguments

test_names	a vector of column names to test
df	the <code>data.frame</code> to test against
throw_error	boolean indicating whether to throw an error if any test_names are not found in df

Value

boolean indicating whether or not all test_names are columns of df

Examples

```
check_colnames(c("pert_id", "pert_iname"), cdesc_char) # TRUE
check_colnames(c("pert_id", "foobar"),
  cdesc_char, throw_error=FALSE)# FALSE, suppress error
```

check_dups	<i>Check for duplicates in a vector</i>
------------	---

Description

Check for duplicates in a vector

Usage

```
check_dups(x, name = "")
```

Arguments

x	the vector
name	the name of the object to print in an error message if duplicates are found

Value

silently returns NULL

Examples

```
# this will throw an error, let's catch it
tryCatch(
  check_dups(c("a", "b", "c", "a", "d")),
  error=function(e) print(e)
)
```

distil	<i>Collapse the rows or columns of a matrix using weighted averaging</i>
--------	--

Description

This is equivalent to the 'modz' procedure used in collapsing replicates in traditional L1000 data processing. The weight for each replicate is computed as its normalized average correlation to the other replicates in the set.

Usage

```
distil(m, dimension = "col", method = "spearman")
```

Arguments

m	a numeric matrix where the rows or columns are assumed to be replicates
dimension	the dimension to collapse. either 'row' or 'col'
method	the correlation method to use

Value

a list with the following elements

values a vector of the collapsed values

correlations a vector of the pairwise correlations

weights a vector of the computed weights

Examples

```
m <- matrix(rnorm(30), ncol=3)
distil(m)
```

ds	<i>An example of a GCT object with row and column metadata and gene expression values in the matrix.</i>
----	--

Description

An example of a GCT object with row and column metadata and gene expression values in the matrix.

Usage

```
ds
```

Format

An object of class GCT of length 1.

extract.gct	<i>Extract elements from a GCT matrix</i>
-------------	---

Description

extract the elements from a GCT object where the values of row_field and col_field are the same. A concrete example is if g represents a matrix of signatures of genetic perturbations, and you want to extract all the values of the targeted genes.

Usage

```
extract.gct(...)  
  
extract.gct(  
  g,  
  row_field,  
  col_field,  
  rdesc = NULL,  
  cdesc = NULL,  
  row_keyfield = "id",  
  col_keyfield = "id"  
)
```

Arguments

...	arguments passed on to <code>extract.gct</code>
<code>g</code>	the GCT object
<code>row_field</code>	the column name in <code>rdesc</code> to search on
<code>col_field</code>	the column name in <code>cdesc</code> to search on
<code>rdesc</code>	a <code>data.frame</code> of row annotations
<code>cdesc</code>	a <code>data.frame</code> of column annotations
<code>row_keyfield</code>	the column name of <code>rdesc</code> to use for annotating the rows of <code>g</code>
<code>col_keyfield</code>	the column name of <code>cdesc</code> to use for annotating the rows of <code>g</code>

Value

a list of the following elements

mask a logical matrix of the same dimensions as `ds@mat` indicating which matrix elements have been extracted

idx an array index into `ds@mat` representing which elements have been extracted

vals a vector of the extracted values

Examples

```
# get the values for all targeted genes from a  
# dataset of knockdown experiments  
res <- extract.gct(kd_gct, row_field="pr_gene_symbol",  
  col_field="pert_mfc_desc")  
str(res)  
stats::quantile(res$vals)
```

GCT	<i>Initialize an object of class GCT</i>
-----	--

Description

Initialize an object of class GCT

Usage

```
GCT(  
  mat = NULL,  
  rdesc = NULL,  
  cdesc = NULL,  
  src = NULL,  
  rid = NULL,  
  cid = NULL,  
  matrix_only = FALSE  
)
```

Arguments

<code>mat</code>	a matrix
<code>rdesc</code>	a <code>data.frame</code> of row metadata
<code>cdesc</code>	a <code>data.frame</code> of column metadata
<code>src</code>	path to a GCT file to read
<code>rid</code>	vector of character identifiers for rows
<code>cid</code>	vector of character identifiers for columns
<code>matrix_only</code>	logical indicating whether to read just the matrix data from <code>src</code>

Details

If `mat` is provided, `rid` and `cid` are treated as the row and column identifiers for the matrix and are assigned to the `rid` and `cid` slots of the GCT object.

If `mat` is not provided but `src` is provided, `rid` and `cid` are treated as filters. Data will be read from the file path provided to `src` and will then be restricted to the character ids or integer indices provided to `rid` and `cid`. In a similar manner, `matrix_only` controls whether the row and column metadata are also read from the `src` file path.

Value

a GCT object

See Also

Other GCTX parsing functions: [append.dim\(\)](#), [fix.datatypes\(\)](#), [parse.gctx\(\)](#), [process_ids\(\)](#), [read.gctx.ids\(\)](#), [read.gctx.meta\(\)](#), [write.gctx.meta\(\)](#), [write.gctx\(\)](#), [write.gct\(\)](#)

Examples

```
# an empty object
(g <- GCT())
# with a matrix
# note we must specify row and column ids
(g <- GCT(mat=matrix(rnorm(100), nrow=10),
               rid=letters[1:10], cid=letters[1:10]))
# from file
gct_file <- system.file("extdata", "modzs_n25x50.gctx", package="cmapR")
(g <- GCT(src=gct_file))
```

GCT-class

An S4 class to represent a GCT object

Description

The GCT class serves to represent annotated matrices. The `mat` slot contains said data and the `rdesc` and `cdesc` slots contain data frames with annotations about the rows and columns, respectively

Slots

`mat` a numeric matrix
`rid` a character vector of row ids
`cid` a character vector of column ids
`rdesc` a data.frame of row descriptors
`cdesc` a data.frame of column descriptors
`src` a character indicating the source (usually file path) of the data

See Also

[parse_gctx](#), [write_gctx](#), [read_gctx_meta](#), [read_gctx_ids](#)
 visit <http://clue.io/help> for more information on the GCT format

gene_set

An example collection of gene sets as used in the Lamb 2006 CMap paper.

Description

An example collection of gene sets as used in the Lamb 2006 CMap paper.

Usage

```
gene_set
```

Format

An object of class `list` of length 8.

Source

Lamb et al 2006 doi:10.1126/science.1132939

ids *Extract the or set row or column ids of a GCT object*

Description

Extract the or set row or column ids of a GCT object

Usage

```
ids(g, dimension = "row")

## S4 method for signature 'GCT'
ids(g, dimension = "row")

ids(g, dimension = "row") <- value

## S4 replacement method for signature 'GCT'
ids(g, dimension = "row") <- value
```

Arguments

<code>g</code>	the GCT object
<code>dimension</code>	the dimension to extract/update [<code>'row'</code> or <code>'column'</code>]
<code>value</code>	a character vector

Value

a vector of row ids

See Also

Other GCT accessor methods: [mat\(\)](#), [meta\(\)](#)

Examples

```
# extract rids
rids <- ids(ds)
# extract column ids
cids <- ids(ds, "column")
# set rids
ids(ds) <- as.character(1:length(rids))
# set cids
ids(ds, "column") <- as.character(1:length(cids))
```

is.wholenumber	<i>Check if x is a whole number</i>
----------------	-------------------------------------

Description

Check if x is a whole number

Usage

```
is.wholenumber(x, tol = .Machine$double.eps^0.5)
```

Arguments

x	number to test
tol	the allowed tolerance

Value

boolean indicating whether x is tol away from a whole number value

Examples

```
is.wholenumber(1)
is.wholenumber(0.5)
```

kd_gct	<i>An example GCT object of knockdown experiments targeting a subset of landmark genes.</i>
--------	---

Description

An example GCT object of knockdown experiments targeting a subset of landmark genes.

Usage

```
kd_gct
```

Format

An object of class GCT of length 1.

lxb2mat	<i>Read an LXB file and return a matrix</i>
---------	---

Description

Read an LXB file and return a matrix

Usage

```
lxb2mat(lxb_path, columns = c("RID", "RP1"), newnames = c("barcode_id", "FI"))
```

Arguments

lxb_path	the path to the lxb file
columns	which columns in the lxb file to retain
newnames	what to name these columns in the returned matrix

Value

a matrix

See Also

Other CMap parsing functions: [parse.gmt\(\)](#), [parse.gmx\(\)](#), [parse.grp\(\)](#), [write.gmt\(\)](#), [write.grp\(\)](#)

Examples

```
lxb_path <- system.file("extdata", "example.lxb", package="cmapR")
lxb_data <- lxb2mat(lxb_path)
str(lxb_data)
```

mat	<i>Extract or set the matrix of GCT object</i>
-----	--

Description

Extract or set the matrix of GCT object

Usage

```
mat(g)

## S4 method for signature 'GCT'
mat(g)

mat(g) <- value

## S4 replacement method for signature 'GCT'
mat(g) <- value
```

Arguments

g	the GCT object
value	a numeric matrix

Value

a matrix

See Also

Other GCT accessor methods: [ids\(\)](#), [meta\(\)](#)

Examples

```
# get the matrix
m <- mat(ds)
# set the matrix
mat(ds) <- matrix(0, nrow=nrow(m), ncol=ncol(m))
```

melt.gct	Transform a GCT object in to a long form data.table (aka 'melt')
----------	--

Description

Utilizes the [melt.data.table](#) function to transform the matrix into long form. Optionally can include the row and column annotations in the transformed [data.table](#).

Usage

```
melt.gct(...)

melt_gct(
  g,
  suffixes = NULL,
  remove_symmetries = FALSE,
  keep_rdesc = TRUE,
  keep_cdesc = TRUE,
  ...
)

## S4 method for signature 'GCT'
melt_gct(
  g,
  suffixes = NULL,
  remove_symmetries = FALSE,
  keep_rdesc = TRUE,
  keep_cdesc = TRUE,
  ...
)
```

Arguments

...	further arguments passed along to <code>data.table::merge</code>
g	the GCT object
suffixes	the character suffixes to be applied if there are collisions between the names of the row and column descriptors
remove_symmetries	boolean indicating whether to remove the lower triangle of the matrix (only applies if <code>g@mat</code> is symmetric)
keep_rdesc	boolean indicating whether to keep the row descriptors in the final result
keep_cdesc	boolean indicating whether to keep the column descriptors in the final result

Value

a [data.table](#) object with the row and column ids and the matrix values and (optionally) the row and column descriptors

See Also

Other GCT utilities: [annotate.gct\(\)](#), [merge.gct\(\)](#), [rank.gct\(\)](#), [subset.gct\(\)](#)

Examples

```
# simple melt, keeping both row and column meta
head(melt_gct(ds))

# update row/column suffixes to indicate rows are genes, columns experiments
head(melt_gct(ds, suffixes = c("_gene", "_experiment")))

# ignore row/column meta
head(melt_gct(ds, keep_rdesc = FALSE, keep_cdesc = FALSE))
```

merge.gct

Merge two GCT objects together

Description

Merge two GCT objects together

Usage

```
## S3 method for class 'gct'
merge(...)

merge_gct(g1, g2, dim = "row", matrix_only = FALSE)

## S4 method for signature 'GCT,GCT'
merge_gct(g1, g2, dim = "row", matrix_only = FALSE)
```

Arguments

...	arguments passed on to merge_gct
g1	the first GCT object
g2	the second GCT object
dim	the dimension on which to merge (row or column)
matrix_only	boolean indicating whether to keep only the data matrices from g1 and g2 and ignore their row and column meta data

Value

a GCT object

See Also

Other GCT utilities: [annotate.gct\(\)](#), [melt.gct\(\)](#), [rank.gct\(\)](#), [subset.gct\(\)](#)

Examples

```
# take the first 10 and last 10 rows of an object
# and merge them back together
(a <- subset_gct(ds, rid=1:10))
(b <- subset_gct(ds, rid=969:978))
(merged <- merge_gct(a, b, dim="row"))
```

meta

Extract the or set metadata of a GCT object

Description

Extract the or set metadata of a GCT object

Usage

```
meta(g, dimension = "row")

## S4 method for signature 'GCT'
meta(g, dimension = "row")

meta(g, dimension = "row") <- value

## S4 replacement method for signature 'GCT'
meta(g, dimension = "row") <- value
```

Arguments

g	the GCT object
dimension	the dimension to extract/update ['row' or 'column']
value	a data.frame

Value

a data.frame

See Also

Other GCT accessor methods: [ids\(\)](#), [mat\(\)](#)

Examples

```
# extract rdesc
rdesc <- meta(ds)
# extract cdesc
cdesc <- meta(ds, dim="column")
# set rdesc
meta(ds) <- data.frame(x=sample(letters, nrow(rdesc), replace=TRUE))
# set cdesc
meta(ds, dim="column") <- data.frame(x=sample(letters, nrow(cdesc),
  replace=TRUE))
```

na_pad_matrix

Pad a matrix with additional rows/columns of NA values

Description

Pad a matrix with additional rows/columns of NA values

Usage

```
na_pad_matrix(m, row_universe = NULL, col_universe = NULL)
```

Arguments

m a matrix with unique row and column names
row_universe a vector with the universe of possible row names
col_universe a vector with the universe of possible column names

Value

a matrix

Examples

```
m <- matrix(rnorm(10), nrow=2)
rownames(m) <- c("A", "B")
colnames(m) <- letters[1:5]
na_pad_matrix(m, row_universe=LETTERS, col_universe=letters)
```

parse.gctx	<i>Parse a GCTX file into the workspace as a GCT object</i>
------------	---

Description

Parse a GCTX file into the workspace as a GCT object

Usage

```
parse.gctx(...)
```

```
parse_gctx(fname, rid = NULL, cid = NULL, matrix_only = FALSE)
```

Arguments

...	arguments passed on to parse_gctx
fname	path to the GCTX file on disk
rid	either a vector of character or integer row indices or a path to a grp file containing character row indices. Only these indices will be parsed from the file.
cid	either a vector of character or integer column indices or a path to a grp file containing character column indices. Only these indices will be parsed from the file.
matrix_only	boolean indicating whether to parse only the matrix (ignoring row and column annotations)

Details

parse_gctx also supports parsing of plain text GCT files, so this function can be used as a general GCT parser.

Value

a GCT object

See Also

Other GCTX parsing functions: [GCT](#), [append.dim\(\)](#), [fix.datatypes\(\)](#), [process_ids\(\)](#), [read.gctx.ids\(\)](#), [read.gctx.meta\(\)](#), [write.gctx.meta\(\)](#), [write.gctx\(\)](#), [write.gct\(\)](#)

Examples

```
gct_file <- system.file("extdata", "modzs_n25x50.gctx", package="cmapR")
(ds <- parse_gctx(gct_file))

# matrix only
(ds <- parse_gctx(gct_file, matrix_only=TRUE))
```

```
# only the first 10 rows and columns
(ds <- parse_gctx(gct_file, rid=1:10, cid=1:10))
```

parse.gmt

Read a GMT file and return a list

Description

Read a GMT file and return a list

Usage

```
parse.gmt(...)
```

```
parse_gmt(fname)
```

Arguments

...	arguments passed on to parse_gmt
fname	the file path to be parsed

Details

parse_gmt returns a nested list object. The top level contains one list per row in fname. Each of these is itself a list with the following fields: - head: the name of the data (row in fname) - desc: description of the corresponding data - len: the number of data items - entry: a vector of the data items

Value

a list of the contents of fname. See details.

See Also

Visit <http://clue.io/help> for details on the GMT file format

Other CMap parsing functions: [lxb2mat\(\)](#), [parse.gmx\(\)](#), [parse.grp\(\)](#), [write.gmt\(\)](#), [write.grp\(\)](#)

Examples

```
gmt_path <- system.file("extdata", "query_up.gmt", package="cmapR")
gmt <- parse_gmt(gmt_path)
str(gmt)
```

parse.gmx *Read a GMX file and return a list*

Description

Read a GMX file and return a list

Usage

```
parse.gmx(...)
```

```
parse_gmx(fname)
```

Arguments

... arguments passed on to parse_gmx
fname the file path to be parsed

Details

parse_gmx returns a nested list object. The top level contains one list per column in fname. Each of these is itself a list with the following fields: - head: the name of the data (column in fname) - desc: description of the corresponding data - len: the number of data items - entry: a vector of the data items

Value

a list of the contents of fname. See details.

See Also

Visit <http://clue.io/help> for details on the GMX file format

Other CMap parsing functions: [lxb2mat\(\)](#), [parse.gmt\(\)](#), [parse.grp\(\)](#), [write.gmt\(\)](#), [write.grp\(\)](#)

Examples

```
gmx_path <- system.file("extdata", "lm_probes.gmx", package="cmapR")  
gmx <- parse_gmx(gmx_path)  
str(gmx)
```

parse.grp	<i>Read a GRP file and return a vector of its contents</i>
-----------	--

Description

Read a GRP file and return a vector of its contents

Usage

```
parse.grp(...)
parse_grp(fname)
```

Arguments

...	arguments passed on to parse_grp
fname	the file path to be parsed

Value

a vector of the contents of fname

See Also

Visit <http://clue.io/help> for details on the GRP file format

Other CMap parsing functions: [lxb2mat\(\)](#), [parse.gmt\(\)](#), [parse.gmx\(\)](#), [write.gmt\(\)](#), [write_grp\(\)](#)

Examples

```
grp_path <- system.file("extdata", "lm_epsilon_n978.grp", package="cmapR")
values <- parse_grp(grp_path)
str(values)
```

rank.gct	<i>Convert a GCT object's matrix to ranks</i>
----------	---

Description

Convert a GCT object's matrix to ranks

Usage

```
rank.gct(...)

rank_gct(g, dim = "col", decreasing = TRUE)

## S4 method for signature 'GCT'
rank_gct(g, dim = "col", decreasing = TRUE)
```

Arguments

... arguments passed on to rank_gct
 g the GCT object to rank
 dim the dimension along which to rank (row or column)
 decreasing boolean indicating whether higher values should get lower ranks

Value

a modified version of g, with the values in the matrix converted to ranks

See Also

Other GCT utilities: [annotate.gct\(\)](#), [melt.gct\(\)](#), [merge.gct\(\)](#), [subset.gct\(\)](#)

Examples

```
(ranked <- rank_gct(ds, dim="column"))
# scatter rank vs. score for a few columns
m <- mat(ds)
m_ranked <- mat(ranked)
plot(m[, 1:3], m_ranked[, 1:3],
     xlab="score", ylab="rank")
```

read.gctx.ids *Read GCTX row or column ids*

Description

Read GCTX row or column ids

Usage

```
read.gctx.ids(...)

read_gctx_ids(gctx_path, dim = "row")
```

Arguments

... arguments passed on to read_gctx_ids
 gctx_path path to the GCTX file
 dim which ids to read (row or column)

Value

a character vector of row or column ids from the provided file

See Also

Other GCTX parsing functions: [GCT](#), [append.dim\(\)](#), [fix.datatypes\(\)](#), [parse.gctx\(\)](#), [process_ids\(\)](#), [read.gctx.meta\(\)](#), [write.gctx.meta\(\)](#), [write.gctx\(\)](#), [write.gct\(\)](#)

Examples

```
gct_file <- system.file("extdata", "modzs_n25x50.gctx", package="cmapR")
# row ids
rid <- read_gctx_ids(gct_file)
head(rid)
# column ids
cid <- read_gctx_ids(gct_file, dim="column")
head(cid)
```

read.gctx.meta	<i>Parse row or column metadata from GCTX files</i>
----------------	---

Description

Parse row or column metadata from GCTX files

Usage

```
read.gctx.meta(...)

read_gctx_meta(gctx_path, dim = "row", ids = NULL)
```

Arguments

...	arguments passed on to read_gctx_meta
gctx_path	the path to the GCTX file
dim	which metadata to read (row or column)
ids	a character vector of a subset of row/column ids for which to read the metadata

Value

a data.frame of metadata

See Also

Other GCTX parsing functions: [GCT](#), [append.dim\(\)](#), [fix.datatypes\(\)](#), [parse.gctx\(\)](#), [process_ids\(\)](#), [read.gctx.ids\(\)](#), [write.gctx.meta\(\)](#), [write.gctx\(\)](#), [write.gct\(\)](#)

Examples

```

gct_file <- system.file("extdata", "modzs_n25x50.gctx", package="cmapR")
# row meta
row_meta <- read_gctx_meta(gct_file)
str(row_meta)
# column meta
col_meta <- read_gctx_meta(gct_file, dim="column")
str(col_meta)
# now for only the first 10 ids
col_meta_first10 <- read_gctx_meta(gct_file, dim="column",
ids=col_meta$id[1:10])
str(col_meta_first10)

```

robust_zscore

*Compute robust z-scores***Description**

robust zscore implementation takes in a 1D vector, returns 1D vector after computing robust zscores
 $rZ = (x - \text{med}(x)) / \text{mad}(x)$

Usage

```
robust_zscore(x, min_mad = 1e-06, ...)
```

Arguments

x	numeric vector to z-score
min_mad	the minimum allowed MAD, useful for avoiding division by very small numbers
...	further options to median, max functions

Value

transformed version of x

Examples

```

(x <- rnorm(25))
(robust_zscore(x))

# with min_mad
(robust_zscore(x, min_mad=1e-4))

```

`subset.gct`*Subset a gct object using the provided row and column ids*

Description

Subset a gct object using the provided row and column ids

Usage

```
## S3 method for class 'gct'  
subset(...)  
  
subset_gct(g, rid = NULL, cid = NULL)  
  
## S4 method for signature 'GCT'  
subset_gct(g, rid = NULL, cid = NULL)
```

Arguments

<code>...</code>	arguments passed on to <code>subset_gct</code>
<code>g</code>	a gct object
<code>rid</code>	a vector of character ids or integer indices for ROWS
<code>cid</code>	a vector of character ids or integer indices for COLUMNNS

Value

a GCT object

See Also

Other GCT utilities: [annotate.gct\(\)](#), [melt.gct\(\)](#), [merge.gct\(\)](#), [rank.gct\(\)](#)

Examples

```
# first 10 rows and columns by index  
(a <- subset_gct(ds, rid=1:10, cid=1:10))  
  
# first 10 rows and columns using character ids  
# use \code{ids} to extract the ids  
rid <- ids(ds)  
cid <- ids(ds, dimension="col")  
(b <- subset_gct(ds, rid=rid[1:10], cid=cid[1:10]))  
  
identical(a, b) # TRUE
```

threshold	<i>Threshold a numeric vector</i>
-----------	-----------------------------------

Description

Threshold a numeric vector

Usage

```
threshold(x, minval, maxval)
```

Arguments

x	the vector
minval	minium allowed value
maxval	maximum allowed value

Value

a thresholded version of x

Examples

```
x <- rnorm(20)
threshold(x, -0.1, -0.1)
```

transpose.gct	<i>Transpose a GCT object</i>
---------------	-------------------------------

Description

Transpose a GCT object

Usage

```
transpose.gct(...)

transpose_gct(g)

## S4 method for signature 'GCT'
transpose_gct(g)
```

Arguments

...	arguments passed on to transpose_gct
g	the GCT object

Value

a modified version of the input GCT object where the matrix has been transposed and the row and column ids and annotations have been swapped.

Examples

```
transpose_gct(ds)
```

```
update.gctx
```

Update the matrix of an existing GCTX file

Description

Update the matrix of an existing GCTX file

Usage

```
## S3 method for class 'gctx'
update(...)

update_gctx(x, ofile, rid = NULL, cid = NULL)
```

Arguments

...	arguments passed on to update_gctx
x	an array of data
ofile	the filename of the GCTX to update
rid	integer indices or character ids of the rows to update
cid	integer indices or character ids of the columns to update

Details

Overwrite the rows and columns of ofile as indicated by rid and cid respectively. rid and cid can either be integer indices or character ids corresponding to the row and column ids in ofile.

Value

silently returns NULL

Examples

```
## Not run:
m <- matrix(rnorm(20), nrow=10)
# update by integer indices
update_gctx(m, ofile="my.gctx", rid=1:10, cid=1:2)
# update by character ids
row_ids <- letters[1:10]
col_ids <- LETTERS[1:2]
update_gctx(m, ofile="my.gctx", rid=row_ids, cid=col_ids)

## End(Not run)
```

write.gct

Write a GCT object to disk in GCT format

Description

Write a GCT object to disk in GCT format

Usage

```
write.gct(...)
```

```
write_gct(ds, ofile, precision = 4, appenddim = TRUE, ver = 3)
```

Arguments

...	arguments passed on to write_gct
ds	the GCT object
ofile	the desired output filename
precision	the numeric precision at which to save the matrix. See details.
appenddim	boolean indicating whether to append matrix dimensions to filename
ver	the GCT version to write. See details.

Details

Since GCT is text format, the higher precision you choose, the larger the file size. ver is assumed to be 3, aka GCT version 1.3, which supports embedded row and column metadata in the GCT file. Any other value passed to ver will result in a GCT version 1.2 file which contains only the matrix data and no annotations.

Value

silently returns NULL

See Also

Other GCTX parsing functions: [GCT](#), [append.dim\(\)](#), [fix.datatypes\(\)](#), [parse.gctx\(\)](#), [process_ids\(\)](#), [read.gctx.ids\(\)](#), [read.gctx.meta\(\)](#), [write.gctx.meta\(\)](#), [write.gctx\(\)](#)

Examples

```
# note this will create a GCT file in your current directory
write_gct(ds, "dataset", precision=2)
```

```
write.gctx
```

Write a GCT object to disk in GCTX format

Description

Write a GCT object to disk in GCTX format

Usage

```
write.gctx(...)

write_gctx(
  ds,
  ofile,
  appenddim = TRUE,
  compression_level = 0,
  matrix_only = FALSE,
  max_chunk_kb = 1024
)
```

Arguments

...	arguments passed on to write_gctx
ds	a GCT object
ofile	the desired file path for writing
appenddim	boolean indicating whether the resulting filename will have dimensions appended (e.g. my_file_n384x978.gctx)
compression_level	integer between 1-9 indicating how much to compress data before writing. Higher values result in smaller files but slower read times.
matrix_only	boolean indicating whether to write only the matrix data (and skip row, column annotations)
max_chunk_kb	for chunking, the maximum number of KB a given chunk will occupy

Value

silently returns NULL

See Also

Other GCTX parsing functions: [GCT](#), [append.dim\(\)](#), [fix.datatypes\(\)](#), [parse.gctx\(\)](#), [process_ids\(\)](#), [read.gctx.ids\(\)](#), [read.gctx.meta\(\)](#), [write.gctx.meta\(\)](#), [write.gct\(\)](#)

Examples

```
# note this will create a GCT file in your current directory
write_gctx(ds, "dataset")
```

write.tbl	<i>Write a data.frame to a tab-delimited text file</i>
-----------	--

Description

Write a data.frame to a tab-delimited text file

Usage

```
write.tbl(...)
write_tbl(tbl, ofile, ...)
```

Arguments

...	additional arguments passed on to write.table
tbl	the data.frame to be written
ofile	the desired file name

Details

This method simply calls write.table with some preset arguments that generate a unquoted, tab-delimited file without row names.

Value

silently returns NULL

See Also

[write.table](#)

Examples

```
## Not run:  
write_tbl(cdesc_char, "col_meta.txt")  
  
## End(Not run)
```

write_gmt

Write a nested list to a GMT file

Description

Write a nested list to a GMT file

Usage

```
write_gmt(lst, fname)
```

Arguments

lst	the nested list to write. See details.
fname	the desired file name

Details

lst needs to be a nested list where each sub-list is itself a list with the following fields: - head: the name of the data - desc: description of the corresponding data - len: the number of data items - entry: a vector of the data items

Value

silently returns NULL

See Also

Visit <http://clue.io/help> for details on the GMT file format

Other CMap parsing functions: [lxb2mat\(\)](#), [parse.gmt\(\)](#), [parse.gmx\(\)](#), [parse.grp\(\)](#), [write_grp\(\)](#)

Examples

```
## Not run:  
write_gmt(gene_set, "gene_set.gmt")  
  
## End(Not run)
```

write_grp	<i>Write a vector to a GRP file</i>
-----------	-------------------------------------

Description

Write a vector to a GRP file

Usage

```
write_grp(vals, fname)
```

Arguments

vals	the vector of values to be written
fname	the desired file name

Value

silently returns NULL

See Also

Visit <http://clue.io/help> for details on the GRP file format

Other CMap parsing functions: [lxb2mat\(\)](#), [parse.gmt\(\)](#), [parse.gmx\(\)](#), [parse.grp\(\)](#), [write.gmt\(\)](#)

Examples

```
## Not run:  
write_grp(letters, "letter.grp")  
  
## End(Not run)
```

Index

- * **CMap parsing functions**
 - lxb2mat, 13
 - parse.gmt, 20
 - parse.gmx, 21
 - parse.grp, 22
 - write_gmt, 32
 - write_grp, 33
- * **GCT accessor methods**
 - ids, 11
 - mat, 14
 - meta, 17
- * **GCT utilities**
 - annotate.gct, 4
 - melt.gct, 15
 - merge.gct, 16
 - rank.gct, 22
 - subset.gct, 26
- * **GCT utilities**
 - transpose.gct, 27
- * **GCTX parsing functions**
 - GCT, 9
 - parse.gctx, 19
 - read.gctx.ids, 23
 - read.gctx.meta, 24
 - write.gctx, 29
 - write.gctx, 30
- * **datasets**
 - cdesc_char, 5
 - ds, 7
 - gene_set, 10
 - kd_gct, 12
- align_matrices, 3
- annotate.gct, 4, 16, 23, 26
- annotate_gct (annotate.gct), 4
- annotate_gct, GCT-method (annotate.gct), 4
- append.dim, 9, 19, 24, 30, 31
- cdesc_char, 5
- check_colnames, 5
- check_dups, 6
- data.frame, 4, 5
- data.table, 15
- distil, 6
- ds, 7
- extract.gct, 7
- extract_gct (extract.gct), 7
- fix.datatypes, 9, 19, 24, 30, 31
- GCT, 9, 19, 24, 30, 31
- GCT-class, 10
- gene_set, 10
- ids, 11, 14, 17
- ids, GCT-method (ids), 11
- ids<- (ids), 11
- ids<- , GCT-method (ids), 11
- is.wholenumber, 12
- kd_gct, 12
- lxb2mat, 13, 20–22, 32, 33
- mat, 11, 14, 17
- mat, GCT-method (mat), 14
- mat<- (mat), 14
- mat<- , GCT-method (mat), 14
- melt.data.table, 15
- melt.gct, 4, 15, 16, 23, 26
- melt_gct (melt.gct), 15
- melt_gct, GCT-method (melt.gct), 15
- merge.gct, 4, 16, 16, 23, 26
- merge_gct (merge.gct), 16
- merge_gct, GCT, GCT-method (merge.gct), 16
- meta, 11, 14, 17
- meta, GCT-method (meta), 17
- meta<- (meta), 17

meta<- ,GCT-method (meta), 17

na_pad_matrix, 18

parse.gctx, 9, 19, 24, 30, 31
parse.gmt, 13, 20, 21, 22, 32, 33
parse.gmx, 13, 20, 21, 22, 32, 33
parse.grp, 13, 20, 21, 22, 32, 33
parse_gctx, 10
parse_gctx (parse.gctx), 19
parse_gmt (parse.gmt), 20
parse_gmx (parse.gmx), 21
parse_grp (parse.grp), 22
process_ids, 9, 19, 24, 30, 31

rank.gct, 4, 16, 22, 26
rank_gct (rank.gct), 22
rank_gct, GCT-method (rank.gct), 22
read.gctx.ids, 9, 19, 23, 24, 30, 31
read.gctx.meta, 9, 19, 24, 24, 30, 31
read_gctx_ids, 10
read_gctx_ids (read.gctx.ids), 23
read_gctx_meta, 10
read_gctx_meta (read.gctx.meta), 24
robust_zscore, 25

subset.gct, 4, 16, 23, 26
subset_gct (subset.gct), 26
subset_gct, GCT-method (subset.gct), 26

threshold, 27
transpose.gct, 27
transpose_gct (transpose.gct), 27
transpose_gct, GCT-method
(transpose.gct), 27

update.gctx, 28
update_gctx (update.gctx), 28

write.gct, 9, 19, 24, 29, 31
write.gctx, 9, 19, 24, 30, 30
write.gctx.meta, 9, 19, 24, 30, 31
write.table, 31
write.tbl, 31
write_gct (write.gct), 29
write_gctx, 10
write_gctx (write.gctx), 30
write_gmt, 13, 20–22, 32, 33
write_grp, 13, 20–22, 32, 33
write_tbl (write.tbl), 31