

Package ‘multistateQTL’

November 12, 2024

Type Package

Date 2024-03-22

Title Toolkit for the analysis of multi-state QTL data

Version 1.2.0

Description A collection of tools for doing various analyses of multi-state QTL data, with a focus on visualization and interpretation. The package 'multistateQTL' contains functions which can remove or impute missing data, identify significant associations, as well as categorise features into global, multi-state or unique. The analysis results are stored in a 'QTLExperiment' object, which is based on the 'SummarisedExperiment' framework.

License GPL-3

URL <https://github.com/dunstone-a/multistateQTL>

BugReports <https://github.com/dunstone-a/multistateQTL/issues>

Encoding UTF-8

Depends QTLExperiment, SummarizedExperiment, ComplexHeatmap, data.table, collapse

Imports methods, S4Vectors, grid, dplyr, tidyr, matrixStats, stats, fitdistrplus, viridis, ggplot2, circlize, mashr, grDevices

Suggests testthat, BiocStyle, knitr, covr, rmarkdown

biocViews FunctionalGenomics, GeneExpression, Sequencing, Visualization, SNP, Software

VignetteBuilder knitr

RoxygenNote 7.3.2

git_url <https://git.bioconductor.org/packages/multistateQTL>

git_branch RELEASE_3_20

git_last_commit b79ab82

git_last_commit_date 2024-10-29

Repository Bioconductor 3.20

Date/Publication 2024-11-11

Author Christina Del Azodi [aut],
Davis McCarthy [ctb],
Amelia Dunstone [cre, ctb] (<<https://orcid.org/0009-0009-6426-1529>>)

Maintainer Amelia Dunstone <amelia.dunstone@svi.edu.au>

Contents

multistateQTL-package	2
callSignificance	3
getComplete	4
getSignificant	5
getTopHits	6
plotCompareStates	7
plotPairwiseSharing	8
plotQTLClusters	9
plotSimulationParams	10
plotUpSet	11
qtLEstimate	12
qtLEstimateParams	13
qtLSimulate	14
replaceNAs	15
runPairwiseSharing	16
runSignificantFeatures	17
runTestMetrics	18
simPerformance	19
Index	20

multistateQTL-package *multistateQTL: Toolkit for the analysis of multi-state QTL data*

Description

A collection of tools for doing various analyses of multi-state QTL data, with a focus on visualization and interpretation. The package 'multistateQTL' contains functions which can remove or impute missing data, identify significant associations, as well as categorise features into global, multi-state or unique. The analysis results are stored in a 'QTLExperiment' object, which is based on the 'SummarisedExperiment' framework.

Author(s)

Maintainer: Amelia Dunstone <amelia.dunstone@svi.edu.au> ([ORCID](#)) [contributor]

Authors:

- Christina Del Azodi <cazodi@svi.edu.au>

Other contributors:

- Davis McCarthy <dmccarthy@svi.edu.au> [contributor]

See Also

Useful links:

- <https://github.com/dunstone-a/multistateQTL>
- Report bugs at <https://github.com/dunstone-a/multistateQTL/issues>

callSignificance	<i>Call associations as significant in each state.</i>
------------------	--

Description

Call associations as significant in each state.

Usage

```
callSignificance(object, ...)

callSignificance(object, ...) <- value

## S4 method for signature 'QTLExperiment'
callSignificance(
  object,
  thresh = 0.05,
  secondThresh = thresh,
  feature = .feature_id,
  assay = "pvalues",
  mode = "simple",
  p.adjust.method = "fdr",
  ...
)
```

Arguments

object	A QTLExperiment object.
...	arguments passed to <code>callSignificance</code>
value	Value to place in <code>getSignificance</code>
thresh	Significance threshold.
secondThresh	Significance threshold for associations with significance in one state.
feature	rowData column name with feature identifier.
assay	assay name with significance score.
mode	Method to determine significance threshold per state. Options are 'simple', 'feature-wise-FDR', and 'global-FDR'.
p.adjust.method	Method of multiple-test correction if mode != simple

Details

This function adds a new assay to multistateQTL object with TRUE/FALSE significance calls for each test for each state.

Value

A 'QTLExperiment' object with a new assay called 'significant' and with a column called nSignificant added to the colData.

Author(s)

Christina B Azodi

See Also[wilcox.test](#), on which this function is based.**Examples**

```

qtle <- mockQTLE()

assays(qtle)
qtle <- callSignificance(qtle)

# There is now an assay called 'significant'
assays(qtle)

# Use feature-wise FDR correction -----
qtle_feat <- callSignificance(qtle, thresh=0.1, mode="feature-wise-FDR")

```

getComplete

Filter QTLEExperiment based on missing data

Description

Method to filter [QTLEExperiment](#) objects to remove tests with greater than the permitted rate of missing values.

Usage

```
getComplete(qtle, n = 1, verbose = FALSE)
```

Arguments

qtle	A ‘QTLEExperiment’ object
n	Number (or percent if $n < 1$) of states requiring non-null values
verbose	logical. Whether to print progress messages.

Value

a subset of the ‘QTLEExperiment’ object, with only tests with fewer NAs than specified by n.

Examples

```

# Create a QTLEExperiment object with NA values -----
sim <- qtleSimulate(
  nStates=10, nFeatures=100, nTests=1000,
  global=0.2, multi=0.4, unique=0.2, k=2)

# Randomly remove 1000 elements from the betas matrix.
na_pattern <- sample(seq(1, ncol(sim)*nrow(sim)), 1000)

```

```
sim_na <- sim
assay(sim_na, "betas")[na_pattern] <- NA

# Original object has more rows than the output of getComplete()
dim(sim_na)

sim_complete <- getComplete(sim_na)
dim(sim_complete)
```

getSignificant	<i>Filter to only QTLs significant in at least one state</i>
----------------	--

Description

Filter to only QTLs significant in at least one state

Usage

```
getSignificant(qtle, n = 1, assaySig = "significant", verbose = FALSE)
```

Arguments

qtle	'QTLExperiment' object
n	Number (or percent if $n < 1$) of states with significant association
assaySig	The assay containing TRUE/FALSE significance calls for each QTL test.
verbose	logical. Whether to print progress messages.

Value

a subset of the 'QTLExperiment' object, where all rows are significant in at least one state.

Examples

```
qtle <- mockQTLE()

qtle <- callSignificance(qtle)
dim(qtle)
qtle_sig <- getSignificant(qtle)

# There are fewer rows because we have removed tests which are not significant
# in any state.
dim(qtle_sig)
```

getTopHits

Filter QTLExperiment to keep only top hits

Description

Method to return a subset of a [QTLExperiment](#) object containing only the tests that are top hits. Top hits are defined as the test for each feature with the most significant test statistic. Returns an array of the top QTL for each feature across all states

Usage

```
getTopHits(
  qtle,
  mode = c("global", "state"),
  assay = "pvalues",
  assaySig = "significant",
  verbose = FALSE
)
```

Arguments

qtle	A ‘QTLExperiment’ object
mode	global/state to specify if the top hit per feature is desired from across all states or for each state.
assay	The assay containing the test statistic to minimize.
assaySig	The assay containing TRUE/FALSE significance calls for each QTL test.
verbose	logical. Whether to print progress messages.

Value

A subset of the ‘QTLExperiment’ object, with only tests that are the top hits for each feature (‘mode=global’) or for each feature for each state (‘mode=state’).

Examples

```
sumstats <- mockSummaryStats(nStates=10, nQTL=100, names=TRUE)
qtle <- QTLExperiment(
  assay=list(
    betas=sumstats$betas,
    errors=sumstats$errors,
    pvalues=sumstats$pvalues,
    lfsrs=sumstats$pvalues))

# Add 'significant' assay to object
qtle <- callSignificance(qtle)

# Filter to the top tests for each feature
qtle_glob <- getTopHits(qtle, assay="lfsrs", mode="global", verbose = TRUE)
# There are 3 rows corresponding to the three features.
table(feature_id(qtle_glob))
```

```
# At most one QTL is retained for each combination of feature_id and state_id
qtLe_feat <- getTopHits(qtLe, assay="lfsrs", mode="state", verbose = TRUE)
table(feature_id(qtLe_feat))
```

plotCompareStates *Compare QTL between two states*

Description

Convenience method for comparing the assay value, specified by assay, between two states.

Usage

```
plotCompareStates(
  object,
  x,
  y,
  assay = "betas",
  FUN = identity,
  assaySig = "significant",
  alpha = 0.2,
  colBoth = "#4477AA",
  colDiverging = "#EE6677",
  colNeither = "gray50",
  colX = "#CCBB44",
  colY = "#AA3377"
)
```

Arguments

object	an QTLExperiment object.
x	Name of state for x-axis
y	Name of state for y-axis
assay	name of assay to plot.
FUN	Function to be applied to fillBy assay before plotting (e.g. identity, abs, log10).
assaySig	name of assay with TRUE/FALSE significance calls.
alpha	Transparency.
colBoth	Color for tests significant in both states.
colDiverging	Color for tests significant in both states, with diverging effect sizes.
colNeither	Color for null tests.
colX	Color for tests significant in the x-axis state only.
colY	Color for tests significant in the y-axis state only.

Value

Returns a list containing the counts for each color category and the plot object.

Examples

```

sim <- qtleSimulate(
  nStates=10, nFeatures=100, nTests=1000,
  global=0.2, multi=0.4, unique=0.2, k=2)
sim <- callSignificance(sim, mode="simple", assay="lfsrs",
  thresh=0.0001, secondThresh=0.0002)
sim_sig <- getSignificant(sim)
sim_top <- getTopHits(sim_sig, assay="lfsrs", mode="state")
sim_top <- runPairwiseSharing(sim_top)
sim_top <- runTestMetrics(sim_top)
plotCompareStates(sim_top, x="S01", y="S02")

```

plotPairwiseSharing *Heatmap of pairwise QTL sharing with state-level annotations*

Description

Methods to plot a heatmap of the pairwise sharing of QTL as calculated by ‘runPairwiseSharing’.

Usage

```

plotPairwiseSharing(
  object,
  slot = "pairwiseSharing",
  annotateRowsBy = NULL,
  annotateColsBy = NULL,
  annotateCells = FALSE,
  colourRange = NULL,
  name = "colnames",
  distMethod = "pearson",
  size = 8,
  ...
)

```

Arguments

object	A QTLExperiment object
slot	Name of slot in metadata list with Pairwise Sharing matrix.
annotateRowsBy	character or array of characters specifying the column(s) in colData to be plotted as row annotations.
annotateColsBy	character or array of characters specifying the column(s) in colData to be plotted as column annotations.
annotateCells	Logical to annotate cells with their values.
colourRange	Optional range for the color legend
name	character specifying the column in colData to use to label rows and columns. Default is colnames(qtle).
distMethod	Distance method used for hierarchical clustering. Valid values are the supported methods in dist() function.
size	numeric scalar giving default font size for plotting theme.
...	further arguments passed to Heatmap .

Value

Returns a ComplexHeatmap object.

Examples

```
sim <- qtleSimulate(
  nStates=10, nFeatures=100, nTests=1000,
  global=0.2, multi=0.4, unique=0.2, k=2)
sim <- callSignificance(sim, mode="simple", assay="lfsrs",
  thresh=0.0001, secondThresh=0.0002)
sim_sig <- getSignificant(sim)
sim_top <- getTopHits(sim_sig, assay="lfsrs", mode="state")
sim_top <- runPairwiseSharing(sim_top)

plotPairwiseSharing(sim_top)

# Plot with complex column annotations
plotPairwiseSharing(sim_top, annotateColsBy = c("nSignificant", "multistateGroup"))
```

plotQTLClusters *Heatmap of QTL across states*

Description

Convenience method for plotting values from any assay specified by fillBy across states and tests.

Usage

```
plotQTLClusters(
  object,
  fillBy = "betas",
  FUN = identity,
  minSig = 1,
  annotateColsBy = NULL,
  annotateRowsBy = NULL,
  show_row_names = FALSE,
  state_id = "state_id",
  columnOrder = NULL,
  rowOrder = NULL,
  row_km = 0,
  column_km = 0
)
```

Arguments

object	an QTLExperiment object.
fillBy	name of assay to use for main heatmap object.
FUN	Function to be applied to fillBy assay before plotting (e.g. identity, abs, log10).
minSig	minimum number of significant states for QTL to be included.

annotateColsBy	character or array of characters specifying the column(s) in colData to be plotted to annotate states.
annotateRowsBy	character or array of characters specifying the column(s) in rowData to be plotted to annotate QTL tests.
show_row_names	Logical to plot row (i.e. test) names.
state_id	colData column to use to label states.
columnOrder	Null for clustering or array to overwrite state order
rowOrder	Null for clustering or array to overwrite test order
row_km	Set k for k-means clustering of tests.
column_km	Set k for k-means clustering of states

Value

Returns a ComplexHeatmap object.

Examples

```

sim <- qtleSimulate(
  nStates=10, nFeatures=100, nTests=1000,
  global=0.2, multi=0.4, unique=0.2, k=2)
sim <- callSignificance(sim, mode="simple", assay="lfsrs",
  thresh=0.0001, secondThresh=0.0002)

sim_sig <- getSignificant(sim)
sim_top <- getTopHits(sim_sig, assay="lfsrs", mode="state")
sim_top <- runTestMetrics(sim_top)
sim_top <- runPairwiseSharing(sim_top)
sim_top_ms <- subset(sim_top, qtl_type_simple == "multistate")

plotQTLClusters(sim_top)

# Plot with annotations for multi state group
plotQTLClusters(sim_top_ms, annotateColsBy = c("multistateGroup"),
  annotateRowsBy = c("qtl_type", "mean_beta", "QTL"))

```

plotSimulationParams *Distribution of estimated simulation parameters*

Description

Distribution of estimated simulation parameters

Usage

```
plotSimulationParams(params, n = 1e+05)
```

Arguments

params	Estimated simulation parameters from qtleEstimate.
n	Number of random values to sample for plots.

Value

A ggplot2 object

Examples

```
qtle <- mockQTLE()
params <- qtleEstimate(qtle, threshSig = 0.05, threshNull = 0.5)
plotSimulationParams(params=params)
```

plotUpSet

Upset plot of QTL sharing between states with state-level annotations

Description

Convenient method to plot an UpSet plot showing the number of QTL that are significant in sets of states.

Usage

```
plotUpSet(
  object,
  assay = "significant",
  name = "colnames",
  minShared = 10,
  minDegree = 2,
  maxDegree = NULL,
  annotateColsBy = NULL,
  comb_order = "comb_size",
  set_order = order(ss),
  ...
)
```

Arguments

object	an QTLExperiment object
assay	Name of assay to use to assess significance.
name	character specifying the column in colData to use to label rows and columns. Default is colnames(qtle).
minShared	minimum number of shared QTL for set to be included.
minDegree	minimum degree of sharing for set to be included.
maxDegree	maximum degree of sharing for set to be included.
annotateColsBy	character or array of characters specifying the column(s) in colData to be plotted as annotations.
comb_order	characters specifying how sets should be ordered. Options include the set size (set_size), combination size (comb_size), degree (deg).
set_order	Array specifying order of states.
...	further arguments passed to Rtsne

Value

Returns a ComplexHeatmap object.

Examples

```

sim <- qtleSimulate(
  nStates=10, nFeatures=100, nTests=1000,
  global=0.2, multi=0.4, unique=0.2, k=2)
sim <- callSignificance(sim, mode="simple", assay="lfsrs",
  thresh=0.0001, secondThresh=0.0002)
sim_sig <- getSignificant(sim)
sim_top <- getTopHits(sim_sig, assay="lfsrs", mode="state")
sim_top <- runPairwiseSharing(sim_top)

plotUpSet(sim_top)

# Upset plot with complex row annotations
plotUpSet(sim_top, annotateColsBy = c("nSignificant", "multistateGroup"))

```

qtleEstimate	<i>Estimate parameters from real data for simulating multi-state QTL summary statistics</i>
--------------	---

Description

Estimate parameters from real data for simulating multi-state QTL summary statistics

Usage

```

qtleEstimate(
  data,
  assay = "pvalues",
  threshSig = 0.001,
  threshNull = 0.1,
  verbose = TRUE
)

```

Arguments

data	A ‘QTLExperiment’ object or named list containing "betas" and "errors" matrices.
assay	Assay containing test statistic information to use.
threshSig	Max threshold (pval/lfsr) for calling tests as significant.
threshNull	Min threshold (pval/lfsr) for calling tests as null.
verbose	Logical.

Details

The simulation consists of user defined number of equal numbers of four different types of effects: null, equal among conditions, present only in first condition, independent across conditions

Value

A list with parameter estimates for the QTLExperiment object.

Examples

```
qtLe <- mockQTLE()
qtLeEstimate(qtLe)
```

qtLeParams

Default qtLe simulation parameters

Description

Returns a list of the default values used for parameters when simulating multistateQTL data. Parameters include:

- betas.sig.shape
- betas.sig.rate
- cv.sig.shape
- cv.sig.rate
- betas.null.shape
- betas.null.rate
- cv.null.shape
- cv.null.rate

Usage

```
qtLeParams()
```

Details

The default parameters returned by this function were generated using expression QTL (eQTL) summary statistics from the [Genotype-Tissue Expression \(GTEx\) Project](#) (Version 8) for the ten tissues with the largest sample sizes for eQTL mapping. The eQTL tests were filtered to include only eQTLs on chromosome 1 that were available in all 10 tissues.

Value

A list with the default parameter values which can be used when simulating multistateQTL data.

Examples

```
qtLeParams()
```

 qtlsimulate

 Create simulated multistateQTL data for testing purposes

Description

Create simulated multistateQTL data for testing purposes

Usage

```
qtlsimulate(
  params = qtlsParams(),
  nTests = 100,
  nFeatures = NULL,
  nStates = 5,
  global = 0.5,
  multi = 0,
  unique = 0,
  k = 2,
  betaSd = 0.1,
  lfsr = TRUE,
  verbose = TRUE
)
```

Arguments

params	list of parameters required to simulate betas and beta errors. Generated by 'qtlsEstimate()' or 'qtlsParams()'.
nTests	number of QTL tests
nFeatures	number of QTL features to simulate tests for, NULL mean nFeatures = nTests.
nStates	number of states
global	percent of QTL tests with significant effects shared across all states
multi	percent of QTL tests with significant effects shared across a subset of states.
unique	percent of QTL tests with significant effects in only one state
k	number of multi-state clusters or an array with the cluster assignments.
betaSd	The desired standard deviation or an array of standard deviations equal to the length of states for sampling beta values for each state.
lfsr	Logical to calculate lfsr using mashr_1by1.
verbose	Logical.

Details

The simulation consists of user defined number of equal numbers of four different types of effects: null, equal among conditions, present only in first condition, independent across conditions

Value

A simulated 'QTLExperiment' object.

Examples

```
qtleSimulate(nTests=100, nStates=5, global=0.1, multi=0.2, unique=0.05)
```

replaceNAs	<i>Return multistateQTL object with NAs filled in</i>
------------	---

Description

A convenience function for imputing or filling in NAs in a ‘QTLExperiment’ object.

Usage

```
replaceNAs(
  object,
  methods = list(betas = 0, errors = "mean", pvalues = 1, lfsrs = 1),
  verbose = FALSE
)
```

Arguments

object	A ‘QTLExperiment’ object
methods	A named list with the method for each assay. Available methods are to replace with a given integer or with the row mean or median.
verbose	logical. Whether to print progress messages.

Value

A ‘QTLExperiment’ object with the same dimensions as the original object, but with the NA values replaced according to the input specifications.

Examples

```
#' # Create a QTLExperiment object with NA values -----
qtle <- mockQTL()

# Randomly remove 1000 elements from the betas matrix.
na_pattern <- sample(seq(1, ncol(qtle)*nrow(qtle)), 1000)
qtle_na <- qtle
assay(qtle_na, "betas")[na_pattern] <- NA

# There are some NA values in the "betas" assay
any(is.na(betas(qtle_na)))

qtle_complete <- replaceNAs(qtle_na)

# Now we don't have any NA values
any(is.na(betas(qtle_complete)))

## Specify a specific method to impute NAs -----

qtle_median <- replaceNAs(
```

```

qtLe_na,
methods=list(betas = 0, errors = "median", pvalues = 1),
verbose=TRUE)

```

runPairwiseSharing	<i>Compute the proportion of (significant) QTL shared by pairs of conditions</i>
--------------------	--

Description

Compute the proportion of (significant) QTL shared by pairs of conditions

Usage

```

runPairwiseSharing(
  qtLe,
  assay = "betas",
  assaySig = "significant",
  factor = 0.5,
  FUN = identity,
  ...
)

```

Arguments

qtLe	A 'QTLExperiment' object.
assay	The assay containing the metric used to determine sharing (i.e. the metric to be within a factor X to be considered shared).
assaySig	The assay containing significance information.
factor	a number in [0,1] the factor within which effects are considered to be shared
FUN	a function to be applied to the estimated effect sizes before assessing sharing. Default 'FUN=identity', 'FUN=abs' ignores the sign of the effects when assessing sharing.
...	Additional parameters to pass on to internal functions.

Details

For each pair of states, the effects that are significant (as determined by 'callSignificance') in at least one of the two states are identified. Then the fraction of those with an estimated effect size (i.e. betas) within a factor 'factor' of one another is computed and returned.

Value

The 'QTLExperiment' object with a matrix called pairwiseSharing added to the metadata.

Examples

```
m <- mockQTLE()
m <- callSignificance(m, assay="pvalues")
runPairwiseSharing(m) # sharing by magnitude (same sign)
runPairwiseSharing(m, factor=0) # sharing by sign
runPairwiseSharing(m, FUN=abs) # sharing by magnitude when sign is ignored
```

runSignificantFeatures

Function to summarize QTL summary statistics by feature ID

Description

This function adds a summary of the features with significant QTL in each state to the metadata of the QTLExperiment object.

Usage

```
runSignificantFeatures(object, assay = "significant")
```

Arguments

object	A QTLExperiment object with multiple QTL tests (i.e., rows) for at least one feature.
assay	Assay containing T/F significance calls for each test.

Value

The 'QTLExperiment' object with a summary of significant features in the metadata and a new column 'nSignificantFeatures' in the colData.

Examples

```
qtle <- mockQTLE()

qtle <- callSignificance(qtle)

# There is an assay called 'significant'
assays(qtle)

# Obtain summary of significant features for each state
qtle <- runSignificantFeatures(qtle)

# There is a summary added to the metadata of the object
metadata(qtle)
```

runTestMetrics *Classify multi-state QTL*

Description

Takes the results from ‘callSignificance()’ and from the assay ‘betas’ to categorize each QTL test using two classification strategies:

Strategy 1 (qtl_type): (1) global-shared, (2) global-diverging, (3) multi-state-shared, (4) multi-state-diverging, or (5) unique.

Strategy 2 (qtl_type_simple): (1) global, (2) multi-state, or (3) unique.

Usage

```
runTestMetrics(
  qtle,
  assay = "betas",
  assaySig = "significant",
  globalBuffer = 0,
  ...
)
```

Arguments

qtle	QTLExperiment qtle
assay	Name of assay containing QTL effect size estimate (e.g. betas)
assaySig	Name of assay with TRUE/FALSE significance calls
globalBuffer	Number of states that can be not-significant and the QTL will still be called as global, for example, if globalBuffer=1, then a QTL will be considered global if it is significant in all or all but 1 state.
...	arguments passed to runTestMetrics

Details

If a test is significant in more than one sign across different states, returns TRUE in rowData(qtle)\$diverging

Value

The ‘QTLExperiment’ object with the following columns added to the rowData: nSignificant, effect_sd, qtl_type, qtl_type_simple

Examples

```
m <- mockQTLE()
m <- callSignificance(m)
m <- runTestMetrics(m)
```

simPerformance	<i>Performance metrics for multistateQTL simulations</i>
----------------	--

Description

Performance metrics for multistateQTL simulations

Usage

```
simPerformance(qtle, assay = "significant")
```

Arguments

qtle	A 'multistateQTL' object.
assay	Name of the 'multistateQTL' assay containing the significance calls

Value

description

Examples

```
sim <- qtleSimulate()  
sim <- callSignificance(sim, assay="lfsrs", thresh=0.1)  
simPerformance(sim)
```

Index

- * **internal**
 - multistateQTL-package, 2
- callSignificance, 3
- callSignificance, QTLExperiment-method
(callSignificance), 3
- callSignificance<- (callSignificance), 3
- getComplete, 4
- getSignificant, 5
- getTopHits, 6
- Heatmap, 8
- multistateQTL (multistateQTL-package), 2
- multistateQTL-package, 2
- plotCompareStates, 7
- plotPairwiseSharing, 8
- plotQTLClusters, 9
- plotSimulationParams, 10
- plotUpSet, 11
- qtleEstimate, 12
- qtleParams, 13
- qtleSimulate, 14
- QTLExperiment, 3, 4, 6, 17
- replaceNAs, 15
- Rtsne, 11
- runPairwiseSharing, 16
- runSignificantFeatures, 17
- runTestMetrics, 18
- simPerformance, 19
- wilcox.test, 4