

Package ‘netOmics’

January 18, 2022

Title Multi-Omics (time-course) network-based integration and interpretation

Version 1.0.0

Description netOmics is a multi-omics networks builder and explorer.

It uses a combination of network inference algorithms and knowledge-based graphs to build multi-layered networks.

The package can be combined with timeOmics to incorporate time-course expression data and build sub-networks from multi-omics kinetic clusters.

Finally, from the generated multi-omics networks, propagation analyses allow the identification of missing biological functions (1), multi-omics mechanisms (2) and molecules between kinetic clusters (3). This helps to resolve complex regulatory mechanisms.

License GPL-3

Encoding UTF-8

LazyData false

Roxygen list(markdown = TRUE)

RoxygenNote 7.1.2

VignetteBuilder knitr

Depends R (>= 4.1)

Imports dplyr, ggplot2, igraph, magrittr, minet, purrr, tibble, tidyr, AnnotationDbi, GO.db, RandomWalkRestartMH, gprofiler2, methods, stats

Suggests mixOmics, timeOmics, tidyverse, BiocStyle, testthat, covr, rmarkdown, knitr

biocViews GraphAndNetwork, Software, TimeCourse, WorkflowStep, SystemsBiology, NetworkInference, Network

URL <https://github.com/abodein/netOmics>

BugReports <https://github.com/abodein/netOmics/issues>

git_url <https://git.bioconductor.org/packages/netOmics>

git_branch RELEASE_3_14

git_last_commit 00eaf6b

git_last_commit_date 2021-10-26

Date/Publication 2022-01-18

Author Antoine Bodein [aut, cre]

Maintainer Antoine Bodein <antoine.bodein.1@ulaval.ca>

R topics documented:

combine_layers	2
get_go_info	3
get_graph_stats	4
get_grn	5
get_interaction_from_correlation	6
get_interaction_from_database	7
get_interaction_from_ORA	8
get_ORA	9
hmp_T2D	9
netOmics	10
plot_rwr_subnetwork	11
random_walk_restart	12
rwr_find_closest_type	13
rwr_find_seeds_between_attributes	14
summary_plot_rwr_attributes	15
Index	18

combine_layers	<i>Combine layers</i>
----------------	-----------------------

Description

Return a merged graph from two graph layers.

Usage

```
combine_layers(graph1, graph2 = NULL, interaction.df = NULL)
```

Arguments

graph1	an igraph object or list of igraph (<code>list.igraph</code>).
graph2	an igraph object or list of igraph (<code>list.igraph</code>) with the same length as graph1.
interaction.df	(optional) a 2 columns data.frame (from, to) describing the edges between vertices from both graphs.

Details

If graph2 is a single graph, it will be merged to each element of graph1 (igraph or list.igraph).

If graph2 is a list of graph (list.igraph), each element of graph1 and each element of graph2 are merged in pairs.

Optionally, interaction.df should be provide if any vertex are shared between graphs. It can also be used to extend the first graph.

In both scenarios, vertex attributes are kept. If a vertex attribute is missing from graph1 or graph2, NULL value is added. Otherwise, if there is an overlap between attribute values for the same vertex, attribute from graph2 is dropped.

Value

a merged graph with both vertex attributes from graph1 and graph2.

Examples

```
# with single graphs
graph1 <- igraph::graph_from_data_frame(list(from = c('A', 'B'),
                                           to = c('B', 'C')),
                                       directed = FALSE)
graph2 <- igraph::graph_from_data_frame(list(from = c(1),
                                           to = c(2)),
                                       directed = FALSE)

res <- combine_layers(graph1 = graph1,
                    graph2 = graph2)

# with list of graphs
graph1.list <- list(graph1, graph1)
graph2.list <- list(graph2, graph2)
class(graph1.list) <- class(graph2.list) <- 'list.igraph'

res <- combine_layers(graph1 = graph1.list,
                    graph2 = graph2)
res <- combine_layers(graph1 = graph1.list,
                    graph2 = graph2.list)

# with interaction dataframe
interaction.df1 <- as.data.frame(list(from = c('C', 'B'), to = c(1, 2)))
res <- combine_layers(graph1 = graph1.list,
                    graph2 = graph2,
                    interaction.df = interaction.df1)
```

Description

From a GO terms (GOID), return definition, ontology and term values from GO.db

Usage

```
get_go_info(go)
```

Arguments

go a character, GO term

Value

a data.frame with the following columns: 'GOID', 'DEFINITION', 'ONTOLOGY', 'TERM'

get_graph_stats	<i>Get graph statistics</i>
-----------------	-----------------------------

Description

For a given igraph or list of igraph objects, this function summarize the number of vertices/edges and other vertex attributes.

Usage

```
get_graph_stats(X)
```

Arguments

X an 'igraph' or 'list.igraph' object

Value

It returns a long data.frame with number of nodes/edges, and the count of the different attributes (if X is a list of graph, each row describes a graph)

Examples

```
graph1 <- igraph::graph_from_data_frame(
  list(from = c('A', 'B', 'A', 'D', 'C', 'A', 'C'),
       to = c('B', 'C', 'D', 'E', 'D', 'F', 'G')),
  directed = FALSE)
graph1 <- igraph::set_vertex_attr(graph = graph1,
  name = 'type',
  index = c('A','B','C'),
  value = '1')
graph1 <- igraph::set_vertex_attr(graph = graph1,
  name = 'type',
  index = c('D','E'),
```

```

                                value = '2')
graph1 <- igraph::set_vertex_attr(graph = graph1,
                                name = 'type',
                                index = c('F', 'G'),
                                value = '-1')

get_graph_stats(graph1)

graph1.list <- list(graph1 = graph1,
                   graph2 = graph1)
get_graph_stats(graph1.list)

```

get_grn

Gene Regulatory Network

Description

Get Gene Regulatory Network (GRN) from a data.frame. Optionally, if the gene are clustered, sub_network are build for each cluster.

Usage

```
get_grn(X, cluster = NULL, method = c("aracne"), type = "gene")
```

Arguments

X	a data.frame/matrix with gene expression (genes in columns, samples in rows).
cluster	(optional) clustering result from getCluster
method	network building method, one of c('aracne')
type	character added to node metadata

Details

Methods of GRN reconstruction are as follows: 'aracne': use ARACNe algorithm on Mutual Information (MI) adjacency matrix to remove low MI edges in triangles.

Value

An igraph object if no cluster informations are given. Otherwise, it returns a list of igraph object (list.igraph) with a subgraph for each cluster and a global graph with all the genes.

See Also

[build.mim](#), [aracne](#), [getCluster](#)

Examples

```
data(hmp_T2D)
# grn only on gene
cluster.mRNA <- timeOmics::getCluster(hmp_T2D$getCluster.res,
                                     user.block = 'RNA')

X <- hmp_T2D$raw$RNA
grn.res <- get_grn(X = hmp_T2D$raw$RNA,
                  cluster = cluster.mRNA,
                  method = 'aracne')
```

get_interaction_from_correlation

Interaction_from_correlation

Description

Compute correlation between two dataframe X and Y (or list of data.frame). An incidence graph is returned. A link between two features is produced if their correlation (absolute value) is above the threshold.

Usage

```
get_interaction_from_correlation(X, Y, threshold = 0.5)
```

Arguments

X	a data.frame or list of data.frame (with a similar number of row).
Y	a data.frame or list of data.frame (with a similar number of row).
threshold	a threshold to cut the correlation matrix above which a link is created between a feature from X and a feature from Y.

Value

an 'igraph' object

Examples

```
X <- matrix(rexp(200, rate=.1), ncol=20)
Y <- matrix(rexp(200, rate=.1), ncol=20)
get_interaction_from_correlation(X,Y)

X <- list(matrix(rexp(200, rate=.1), ncol=20),
          matrix(rexp(200, rate=.1), ncol=20))
Y <- matrix(rexp(200, rate=.1), ncol=20)
get_interaction_from_correlation(X,Y)
```

get_interaction_from_database
Get interaction from database

Description

Returns an interaction graph from a vector of nodes (or a list of vectors) and an interaction database (data.frame or igraph)

Usage

```
get_interaction_from_database(X, db = NULL, type = "db", user.ego = FALSE)
```

Arguments

X	vector of nodes or list of vectors
db	data.frame (with two columns: from, to) or igraph
type	character added to node metadata
user.ego	logical, if user.ego == TRUE looks for first degree neighbors in db and add 'mode' metadata ('core'/'extended')

Value

a subset graph of db from X list of nodes

Examples

```
X <- letters[1:4]
db <- as.data.frame(list(from = sample(letters[1:10], replace = TRUE),
                        to = sample(letters[1:10], replace = TRUE)))

sub <- get_interaction_from_database(X,
                                   db)

db.graph <- igraph::graph_from_data_frame(db,
                                          directed=FALSE)

sub <- get_interaction_from_database(X,
                                   db)
```

`get_interaction_from_ORA`*Get interaction from ORA enrichment analysis*

Description

Returns results of an ORA analysis as an interaction graph

Usage

```
get_interaction_from_ORA(  
  query,  
  sources = "GO",  
  organism = "hsapiens",  
  signif.value = TRUE  
)
```

Arguments

<code>query</code>	a vector (or a list) of character with the ID to perform the ORA analysis
<code>sources</code>	(optional) a character in (GO, KEGG, REAC, TF, MIRNA, CORUM, HP, HPA, WP)
<code>organism</code>	(optional) a character (default = 'hsapiens')
<code>signif.value</code>	(optional) a logical, default = "

Value

a graph object (or list of graph) containing the interaction between the query and the target terms.

See Also

[gost gconvert](#)

Examples

```
query <- c('IL15', 'CDHR5', 'TGFA', 'C4B')  
get_interaction_from_ORA(query,  
  sources = 'GO')  
  
query <- list('All' = c('IL15', 'CDHR5', 'TGFA', 'C4B'),  
  'c1' = c('IL15', 'CDHR5', 'TGFA'))  
get_interaction_from_ORA(query,  
  sources = 'GO')
```

get_ORA	<i>ORA enrichment analysis</i>
---------	--------------------------------

Description

Returns results of an ORA analysis

Usage

```
get_ORA(query, sources = NULL, organism = "hsapiens")
```

Arguments

query	a vector of character, a list of ID
sources	a character or list of character
organism	a character (default = 'hsapiens')

Value

a data.frame containing the enrichment result

See Also

[gost](#)

hmp_T2D	<i>hmp_T2D</i>
---------	----------------

Description

This dataset contained a list of data.frames. Raw data is a subset of the data available at: https://github.com/aametwally/ipop_s. The package will be illustrated on longitudinal MO dataset to study the seasonality of MO expression in patients with diabetes (see netOmics vignette). In this subset we focused on a single individual with 7 timepoints. Briefly 6 different omics were sampled (RNA, proteins, cytokines, gut microbiome, metabolites and clinical variables).

Usage

```
hmp_T2D
```

Format

a list of data.frame

raw data.frame, raw data

modelled data.frame, modelled data

getCluster.res data.frame, clustering results from timeOmics

getCluster.sparse.res data.frame, sparse clustering results from timeOmics

interaction.biogrid data.frame, interactions from BioGRID database

interaction.TF data.frame, TFome interactions from TTrust and TF2DNA

medlineranker.res.df data.frame, medlineRanker enrichment results

graph.gut list of igraph, gut graph obtained with SparCC

netOmics

netOmics: network-based multi-omics integration and interpretation

Description

netOmics is a multi-omics networks builder and explorer. It uses a combination of network inference algorithms and knowledge-based graphs to build multi-layered networks.

The package can be combined with timeOmics to incorporate time-course expression data and build sub-networks from multi-omics kinetic clusters.

Finally, from the generated multi-omics networks, propagation analyses allow the identification of missing biological functions (1), multi-omics mechanisms (2) and molecules between kinetic clusters (3). This helps to resolve complex regulatory mechanisms. Here are the main functions.

Network building

get_grn Based on expression matrix, this function build a gene gene regulatory network. Additionally, if clustering information is given, it builds cluster specific graph.

get_interaction_from_database From a database (graph or data.frame with interactions between 2 molecules), this function build the induced graph based on a list of molecules . Alternatively, the function can build a graph with the first degree neighbors.

get_interaction_from_correlation Compute correlation between two dataframe X and Y (or list of data.frame). An incidence graph is returned. A link between two features is produced if their correlation (absolute value) is above the threshold.

combine_layers Combine 2 (or list of) graphs based on given intersections.

Network exploration

`random_walk_restart` This function performs a propagation analysis by random walk with restart in a multi-layered network from specific seeds.

`rwr_find_seeds_between_attributes` From rwr results, this function returns a subgraph if any vertex shares different attributes value. In biological context, this might be useful to identify vertex shared between clusters or omics types.

`rwr_find_closest_type` From a rwr results, this function returns the closest nodes from a seed with a given attribute and value. In biological context, it might be useful to get the closest Gene Ontology annotation nodes from unannotated seeds.

Visualisation

`summary_plot_rwr_attributes` #' Based on the results of `rwr_find_seeds_between_attributes` which identify the closest k neighbors from a seed, this function returns a barplot of the node types (layers) reached for each seed.

`plot_rwr_subnetwork` Display the subgraph from a RWR results. This function colors adds a specific color to each node based on their 'type' attribute. It also adds a legend including the number of vertices/edges and the number of nodes of specific type. Additionally, the function can display any igraph object.

`plot_rwr_subnetwork` *Plot RWR subnetwork*

Description

Display the subgraph from a RWR results. This function colors adds a specific color to each node based on their 'type' attribute. It also adds a legend including the number of vertices/edges and the number of nodes of specific type. Additionally, the function can display any igraph object.

Usage

```
plot_rwr_subnetwork(X, color = NULL, plot = TRUE, legend = TRUE, ...)
```

Arguments

<code>X</code>	an igraph object
<code>color</code>	(optional) a named character vector or list, list of color to apply to each type
<code>plot</code>	logical, if TRUE then the plot is produced
<code>legend</code>	(optional) logical, if TRUE then the legend is displayed with number of vertices/edges and the number of nodes of specific type.
<code>...</code>	Arguments to be passed to the plot method

Value

`X` is returned with additional vertex attributes

Examples

```

graph1 <- igraph::graph_from_data_frame(
  list(from = c("A", "B", "A", "D", "C", "A", "C"),
       to = c("B", "C", "D", "E", "D", "F", "G")),
  directed = FALSE)
graph1 <- igraph::set_vertex_attr(graph = graph1,
                                 name = 'type',
                                 index = c("A", "B", "C"),
                                 value = "1")
graph1 <- igraph::set_vertex_attr(graph = graph1,
                                 name = 'type',
                                 index = c("D", "E"),
                                 value = "2")
graph1 <- igraph::set_vertex_attr(graph = graph1,
                                 name = 'type',
                                 index = c("F", "G"),
                                 value = "3")

rwr_res <- random_walk_restart(X = graph1,
                              seed = c("A"))
rwr_res_type <- rwr_find_seeds_between_attributes(X = rwr_res,
                                                attribute = "type")

plot_rwr_subnetwork(rwr_res_type$A)

```

random_walk_restart *Random Walk with Restart*

Description

This function performs a propagation analysis by random walk with restart in a multi-layered network from specific seeds.

Usage

```
random_walk_restart(X, seed = NULL, r = 0.7)
```

Arguments

X	an igraph or list.igraph object.
seed	a character vector. Only seeds present in X are considered.
r	a numeric value between 0 and 1. It sets the probability of restarting to a seed node after each step.

Value

Each element of *X* returns a list (class = 'rwr') containing the following elements:

rwr a data.frame, the RWR results for each valid seed.
seed a character vector with the valid seeds
graph igraph object from *X*

If *X* is a list.igraph, the returned object is a list.rwr.

See Also

[Random.Walk.Restart.Multiplex](#), [rwr_find_seeds_between_attributes](#), [rwr_find_closest_type](#)

Examples

```
graph1 <- igraph::graph_from_data_frame(
  list(from = c('A', 'B', 'A', 'D', 'C', 'A', 'C'),
       to = c('B', 'C', 'D', 'E', 'D', 'F', 'G')),
  directed = FALSE)
graph1 <- igraph::set_vertex_attr(graph = graph1,
                                 name = 'type',
                                 index = c('A', 'B', 'C'),
                                 value = '1')
graph1 <- igraph::set_vertex_attr(graph = graph1,
                                 name = 'type',
                                 index = c('D', 'E'),
                                 value = '2')
graph1 <- igraph::set_vertex_attr(graph = graph1,
                                 name = 'type',
                                 index = c('F', 'G'),
                                 value = '3')

rwr_res <- random_walk_restart(X = graph1,
                              seed = c('A', 'B', 'C', 'D', 'E'))
```

rwr_find_closest_type *RWR Find closest nodes*

Description

From a rwr results, this function returns the closest nodes from a seed with a given attribute and value. In biological context, it might be useful to get the closest Gene Ontology annotation nodes from unannotated seeds.

Usage

```
rwr_find_closest_type(X, seed = NULL, attribute = NULL, value = NULL, top = 1)
```

Arguments

X	a random walk result from random_walk_restart
seed	a character vector or NULL. If NULL, all the seeds from X are considered.
attribute	a character value or NULL. If NULL, the closest node is returned.
value	a character value or NULL. If NULL, the closest node for a given attribute is returned.
top	a numeric value, the top closest nodes to extract

Value

A list of data.frame for each seed containing the closest nodes per seed and their vertex attributes. If X is list.rwr, the returned value is a list of list.

Examples

```
graph1 <- igraph::graph_from_data_frame(
  list(from = c("A", "B", "A", "D", "C", "A", "C"),
       to = c("B", "C", "D", "E", "D", "F", "G")),
  directed = FALSE)
graph1 <- igraph::set_vertex_attr(graph = graph1,
                                name = 'type',
                                index = c("A", "B", "C"),
                                value = "1")
graph1 <- igraph::set_vertex_attr(graph = graph1,
                                name = 'type',
                                index = c("D", "E"),
                                value = "2")
graph1 <- igraph::set_vertex_attr(graph = graph1,
                                name = 'type',
                                index = c("F", "G"),
                                value = "3")

rwr_res <- random_walk_restart(X = graph1,
                              seed = c("A", "B", "C", "D", "E"))
rwr_find_closest_type(X=rwr_res, attribute = "type",
                     seed = "A")
```

rwr_find_seeds_between_attributes

RWR Find seeds between attributes

Description

From rwr results, this function returns a subgraph if any vertex shares different attributes value. In biological context, this might be useful to identify vertex shared between clusters or omics types.

Usage

```
rwr_find_seeds_between_attributes(X, seed = NULL, k = 15, attribute = "type")
```

Arguments

X a random walk result from `random_walk_restart`

seed a character vector or NULL. If NULL, all the seeds from *X* are considered.

k an integer, *k* closest nodes to consider in the search

attribute a character value or NULL. If NULL, the closest node is returned.

Value

A list of igraph object for each seed. If *X* is a list, it returns a list of list of graph.

Examples

```
graph1 <- igraph::graph_from_data_frame(
  list(from = c("A", "B", "A", "D", "C", "A", "C"),
       to = c("B", "C", "D", "E", "D", "F", "G")),
  directed = FALSE)
graph1 <- igraph::set_vertex_attr(graph = graph1,
  name = 'type',
  index = c("A", "B", "C"),
  value = "1")
graph1 <- igraph::set_vertex_attr(graph = graph1,
  name = 'type',
  index = c("D", "E"),
  value = "2")
graph1 <- igraph::set_vertex_attr(graph = graph1,
  name = 'type',
  index = c("F", "G"),
  value = "3")

rwr_res <- random_walk_restart(X = graph1,
  seed = c("A", "B", "C", "D", "E"))
rwr_res_type <- rwr_find_seeds_between_attributes(X = rwr_res,
  attribute = "type",
  k = 3)
```

summary_plot_rwr_attributes

Summary Plot RWR attributes

Description

Based on the results of `rwr_find_seeds_between_attributes` which identify the closest *k* neighbors from a seed, this function returns a barplot of the node types (layers) reached for each seed.


```
summary_plot_rwr_attributes(rwr_res_type)
```

Index

* datasets

- hmp_T2D, [9](#)

- aracne, [5](#)

- build.mim, [5](#)

- combine_layers, [2](#)

- gconvert, [8](#)
- get_go_info, [3](#)
- get_graph_stats, [4](#)
- get_grn, [5](#)
- get_interaction_from_correlation, [6](#)
- get_interaction_from_database, [7](#)
- get_interaction_from_ORA, [8](#)
- get_ORA, [9](#)
- getCluster, [5](#)
- gost, [8](#), [9](#)

- hmp_T2D, [9](#)

- netOmics, [10](#)

- plot_rwr_subnetwork, [11](#)

- Random.Walk.Restart.Multiplex, [13](#)
- random_walk_restart, [12](#), [16](#)
- rwr_find_closest_type, [13](#), [13](#)
- rwr_find_seeds_between_attributes, [11](#),
[13](#), [14](#), [15](#), [16](#)

- summary_plot_rwr_attributes, [15](#)