

# Package ‘tspair’

December 1, 2020

**Title** Top Scoring Pairs for Microarray Classification

**Version** 1.48.0

**Author** Jeffrey T. Leek <jtleek@jhu.edu>

**Description** These functions calculate the pair of genes that show the maximum difference in ranking between two user specified groups. This “top scoring pair” maximizes the average of sensitivity and specificity over all rank based classifiers using a pair of genes in the data set. The advantage of classifying samples based on only the relative rank of a pair of genes is (a) the classifiers are much simpler and often more interpretable than more complicated classification schemes and (b) if arrays can be classified using only a pair of genes, PCR based tests could be used for classification of samples. See the references for the tspcalc() function for references regarding TSP classifiers.

**Maintainer** Jeffrey T. Leek <jtleek@jhu.edu>

**Depends** R (>= 2.10), Biobase (>= 2.4.0)

**License** GPL-2

**biocViews** Microarray

**git\_url** <https://git.bioconductor.org/packages/tspair>

**git\_branch** RELEASE\_3\_12

**git\_last\_commit** 88a62f4

**git\_last\_commit\_date** 2020-10-27

**Date/Publication** 2020-11-30

## R topics documented:

dat . . . . .	2
dat2 . . . . .	2
eSet1 . . . . .	2
eSet2 . . . . .	3
grp . . . . .	3
plot.tsp . . . . .	3
predict.tsp . . . . .	4
summary.tsp . . . . .	5
ts.pair . . . . .	7

tspcalc . . . . .	8
tspdata . . . . .	9
tspplot . . . . .	10
tspsig . . . . .	11

**Index** **13**

dat *Simulated gene expression data.*

**Description**

This data set is a simulated gene expression matrix "dat" with 1000 genes and 50 arrays.

**Usage**

dat

**Format**

matrix

dat2 *Simulated gene expression data.*

**Description**

This data set is a simulated gene expression matrix "dat2" with 500 genes and 20 arrays used for testing predictions based on the data "dat"

**Usage**

dat2

**Format**

matrix

eSet1 *A simulated expression set.*

**Description**

This is a simulated expression set, where  $\text{exprs}(\text{eSet1}) = \text{dat}$  and  $\text{pData}(\text{eSet1}) = \text{grp}$ .

**Usage**

eSet1

**Format**

Expression Set

---

eSet2	<i>A simulated expression set.</i>
-------	------------------------------------

---

**Description**

This is a simulated test texpression set, where  $\text{exprs}(\text{eSet2}) = \text{dat2}$ .

**Usage**

eSet2

**Format**

Expression Set

---

grp	<i>A group indicator.</i>
-----	---------------------------

---

**Description**

This is a group indicator for the simulated gene expression data "dat" in the TSP package. The two groups are "healthy" and "diseased".

**Usage**

grp

**Format**

vector

---

plot.tsp	<i>Graphical display of tsp objects</i>
----------	---

---

**Description**

Graphical display of tsp objects

**Usage**

```
## S3 method for class 'tsp'
plot(x,y,...)
```

**Arguments**

x	A tsp object
y	Not used
...	Plotting arguments, not used

**Details**

tspplot() creates a plot of each top scoring pair. The figure plots the expression for the first gene in the TSP pair versus the expression for the second gene in the TSP pair across arrays. The user defined groups are plotted in the colors red and blue. The score for the pair is shown across the top of each plot. If there is more than one TSP, hitting return will cycle from one TSP to the next.

**Value**

Nothing of interest.

**Author(s)**

Jeffrey T. Leek <jtleek@jhu.edu>

**References**

D. Geman, C. d'Avignon, D. Naiman and R. Winslow, "Classifying gene expression profiles from pairwise mRNA comparisons, Statist. Appl. in Genetics and Molecular Biology, 3, 2004.

**See Also**

[tspcalc](#), [ts.pair](#), [tspsig](#), [predict.tsp](#), [summary.tsp](#), [tspplot](#)

**Examples**

```
## Not run:
## Load data
data(tspdata)
tsp1 <- tspcalc(dat,grp)
plot(tsp1)

## End(Not run)
```

---

predict.tsp

*Prediction based on a tsp object*

---

**Description**

This function can be used to predict outcome values for a data set based on a tsp object.

**Usage**

```
## S3 method for class 'tsp'
predict(object,dat=NULL,select=NULL,...)
```

**Arguments**

object	A tsp object
dat	Can take two values: (a) an m genes by n arrays matrix of expression data or (b) an eSet object
select	An indicator of which TSP to use, defaults to the first TSP.
...	Plotting arguments (ignored)

## Details

predict() accepts a tsp object calculated on an expression set or gene expression matrix. If no other data set is included, the tsp predictions for the original data set are produced. If a second gene expression matrix or expression set is included, predict() looks for the gene names of the TSP in tspobj and attempts to match them in the rownames or featureNames of the gene expression matrix. If rownames or featureNames are not available, the prediction is based on the row numbers. If a match is identified, predict() makes a prediction for each gene based on the output.

## Value

predict            A class prediction for each array of dat based on the TSP from tspobj

## Author(s)

Jeffrey T. Leek <jtleek@jhu.edu>

## References

D. Geman, C. d'Avignon, D. Naiman and R. Winslow, "Classifying gene expression profiles from pairwise mRNA comparisons," *Statist. Appl. in Genetics and Molecular Biology*, 3, 2004.

A.C. Tan, D.Q. Naiman, L. Xu, R.L. Winslow, D. Geman, "Simple decision rules for classifying human cancers from gene expression profiles," *Bioinformatics*, 21:3896-3904, 2005.

## See Also

[tspplot](#), [ts.pair](#), [tspcalc](#), [tspsig](#), [summary.tsp](#)

## Examples

```
## Not run:
## Load data
data(tspdata)

## Run tspcalc() on a data matrix and grp vector
tsp1 <- tspcalc(dat,grp)

## Get predictions for a new eSet or data matrix
predict.tsp(tsp1,dat2,1)
predict(tsp1,eSet2,1)

## End(Not run)
```

---

summary.tsp

*Summary of a tsp object*

---

## Description

This function can be used to summarize a TSP object.

## Usage

```
## S3 method for class 'tsp'
summary(object,select=NULL,printall=FALSE,...)
```

**Arguments**

object	A tsp object
select	A numerical indicator of which TSP to summarize, if NULL, all TSPs are summarized one at a time
printall	If printall=TRUE all TSPs are summarized at once
...	Summary arguments (ignored)

**Details**

summary() accepts a tsp object calculated on an expression set or gene expression matrix. The result is a table of frequencies for the TSP indicator versus the group indicator.

**Value**

A table.

**Author(s)**

Jeffrey T. Leek <jtleek@jhu.edu>

**References**

D. Geman, C. d'Avignon, D. Naiman and R. Winslow, "Classifying gene expression profiles from pairwise mRNA comparisons," *Statist. Appl. in Genetics and Molecular Biology*, 3, 2004.

**See Also**

[tspplot](#), [ts.pair](#), [tspcalc](#), [tspsig](#), [predict.tsp](#)

**Examples**

```
## Not run:
## Load data
data(tspdata)

## Run tspcalc() on a data matrix and grp vector
tsp1 <- tspcalc(dat,grp)

## Get the summary for the tsp object.
summary(tsp1)
summary.tsp(tsp1)

## End(Not run)
```

---

ts.pair	<i>Calculation of top scoring pairs.</i>
---------	--

---

### Description

This function calculates the pair of genes that show the maximum difference in ranking between two user specified groups. The function `tspcalc()` is the general version of this function that accepts `eSets`.

### Usage

```
ts.pair(dat, grp)
```

### Arguments

<code>dat</code>	An m genes by n arrays matrix of expression data.
<code>grp</code>	A group indicator with values 0 and 1 for the two groups.

### Details

`ts.pair()` only works for two group classification. All the caveats for `tspcalc()` apply here, but this function only works for matrix and vector arguments, for a more general function see `tspcalc()`. The top scoring pairs methodology was originally described in Geman et al. (2004). and the unique TSP idea was described in Tan et al. (2005).

### Value

A `tsp` object with elements:

<code>index</code>	A two-column matrix where each row is a pair of indices from the data matrix achieving the top score
<code>tspscore</code>	The rank based score described in Geman et al. (2004), essentially the empirical average of sensitivity and specificity for the pair.
<code>score</code>	The tie-breaking score described in Tan et al. (2005).
<code>grp</code>	The binary group indicator.
<code>tspdat</code>	Row <code>i</code> and row <code>(i + Number of total TSPs)</code> of this data matrix represent the expression data for the <code>i</code> th TSP pair.
<code>labels</code>	The group labels for the two groups as defined by the <code>grp</code> variable.

### Author(s)

Jeffrey T. Leek <jtleek@jhu.edu>

### References

D. Geman, C. d'Avignon, D. Naiman and R. Winslow, "Classifying gene expression profiles from pairwise mRNA comparisons," *Statist. Appl. in Genetics and Molecular Biology*, 3, 2004.

A.C. Tan, D.Q. Naiman, L. Xu, R.L. Winslow, D. Geman, "Simple decision rules for classifying human cancers from gene expression profiles," *Bioinformatics*, 21: 3896-3904, 2005.

**See Also**

[tspplot](#), [tspcalc](#), [tspsig](#), [predict.tsp](#), [summary.tsp](#)

**Examples**

```
## Not run:
## Load data
data(tspdata)
tsp1 <- ts.pair(dat,grp)
tsp1$index

## End(Not run)
```

---

tspcalc

*Estimate top scoring pairs from a gene expression matrix*


---

**Description**

This function calculates the pair of genes that show the maximum difference in ranking between two user specified groups. The "top scoring pair" (TSP) maximizes the average of sensitivity and specificity over all rank based classifiers using a pair of genes in the data set.

**Usage**

```
tspcalc(dat,grp)
```

**Arguments**

dat	Can take two values: (a) an m genes by n arrays matrix of expression data or (b) an eSet object
grp	Can take one of two values: (a) A group indicator in character or numeric form, (b) an integer indicating the column of pData(dat) to use as the group indicator.

**Details**

tspcalc only works for two group classification. The computation time grows rapidly in the number of genes, so for large gene expression matrices one should be prepared to wait or do a pre-filtering step. The top scoring pairs methodology was originally described in Geman et al. (2004) and the unique TSP idea was described in Tan et al. (2005).

**Value**

A tsp object with elements:

index	A two-column matrix where each row is a pair of indices from the data matrix achieving the top score
tspscore	The rank based score described in Geman et al. (2004), essentially the empirical average of sensitivity and specificity for the pair.
score	The tie-breaking score described in Tan et al. (2005).
grp	The binary group indicator.
tspdat	Row i and row (i + Number of total TSPs) of this data matrix represent the expression data for the ith TSP pair.
labels	The group labels for the two groups as defined by the grp variable.



**Author(s)**

Jeffrey T. Leek <jtleek@jhu.edu>

**References**

D. Geman, C. d'Avignon, D. Naiman and R. Winslow, "Classifying gene expression profiles from pairwise mRNA comparisons," *Statist. Appl. in Genetics and Molecular Biology*, 3, 2004.

A.C. Tan, D.Q. Naiman, L. Xu, R.L. Winslow, D. Geman, "Simple decision rules for classifying human cancers from gene expression profiles," *Bioinformatics*, 21: 3896-3904, 2005.

**See Also**

[tspplot](#), [ts.pair](#), [tspsig](#), [predict.tsp](#), [summary.tsp](#)

**Examples**

```
## Not run:
## Load data
data(tspdata)

## Run tspcalc() on a data matrix and grp vector
tsp1 <- tspcalc(dat,grp)
tsp1$index

## Run tspcalc() on an expression set and a column of the pData matrix
tsp2 <- tspcalc(eSet1,1)
tsp2$index

## End(Not run)
```

---

tspdata

*Simulated gene expression data in both matrix and expression set format.*

---

**Description**

These data sets can be used to illustrate the TSP functions. The data consist of two simulated data sets "dat", "dat2", a group indicator "grp" for "dat", and two expression sets "eSet1" and "eSet2" where the expression of eSet1 is "dat", the expression of eSet2 is dat2, and the pData for eSet1 consists of "grp".

**Usage**

dat

---

`tspplot`*Graphical display of tsp objects*

---

**Description**

Graphical display of tsp objects

**Usage**

```
tspplot(tspobj)
```

**Arguments**

`tspobj`            A tsp object.

**Details**

`tspplot()` creates a plot of each top scoring pair. The figure plots the expression for the first gene in the TSP pair versus the expression for the second gene in the TSP pair across arrays. The user defined groups are plotted in the colors red and blue. The score for the pair is shown across the top of each plot. If there is more than one TSP, hitting return will cycle from one TSP to the next.

**Value**

Nothing of interest.

**Author(s)**

Jeffrey T. Leek <jtleek@jhu.edu>

**References**

D. Geman, C. d'Avignon, D. Naiman and R. Winslow, "Classifying gene expression profiles from pairwise mRNA comparisons, *Statist. Appl. in Genetics and Molecular Biology*, 3, 2004.

**See Also**

[tspcalc](#), [ts.pair](#), [tspsig](#), [predict.tsp](#), [summary.tsp](#)

**Examples**

```
## Not run:  
## Load data  
data(tspdata)  
tsp1 <- tspcalc(dat,grp)  
tspplot(tsp1)  
  
## End(Not run)
```



**Examples**

```
## Not run:  
## Load data  
data(tspdata)  
  
## Run tspcalc() on a data matrix and grp vector  
tsp1 <- tspcalc(dat,grp)  
  
## Run tspsig() to get a p-value  
p <- tspsig(dat,grp)  
p  
  
## End(Not run)
```

# Index

## \* datasets

dat, 2  
dat2, 2  
eSet1, 2  
eSet2, 3  
grp, 3  
tspdata, 9

## \* misc

plot.tsp, 3  
predict.tsp, 4  
summary.tsp, 5  
ts.pair, 7  
tspcalc, 8  
tspplot, 10  
tspsig, 11

dat, 2

dat2, 2

eSet1, 2

eSet2, 3

grp, 3

plot.tsp, 3

predict (predict.tsp), 4

predict.tsp, 4, 4, 6, 8–11

summary (summary.tsp), 5

summary.tsp, 4, 5, 5, 8–11

ts.pair, 4–6, 7, 9–11

tspcalc, 4–6, 8, 8, 10, 11

tspdata, 9

tspplot, 4–6, 8, 9, 10, 11

tspsig, 4–6, 8–10, 11